What's new in Backup Exec



What's New in Backup Exec releases and its feature packs

This document includes the following topics:

- What's New in Backup Exec releases 2014 to Backup Exec 20.3
- What's new in Backup Exec 20 Update 3
- What's new in Backup Exec 20 Update 2
- What's new in Backup Exec 20 Update 1
- What's new in Backup Exec 20
- What's New in Backup Exec 16 Feature Pack 2
- What's New in Backup Exec 16 Feature Pack 1
- What's New in Backup Exec 16
- What's New in Backup Exec 15 Feature Pack 5
- What's New in Backup Exec 15 Feature Pack 4
- What's New in Backup Exec 15 Feature Pack 3
- What's New in Backup Exec 15 Feature Pack 2
- What's New in Backup Exec Feature Pack 1
- What's New in Backup Exec 15
- What's New in Backup Exec 2014 Service Pack 2

What's New in Backup Exec 2014

What's New in Backup Exec releases 2014 to Backup Exec 20.3

This article lists the new features added from Backup Exec 2014 to Backup Exec 20.3. For more information on these features, see the Backup Exec Administrator's Guide.

Description

What's new in Backup Exec 20 Update 3

Item

item	Description
GDPR Guard	Backup Exec users can now block access to certain backed up items for privacy and compliance requirements of an organization. With GDPR Guard, users can specify the list of blocked items that should no longer be viewed or restored using Backup Exec.
Support for Windows Server 2019	Backup Exec now supports backups and restores of Windows Server 2019. Backup Exec and Agent for Windows can be installed on Windows Server 2019.
	You can find a list of compatible operating systems, platforms, and applications in the Backup Exec Software Compatibility List (SCL).
Support for Microsoft Exchange Server 2019	Support for backups and restores of Exchange Server 2019 databases, and restore of individual items (GRT) with Exchange Server 2019 is available.
	You can find a list of compatible operating systems, platforms, and applications in the Backup Exec Software Compatibility List (SCL).
Retry backup for only failed resources	Backup Exec users can now retry a failed backup job for only those resources that failed during the last run.

Item	Description
Backup virtual machine disks selectively - VMware	You can now choose which virtual disks to include or exclude when backing up VMware virtual machines.
	This feature is only applicable for virtual machines hosted on VMware vSphere.
Support for new cloud storage - Alibaba	Alibaba Cloud Object Storage Service (OSS) is now supported by Backup Exec Cloud Connector.
	You can find a list of supported cloud storage regions in the Backup Exec Hardware Compatibility List (HCL).

What's new in Backup Exec 20 Update 2

Item

Description

Instant Cloud Recovery	Backup Exec users get Disaster Recovery powered by Azure Site Recovery. You can monitor the replication health and enable replication of on-premise virtual machines, whose hosts are configured with Azure Site Recovery.
	For more information about Azure Site Recovery, go to the following URL:
	https://azure.microsoft.com/services/site-recovery/
Support for vSphere 6.7	Backup Exec protects vSphere 6.7.
Support for Microsoft SharePoint Server 2016	Backup Exec now supports protection of SharePoint Server 2016. Granular restore is limited to farm-level components.
Windows Server, version 1803 and Windows 10, version 1803	Backup Exec now protects Windows Server, version 1803 and Windows 10, version 1803.
Establish trust for vCenter/ESX(i) servers	Backup Exec users can now review and validate the security SSL certificates installed on vCenter/ESX(i) hosts.

What's new in Backup Exec 20 Update 1

Item	Description
Backup Exec now introduces Subscription and Perpetual-based Licensing	The Subscription and Perpetual licensing models in Backup Exec are available in Bronze, Silver, and Gold packaging. The Subscription and Perpetual licensing models facilitate simpler transactions for businesses with fewer sets of licenses to manage for users.
	It makes it easy for users to do backups since they are paying based on the front end capacity they are protecting.
Enhanced Instant recovery	Backup Exec users can now also instantly recover any non-Windows virtual machine.
Support for OpenDedupe Connectors	The OpenDedupe OST Connector now supports Azure Archival Storage and Amazon Glacier. With the integration between Backup Exec and OpenDedupe, you can now back up to this storage.
Enhancing S3-Compatible Cloud service provider coverage	Backup Exec supports more cloud storage providers when the cloud storage is configured with the "compatible-with-s3" provider. For more information, refer to the following technote:
	http://www.veritas.com/docs/000126210
Backup Exec integrates with Veritas™ Information Map	Backup Exec integrates with Veritas [™] Information Map. This integration helps organizations gain insight into their data by providing an immersive visual experience of the global information environment for an organization.
	Backup Exec can be configured to populate Information Map with metadata of an organization's unstructured data and identify areas of risk, value, waste, and interest.
Veritas Update replaces LiveUpdate	LiveUpdate has been replaced with Veritas Update to provide updates for Backup Exec.
Enhanced inbound firewall rules for Backup Exec	Backup Exec has enhanced the existing inbound firewall rules to provide access for only the required ports and restrict access to all other ports. This helps to minimize probability of a security lapse or violation.
Enhancements to Backup Exec with a powerful Deduplication engine	Backup Exec users can get improved speed, scale, and stability while backing up to the Backup Exec deduplication folder.

ltem	Description
Payment Card Industry Data Security Standard (PCI DSS) support	Backup Exec can be installed for data protection in an environment configured to use TLS 1.2 that helps to comply with the Payment Card Industry Data Security Standard (PCI DSS) 3.1/3.2 requirements.
Transport Layer Security (TLS) 1.2 support	Backup Exec can be installed for data protection in an environment configured to use TLS 1.2.
Improved IPv6 support	Backup Exec client-side deduplication, NDMP Option, and RMAL features can also be used with the IPv6 (Pure and Dual Stack) protocol.
Support for SQL Server 2017	Backup Exec now protects SQL Server 2017. You can also host the Backup Exec database on SQL Server 2017.

What's new in Backup Exec 20

Item	Description
Backup Exec integrates with Veritas™ Information Map	Backup Exec integrates with Veritas™ Information Map to help organizations gain insight into their data by providing an immersive visual experience of the global information environment for an organization.
	Backup Exec can be configured to populate Information Map with metadata of an organization's unstructured data and identify areas of risk, value, waste and interest.
Veritas Update replaces LiveUpdate	LiveUpdate has been replaced with Veritas Update for providing updates to Backup Exec.:

Item	Description
Backup Exec now comes with the convenience of Subscription-based Licensing	Backup Exec licensing has changed. Backup Exec is now available in three editions: Backup Exec Bronze, Silver, and Gold. Each edition includes a specific set of features, and are priced on a per-terabyte basis. A Trial edition is also available, which includes all of the agents and features included with the Gold edition.
	For more information about licensing changes, see the Backup Exec Administrator's Guide.
Enhancements to Backup Exec with a powerful Deduplication engine	Backup Exec users get improved speed, scale, and stability while backing up to the Backup Exec deduplication folder.
Payment Card Industry Data Security Standard (PCI DSS) support	Backup Exec can be installed for data protection in an environment configured to use TLS 1.2 in compliance with the Payment Card Industry Data Security Standard (PCI DSS) requirements.
Support for SQL Server 2017	Backup Exec now supports backup and restore of SQL Server 2017.

What's New in Backup Exec 16 Feature Pack 2

ltem	Description
Backup Exec™ CloudConnect Optimizer	Backup Exec users benefit from the Backup Exec™ CloudConnect Optimizer as it tunes the Write Connections setting to ensure successful backups and improved data rates based on the network bandwidth.
S3-compatible cloud storage	You can now configure S3-compatible cloud storage with Backup Exec. For more information, refer to the following technote:
	http://www.veritas.com/docs/000126210

ltem	Description
Support for new cloud storage regions	Backup Exec users benefit from cloud storage choices through support for the following cloud storage regions, enabling greater flexibility and economy:
	Microsoft Azure Government CloudMicrosoft Azure GermanyAmazon Government Cloud
	Review the Backup Exec Hardware Compatibility List (HCL) for supported cloud storage regions. You can find the HCL at the following URL:
	http://www.veritas.com/docs/000017788
Support of Regional storage class for Google	To improve accessibility of cloud storage data, Backup Exec supports the Regional storage class for Google cloud storage.
Dedupe to Cloud with OpenDedupe OST Connector	The OpenDedupe OST Connector provides integration between Backup Exec and OpenDedupe.
	The Backup Exec [™] Configuration Tool for OpenDedupe is a tool that simplifies the configuration of OpenDedupe volumes for use by Backup Exec. For more information about this configuration tool, refer to the following technote:
	http://www.veritas.com/docs/000127295

What's New in Backup Exec 16 Feature Pack 1

ltem	Description
Recovery Ready feature	Recovery Ready validates the integrity of a protected VMware or Hyper-V virtual machine backup. The validation job runs tests and ensures that the virtual machine and its data can be reliably recovered if necessary. This helps IT operations smooth recovery in the event of data loss.
Enhanced resiliency for Instant Recovery	Enhanced resiliency increases the data and application availability of VMware and Hyper-V virtual machines that have been Instantly Restored. This improves business continuity in case the Backup Exec server or the VMware or the Hyper-V server must be restarted. As soon as the restart is complete or network reconnected, virtual machines restored with the "Instant Recovery" feature are brought back online automatically.

ltem	Description
Support for new private cloud-based storage providers	Backup Exec broadens cloud storage choices through support for the following private providers, enabling greater flexibility and economy:
	Dell EMC Elastic Cloud Storage (ECS)RedHat Ceph Storage
Direct-To-Cloud	Backup Exec users benefit from enhanced Direct-To-Cloud features that increase flexibility for their cloud implementations:
	 Back up data directly to cloud. Direct configuration of cloud storage devices. Global settings to configure the read and write connection to a cloud storage device. Improved clarity of cloud storage device properties. A new Cloud Storage Summary report.
Support of Infrequent Access Storage tier for	To improve the economy of cloud data storage, Backup Exec now supports the following tiers for Amazon S3 Cloud Storage:
Amazon S3	Standard

Standard_IA (Infrequent Access)

What's New in Backup Exec 16

Item

User interface

Description

Backup Exec has updated rebranding for Veritas Backup Exec 16.

Item	Description
Support for Microsoft Azure storage cloud	Backup Exec supports Microsoft Azure Storage cloud as a backup target. Backup Exec supports writing backup data to and restoring data from Microsoft Azure Blob storage.
	For more information about Microsoft Azure Storage cloud requirements and configuration, see "About cloud-based storage devices" in the Backup Exec 16 Administrator's Guide.
	For the list of supported cloud providers, see the Backup Exec Hardware Compatibility List at the following URL: https://www.veritas.com/support/en_US/article.000017788
Support added for Windows 2016 Server	Backup Exec 16 supports Windows 2016 Server. All operating system features supported by Backup Exec on a Windows 2012 R2 server are also supported on a Windows 2016 server.
	This includes agent-based backup of a Windows 2016 server including Hyper-V virtual machines.
Support for VMware vSphere 2016	Backup Exec supports VMware vSphere 2016.

What's New in Backup Exec 15 Feature Pack 5

Item	Description
Support for private cloud storage devices	Backup Exec supports backups to private cloud-based storage devices. Configure a private cloud storage server in your environment, create a cloud instance, and then configure a cloud storage device in Backup Exec for the private cloud storage server. You can now select this cloud storage device as the destination device for backup jobs or duplicate backup jobs.
	For more information about cloud-based storage devices and their configuration, see "About cloud-based storage devices" in the Backup Exec 15 Administrator's Guide.
	For the list of supported private cloud providers, see the Backup Exec Hardware Compatibility List at the following URL:
	https://www.veritas.com/support/en_US/article.000024527
Instant recovery of VMware virtual machines	Backup Exec now supports instant recovery of a VMware virtual machine. You can instantly recover the virtual machine without waiting to transfer the virtual machine's data from a backup set and users can access it on the vCenter or ESX/ESXi host immediately.
	For more information about this feature, see "About instant recovery of a VMware virtual machine" in the Backup Exec 15 Administrator's Guide.

Instant recovery of Hyper-V virtual machines Backup Exec now supports instant recovery of a Hyper-V virtual machine. You can instantly recover the virtual machine without waiting to transfer the virtual machine's data from a backup set and users can access it on the Hyper-V host immediately. For more information about this feature, see

"About instant recovery of a Hyper-V virtual machine" in the Backup Exec 15 Administrator's Guide.

Item

Renamed options for delayed catalog and quick catalog

Description

On the Backup Job Options dialog box, Delayed Catalog in the left pane is changed to Instant GRT. The Delayed Catalog options dialog box is also renamed to Instant GRT and Full Catalog options.

In addition, the option Do not run a delayed catalog. Instead, run a quick catalog operation as part of the backup job is renamed to Enable Instant GRT.

For more information about Instant GRT, see "Configuring Instant GRT and full catalog options to improve backup performance for GRT-enabled jobs" in the Backup Exec 15 Administrator's Guide

What's New in Backup Exec 15 Feature Pack 4

Item

Reduce virtual server backup time with an Instant GRT)

Description

To reduce the cataloging time for a backup enhanced cataloging feature (also known as job, you can now choose the quick cataloging option on the Delayed Catalog Options dialog box. This option runs the catalog operation as part of the backup job and collects only the minimum required catalog information. However, when you browse the backup sets for individual items that you want to restore, Backup Exec reads and displays the granular information in the backup sets.

> The new option is named **Do not run a** delayed catalog operation. Instead, run a quick catalog operation as part of the backup job.

> For more information about quick cataloging, see "Configuring delayed catalog options to improve backup performance for GRT-enabled jobs" in the Backup Exec 15 Administrator's Guide.

What's New in Backup Exec 15 Feature Pack 3

ltem

Auto-detection of existing database files before installation failure

Description

If Backup Exec database (BEDB) files from a previous installation of Backup Exec are detected, the Backup Exec installation wizard provides the option to use the new database files or use the existing database files.

If you choose to use the new database files, the old database files are copied to a different location. However, if you use the existing database files, the installation may fail if the existing database files are from a different version of Backup Exec.

This feature is not supported when you use the command line (silent mode) to install Backup Exec.

New Configuration Validation feature This new feature p

This new feature provides information about configuration issues. It detects configuration errors and deviations from recommended settings, and provides recommendations for best practices. On the Home tab, a new Configuration Tasks widget provides a summary of configuration tasks that need attention. From the widget on the Home tab you can click a link to view the Configuration Tasks dialog box, which provides details about each configuration issue as well as actions that should be taken to resolve the issues. Additionally, direct links are provided from the Configuration Tasks dialog box to the location in the user interface where you can adjust settings to correct the configuration issues.

Description

ltem	

Improved backup and restore times for Hyper-V and VMware	Backup Exec now automatically skips the data in the Pagefile.sys file during Hyper-V and VMware backup jobs. Pagefile.sys is a virtual memory swap file that Windows uses to swap applications in and out of RAM to and from disk when the operating system begins to run out of RAM. The data in the Pagefile.sys file is not relevant after data is restored. By skipping the data in this file during backup jobs, backup and restore times can be reduced. In addition, storage space can be increased. Backup Exec skips the data in the Pagefile.sys file automatically. You do not need to enable any options. For VMware, the data in Pagefile.sys is skipped only for full backups. For Hyper-V, the data in Pagefile.sys is not skipped for offline backups.
Support for new versions of VMware	Backup Exec now supports VMware versions 6.0 U1 and 5.5 U3.
New options for Hyper-V incremental backups	You can now choose the processing method to use for Hyper-V incremental backups. The standard processing method reads the whole VHD or VHDX disk and performs fingerprinting on the entire disk, and then backs up the changed blocks that are identified. The faster processing method writes all changed blocks to a differencing disk and then backs up only the differencing disk.
New options for Hyper-V incremental backups	to use for Hyper-V incremental backups. The standard processing method reads the whole VHD or VHDX disk and performs fingerprinting on the entire disk, and then backs up the changed blocks that are identified. The faster processing method writes all changed blocks to a differencing disk and then backs up only the differencing
New options for Hyper-V incremental backups	to use for Hyper-V incremental backups. The standard processing method reads the whole VHD or VHDX disk and performs fingerprinting on the entire disk, and then backs up the changed blocks that are identified. The faster processing method writes all changed blocks to a differencing disk and then backs up only the differencing disk. You can set the processing method for Hyper-V incremental backups from Configuration and Settings > Backup Exec

New Exchange High Availability Server option You can now select the Back up from the

Description

You can now select the **Back up from the preferred server configuration only** option. Use the passive copy first and if not available, use the active copy. Job fails if copies are not available in the preferred server configuration. This option lets you back up from the preferred server configurations that you specify as the preferred server source. The passive copy is used as the first backup source and if it is not available, the active copy is used. If the copies are not available in the preferred server configuration, the job fails.

What's New in Backup Exec 15 Feature Pack 2

ltem

Description

Tag as business-critical options	The new Tag as business-critical option on the Backup Selections dialog box lets you select which resources are most important to you. This option prioritizes the backup of the resources that are the most critical to your business so that the items that are tagged as business-critical resources are backed up in priority order.
Enhanced support for Microsoft Exchange	Backup Exec now supports backups and restores of Exchange 2016 databases. In addition, support is now available for Exchange 2013 SP1/2016 Database Availability Groups (DAG) without a cluster administrative access point.
Support for Microsoft Exchange 2016 on Hyper-V and VMware virtual machines	Backup Exec now supports backups and restores of Exchange 2016 on virtual machines.

Support for cloud storage devices

Description

Backup Exec supports backups to cloud-based storage devices. You can use the cloud connector to back up data to a cloud storage device. You can add a cloud storage device, and then select the cloud storage as the destination device for backup jobs or duplicate backup jobs.

For the list of supported cloud providers, see the Backup Exec Hardware Compatibility List at the following URL:

https://www.veritas.com/support/en_US/article.000017788

What's New in Backup Exec Feature Pack 1

Item

Description

Enhancements for Hyper-V and VMware virtual environments

Description

The following new features were added:

- A new Virtual Machine Backup widget on the Home tab shows you the number of virtual machines that are backed up using agent-based backups and using virtual-based backups. From the widget, you can view a list of the virtual machines that use agent-based backups.
- The option to back up virtual machines from the Details pane on the lower portion of the Backup and Restore tab. You can select a virtual machine in the Details pane, and then click the new Backup button, or right-click the selected virtual machine to access the Backup options.
- A new Hypervisor column on the upper pane on the Backup and Restore tab shows you the name of the VMware or Hyper-V host or manager that is associated with a virtual machine. This column is blank if a virtual host or manager is not detected for a virtual machine.

Note: This column is disabled by default.

- A new wizard helps you create a backup job when you select a virtual machine from the list of servers on the upper portion of the Backup and Restore tab. The wizard provides options to create a virtual-based backup or an agent-based backup. If you select a virtual-based backup, but you have not yet added the virtual machine's host to Backup Exec, the wizard enables you to add the host.
- The Agent for VMware and Hyper-V is now selected for installation automatically for Not for Resale (NFR) and Capacity Edit ion licenses.

Note: The Agent for VMware and Hyper-V is not automatically selected for installation for Trial Editions of Backup Exec.

Enhanced support for security certificates

Description

Backup Exec 2015 Feature Pack 1 has deprecated SHA-1SSL certificates and introduced SHA-256 (SHA-2) SSL certificates. The SHA-2 certificates offer improved security for communication between the Backup Exec server and any agents.

The new certificates have no effect on backward compatibility for any remote computers that are running the Agent for Windows or the Agent for Linux versions 2012 or later. However, you must eventually upgrade any older versions of the agents to ensure that the Backup Exec server can communicate with them.

It is recommended that, when you upgrade from Backup Exec 2010 R3, you upgrade all managed Backup Exec servers and agents as soon as possible to avoid losing any trust relationships. If you upgrade a managed Backup Exec server or agent before the SHA-1 certificates expire, Backup Exec automatically deploys SHA-2 certificates and any operations continue uninterrupted. If you let the SHA-1 certificates expire before you upgrade the managed Backup Exec servers or agents, you must reestablish any trusts with the Backup Exec server.

What's New in Backup Exec 15

ltem

Backup Exec Capacity Edition Lite

Backup Exec Database encryption

Description

Capacity Edition Lite is a new Backup Exec edition that is a more affordable way to manage your Backup Exec deployment. It provides comprehensive backup and recovery and protects physical and virtual environments. It also includes access to most of the Backup Exec agents. You can purchase terabytes up to the amount that you will need to protect your environment. Each terabyte you purchase includes one Backup Exec Server and an unlimited number of clients and servers.

The Capacity Edition Lite includes the following agents:

- Agent for Applications and Databases
- Agent for Windows
- Agent for Linux
- Agent for VMware and Hyper-V

For details on updated licensing and pricing, see the Backup Exec Licensing Guide at the following URL:

https://www.veritas.com/support/en_US/article.000024885

The Backup Exec Database is now encrypted for additional security. When you install or upgrade Backup Exec, it automatically creates a database encryption key. The database encryption key is used to encrypt information such as login account credentials and the keys that are used for encrypted backup jobs, for example.

It is recommended that you export the Backup Exec Database encryption key to a secure location so that you can access it later if it is needed. For more information about exporting the database encryption key, refer to "Exporting the Backup Exec Database encryption key" in the Backup Exec Administrator's Guide .

ltem	Description
Agent for VMware	The Agent for VMware now includes the following features:
	 Support for VMware vSphere 6.0. You can find a list of compatible operating systems, platforms, and applications at the following URL: https://www.elescom/supporten_US/arde.00017788 File/folder-level GRT and application-level GRT backups and restores of virtual machines that have GPT partitioned disks. File/folder-level GRT and application-level GRT backups and restores of virtual machines that have GPT partitioned disks. File/folder-level GRT and application-level GRT backups and restores of virtual machines that have disks up to 16 TB in size. Ability to run a Backup Exec server on a virtual machine that uses Windows 2012 R2. Hotadd of SATA disks inside guest virtual machines. Ability to back up and restore virtual machines on vSAN datastores. SSL certificate handling. Backup Exec checks that the SSL certificate's thumbprint matches, but it does not check the validity of the certificate. Ability to back up and restore Virtual Volume (vV0l) datastores. Ability to select the SAN transport mode for restore jobs.

What's New in Backup Exec 2014 Service Pack 2

ltem

Backup Exec Agent for Oracle

Description

The Agent for Oracle now supports Oracle 12c

New features supported for Oracle 12c:

- Support for multitenant architecture Backup Exec supports the new multitenant architecture that is introduced in Oracle 12c. In this new architecture, the Oracle database functions as a multitenant container database (CDB) that includes zero, one, or more PDBs.
- New SYSBACKUP privilege for RMAN For Oracle 12c and later, the Oracle agent supports backup and restore tasks only with a user that has SYSBACKUP privileges.
- Backup Exec supports a non-administrative user for ORACLE HOME on Windows. From Oracle 12c and later versions, the Oracle services can run with a non-admin Oracle user. However, installation can be done only with the user that has administrator privileges.
- Oracle agent supports the backup and recovery of Oracle 12c on the following configurations:
 - Standalone Database (Single or Multiple instances) on Windows and Linux
 - Oracle Real Application Clusters (RAC) on Windows and Linux

Backup Exec 2014 Service Pack 2 contains many bug fixes. To see a list, refer to the following technote:

https://www.veritas.com/support/en_US/article.000023641

Bug fixes

What's New in Backup Exec 2014

Updated job scheduling

ltem

Description

Enhanced conversion to a virtual machine

The following enhancements were made to the conversion to a virtual machine feature:

- Support for incremental backups.
- Standalone conversion, which is a conversion that runs without a backup.
- Support for disks that are larger than 2 TB (for VMware or for Hyper-V 2012 or later).
- Support for exclusion of non-critical data from the conversion.

Push-installation of the Agent for Windows to
virtual machinesThe Add Server wizard lets you push-install
the Agent for Windows to the virtual machines
that you select. You can choose to install the
Agent for Windows on all of the guest virtual
machines that need it or on specific machines
only.Enhanced V-Ray EditionThe V-Ray Edition is designed to back up and
restore virtual machines and virtualized

applications in VMware and Hyper-V environments. It includes the Deduplication feature, the Agent for Applications and Databases, and the Agent for VMware and Hyper-V. It is licensed according to the number of cores on the host. The Backup Exec V-Ray Tier A license is available for hosts that have 6 or fewer cores in a socket. The Backup Exec V-Ray Tier B license is available for hosts that have 8 or more cores in a socket.

Backup Exec has an updated scheduling feature which offers improved flexibility and more control over your job scheduling. You can now select any specific days of the month to form a pattern that reoccurs every month. You can exclude individual dates for jobs. You can also restrict hourly recurrences to a designated block of time, such as business hours.

Item	Description
Backup source ordering	When you create a selection list for a job, you can now assign the order in which backup sources are backed up. Adjusting the order can be helpful if you need a specific source to be backed up before others, for example.
Editing multiple backup selections	You can now edit the detailed backup selections for multiple jobs at the same time. Previously, you could only edit the selections that the backups had in common.
Backing up multiple servers or applications	You can back up multiple servers or applications at once using Backup Exec. You can back them up as part of one backup definition or you can back them up individually in separate backup definitions.
Mixed backup methods	You can now create backup definitions that use both the incremental and differential backup methods in the same backup definition. Additionally, you can select agent or data-specific backup methods. For example, you can use a specific backup method for Microsoft SQL data that backs up and truncates the transaction log. You can mix full, incremental, and differential backup methods within a single job template to back up multiple types of dat a using data-specific backup methods.
Delayed catalog operations	You can configure a delayed catalog operation for any backups that are enabled for Granular Recovery Technology (GRT). GRT-enabled backup jobs require more time to catalog because of the granular information that they contain. You can now run the catalog operation as a separate job or you can schedule the catalog operation to avoid conflicts with your backup resources. You can also choose to not run a delayed catalog operation.

Item	Description
Improved credentials management	You can now select a logon account and test it for use with a server or other backup source. Testing a logon account can help you determine if you have the appropriate credentials for a backup job before you attempt to run the job. T he Logon Account Wizard now includes more guidance to help you select and configure the right kind of logon account for your backup job.
	Backup Exec also automatically checks your credentials in the background while you work to ensure that you can access your backup sources. If Backup Exec detects that you cannot access a backup source because of an issue with your credentials, it sends you an alert.
Restore Wizard enhancements	You can start restore jobs by launching the Restore Wizard directly from the following:
	 From a job in the Jobs views. From a backup set in the Backup Sets view. From media in the Media view.
Support for user-mode drivers	Veritas kernel-mode tape drivers and tapeinst.exe are no longer installed if Backup Exec 2014 is installed on Windows Server 2012 and later. The Backup Exec 2014 hardware compatibility list (HCL) does not list any drivers that require kernel-mode drivers. If you use older or unsupported tape devices, test the devices before you use Windows Server 2012 and later to determine the functionality in case kernel-mode drivers are required.
	Veritas user-mode drivers now access all supported tape devices. User-mode drivers have accessed most tape devices for multiple previous versions of Backup Exec.
	User-mode drivers are more stable, and are patched without restarting the server. Hardware devices that run user-mode drivers are easier to support and maintain.
	Hardware devices that run user-mode driv

Item	Description
New information available on the Storage tab	Two new columns appear on the
	 Active and Scheduled jobs - Displays the number of storage operation jobs, backup jobs, and the restore jobs that run on this device. Click the text in this column to see details of the jobs that are running or that are scheduled to run. Parent device - Identifies the parent device if there is a relationship between devices. Examples include a relationship between a tape library and a tape drive, or between a storage array and a virtual disk. You must select the List view to see this column. Additionally, storage capacity monitoring is now available for disk cartridge media.
Support for scheduling some storage operation jobs	You can schedule some storage operations as recurring jobs. You can also specify a schedule and a recipient for notification when these jobs run.
	Storage operations that you can schedule include the following operations:
	 Scan Inventory Eject Clean Import media Export media Export expired media Unlock a robotic library's front portal Erase

Automatic deletion of expired backup sets and reclamation of disk space on disk-based storage, including disk cartridge media

Support for Windows Server 2012 in Simplified Disaster Recovery

Job Monitor tab

Description

You can install a Backup Exec server on Windows Server 2012/Server 2012 R2 computers. Additionally, you can use the Agent for Windows to back up and restore data from Windows Server 2012/Server 2012 R2 computers.

Note: You cannot install a Backup Exec server or the Agent for Windows on ReFS volumes or any volumes that have been enabled for deduplication in Windows.

You can use the Agent for Windows to back up and restore data from Windows 8/8.1 computers.

Note: Backup Exec does not support restoring th e WindowsApps folder for Windows Server 2012 R2/8.1 computers on which Desktop Experience is enabled.

Note: Backup Exec does not support restoring WIMBoot based systems.

Simplified Disaster Recovery (SDR) supports Windows Server 2012.

For specific operating system requirements for Simplified Disaster Recovery, see the Backup Exec Software Compatibility List at the following URL:

https://www.veritas.com/support/en_US/article.000017788

The Job Monitor provides a single location to monitor and manage all of your backup, restore, installation, and storage operation jobs.

Description

Details pane on the Backup and Restore tab The new Details pane is located on the lower portion of the Backup and Restore tab, under the list of servers. The Details pane provides additional details for the server that is selected in the list of servers. The Details pane lists the resources for the selected server and the selection status, backup status, and logon account information for each resource.

When a Hyper-V host or VMware host is selected from the list of servers, the Details pane includes additional information and functionality. It provides details about the last 7 days of backup jobs, the date of the last backup, and the date of the next scheduled backup. In addition, it includes the ability to restore data and to filter the list of guest virtual machines.

Note that the Details pane for Hyper-V and VMware provides a combination of current information and historical information. In addition, it includes the resources that may not appear in the list of servers, such as:

- Virtual machines that do not have the Agent for Windows installed.
- Non-Windows virtual machines, such as Linux or Mac.
- Virtual machines that do not have a GRT-enabled backup.

ltem	Description
Deduplication feature	 The following new features are available: Improved data integrity and recoverability Support for 64-TB storage Increased queue processing speed Improved cache loading performance Improved garbage collection performance, that includes the following items: Improved rehydration Compression of segments that were previously uncompressed or were compr essed inefficiently. Ability to bypass the Windows localhost IPC bottleneck Improved client-side directory cache management Enhanced stream handler for backups of EMC and NetApp file systems
Agent for VMware	The Agent for VMware now includes support for VMware ESX/ESXi/vSphere/vCenter 5.1 and 5.5. In addition, the VSS Copy backup method is now supported. A full VSS backup is performed by default. However, the option to enable the VSS Copy backup method is now available in the Virtual Machines backup options.
Agent for Hyper-V	The Agent for Hyper-V lets you back up and restore Hyper-V virtual machines that are hosted on Microsoft Windows 2012 and 2012 R2.

Item	Description
Agent for Microsoft SQL Server	The Agent for Microsoft SQL Server includes the following new features:
	 Differential and Incremental backup methods for use with conversion to virtual jobs. Automatic backup method that lets you back up an entire SQL instance even though some databases do not support log backups. Attributes that provide the status of a SQL database in the Backup Selections dialog. Full backups are automatically run on SQL databases if you run an incremental backup and one of the following occurs: A new SQL database is added to the backup selections. A full backup was not previously run on the database. A product other than Backup Exec ran the latest full backup of the database.
Agent for Microsoft Exchange Server	The Agent for Microsoft SharePoint now supports the following:
	 Granular Recovery Technology (GRT) of Microsoft SharePoint 2013 Claims-based authentication for Microsoft SharePoint 2010 and Microsoft SharePoint 2013
	The Agent for Microsoft SharePoint includes the new log backup method that backs up the data that is contained in the transaction log.
Agent for Enterprise Vault	The Enterprise Vault Agent now supports Enterprise Vault versions 10.0.3 and 10.0.4.

ltem	Description
Agent for Linux	The Agent for Linux now supports the following:
	 RHEL 5.9, 6.3, and 6.4. AOFO is supported on these RHEL versions including RHEL 5.8 and 6.2 SLES 11 SP2 with AOFO and OES 11 SP1 Ubuntu 12.04 and 12.10
Agent for Lotus Domino	The Agent for Lotus Domino now supports the following:
	IBM Notes and Domino 9.0 Social EditionThe Copy on Restore option
	Using this option, you can restore a Domino database with a different name. Thus, eliminating the need of deleting the current database. Backup Exec assigns the copied database a new database ID and a replica ID to avoid conflicts with the database that is online. Users do not experience any disruption because production database is always available. You can use this copied database to extract individual items such as

emails.