

# Veritas<sup>™</sup> Risk Advisor Support Requirements

AIX, ESX, HP-UX, Linux, Solaris, Windows Server

7.3.3

2 |

# Veritas Risk Advisor Support Requirements

## Legal Notice

Copyright © 2019 Veritas Technologies LLC. All rights reserved.

Document version: 7.3.3

Last updated: 2019-02-03

Veritas, the Veritas Logo and Veritas Storage Foundation are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC  
500 East Middlefield Road  
Mountain View, CA 94043

<http://www.veritas.com>

# Technical Support

Veritas Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within Veritas to answer your questions in a timely fashion. For example, the Technical Support group works with Product Engineering and Veritas Security Response to provide alerting services and virus definition updates.

Veritas's maintenance offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers automatic software upgrade protection
- Global support that is available 24 hours a day, 7 days a week
- Advanced features, including Account Management Services

For information about Veritas's Maintenance Programs, you can visit our Web site at the following URL:

[www.veritas.com/techsupp](http://www.veritas.com/techsupp)

## Contacting Technical Support

Customers with a current maintenance agreement may access Technical Support information at the following URL:

[http://www.veritas.com/business/support/assistance\\_care.jsp](http://www.veritas.com/business/support/assistance_care.jsp)

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:

- Error messages and log files
- Troubleshooting that was performed before contacting Veritas
- Recent software configuration changes and network changes

## Licensing and registration

If your Veritas product requires registration or a license key, access our technical support Web page at the following URL:

[www.veritas.com/techsupp](http://www.veritas.com/techsupp)

## Customer service

Customer service information is available at the following URL:

[www.veritas.com/techsupp](http://www.veritas.com/techsupp)

Customer Service is available to assist with the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and maintenance contracts
- Information about the Veritas Buying Programs
- Advice about Veritas's technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs or manuals

## Documentation feedback

Your feedback on product documentation is important to us. Send suggestions for improvements and reports on errors or omissions to [storage\\_management\\_docs@veritas.com](mailto:storage_management_docs@veritas.com).

Include the title and document version (located on the second page), and chapter and section titles of the text on which you are reporting.

## Maintenance agreement resources

If you want to contact Veritas regarding an existing maintenance agreement, please contact the maintenance agreement administration team for your region as follows:

Asia-Pacific and Japan	<a href="mailto:customercare_apac@veritas.com">customercare_apac@veritas.com</a>
Europe, Middle-East, and Africa	<a href="mailto:semea@veritas.com">semea@veritas.com</a>
North America and Latin America	<a href="mailto:supportsolutions@veritas.com">supportsolutions@veritas.com</a>

## Additional enterprise services

Veritas offers a comprehensive set of services that allow you to maximize your investment in Veritas products and to develop your knowledge, expertise, and global insight, which enable you to manage your business risks proactively.

Enterprise services that are available include the following:

Veritas Early Warning Solutions	These solutions provide early warning of cyber attacks, comprehensive threat analysis, and countermeasures to prevent attacks before they occur.
Managed Security Services	These services remove the burden of managing and monitoring security devices and events, ensuring rapid response to real threats.
Consulting Services	Veritas Consulting Services provide on-site technical expertise from Veritas and its trusted partners. Veritas Consulting Services offer a variety of prepackaged and customizable options that include assessment, design, implementation, monitoring, and management capabilities. Each is focused on establishing and maintaining the integrity and availability of your IT resources.
Educational Services	Educational Services provide a full array of technical training, security education, security certification, and awareness communication programs.

To access more information about Enterprise services, please visit our Web site at the following URL:

[www.veritas.com](http://www.veritas.com)

Select your country or language from the site index.



# Contents

Chapter 1	Support requirements for Veritas Risk Advisor	
Host requirements .....		10
Scanned entities .....		12
Servers .....		12
Storage arrays .....		13
Management Consoles .....		15
Databases .....		16
Multipath programs .....		17
Logical volume managers .....		17
Clusters .....		18
Application Servers .....		18
SAN Fabric Switches .....		18





# Support requirements for Veritas Risk Advisor

This document includes the following topics:

- [“Host requirements”](#) on page 10
- [“Scanned entities”](#) on page 12

# Host requirements

This section describes the system requirements for hosts that are installing Veritas Risk Advisor (VRA).

The recommended server configuration is as follows:

**Table 1-1** VRA server requirements

# of scanned hosts	# of cores <sup>a</sup>	RAM	Free disk space <sup>b</sup>	Operating system
Up to 1,000	4	32 GB	250 GB	Windows Server 2008 R2, Windows Server 2012 or Windows Server 2016, Standard or Enterprise Edition 64-bit
1,000-2,500	4	64 GB	350 GB	
2,500-5,000	4	96 GB	400 GB	
5,000-15,000	8	128 GB	500 GB	
15,000-25,000	16	192 GB	750 GB	
25,000-50,000	16	256 GB	1 TB	
Above 50,000	Specific sizing required			

a.If Oracle database is installed locally, it is recommended to have at least two different sockets  
b.If Oracle database is installed remotely, the free disk space can be up to 40% lower

The following server requirements also apply:

- Database: Oracle 11g or 12c (12.1.0.2.0 or 12.2.0.1.0) Standard or Enterprise installed with full database administrator rights. Oracle client must be installed if using a remote Oracle database. In this case it is also highly important to maintain low latency (1ms) and high-speed connectivity.
- It is recommended to use Solid State Drive (SSD) for VRA server and especially for Oracle database server to achieve optimal performance
- Server: Apache Tomcat 8.5 (the only supported version). Product is automatically installed if not already on your system.
- Web client access:
  - Internet Explorer 11, Mozilla Firefox or Google Chrome.
  - HTTP/HTTPS access from clients to the VRA server through port 8080/8443 (configurable).

VRA web user interface is best displayed and operated with Full HD resolution (1080p) on minimum 21" screens with aspect ratio of 16:9.

VRA requires administrator rights on the VRA application server.

**1:** If your organization does not plan to use Windows Remote Management (WinRM) to collect data from Windows servers, you can also use Windows Server 2003/2008 64-bit.

**Note:** If VMware is used, it is recommended that you reserve the required CPU and memory.

The recommended collector configuration is as follows:

**Table 1-2** Collector requirements

# of scanned hosts	CPUs/cores	RAM	Free disk space	Operating system
Up to 1,000	4	12 GB	60 GB	Windows Server 2008 R2, Windows Server 2012 or Windows Server 2016, Standard or Enterprise Edition 64-bit
1,000-5,000	4	16 GB	120 GB	
5,000-15,000	4	32 GB	180 GB	
Above 15,000	Specific sizing required			Linux <sup>a</sup>

<sup>a</sup>.Collectors installed on Linux cannot scan Windows hosts

VRA collectors require administrator rights on the server.

**Note:** If VMware is used, it is recommended that you reserve the required CPU and memory.

# Scanned entities

This section describes the various servers, storage arrays, and databases that VRA can scan, as well other VRA support requirements.

## Servers

Table 1-3 describes the servers that VRA can scan.

**Table 1-3** Servers that VRA can scan

Server	Operating system version	Processor architecture
AIX	4 and above	Power3 series and later
HP-UX	11 and above	PA8700/8800/8900, IA64, IA64 Dual Core Montecito
Linux Red Hat/SUSE	RedHat Advanced Server, SUSE	Intel EM64T, AMD Opteron
Solaris	8 and above	UltraSPARC II/III/IV/T1/T2/T2+, SPARC64-V/VI /VII series SPARC-T4/T5/M5/M6/M7/M8
Solaris x64	8 and above	Intel EM64T, AMD Opteron
Windows	Windows XP/2000/2003/2008/2012/2016	Intel EM64T, AMD Opteron
ESX, ESXi	3.5 and above	
Hyper-V	Hyper-V Server 2012 R2 and above	

## Storage arrays

Table 1-4 describes the storage arrays that VRA can scan.

**Table 1-4** Storage arrays that VRA can scan

Storage array	Supported replications	Comments
EMC Symmetrix (all series) <b>Note:</b> EMC Cellera is not supported.	SRDF, BCV, Clone, Snap, RecoverPoint	Using SymCLI <b>Note:</b> You must install SymCLI on at least one host.
EMC CLARiiON/VNX <b>Note:</b> CLARiiON/VNX devices connected to hosts via iSCSI are not supported.	SnapView, MirrorView, SAN Copy, RecoverPoint	NaviSecCLI 6.24 and above RecoverPoint 3 and above
EMC VPLEX	RecoverPoint	VPLEX 5.2 and above Using the VPLEX Management Server
EMC ScaleIO	RecoverPoint	Version 2.0 and above
EMC Isilon	Remote Sync, Snapshot	
EMC DataDomain		
EMC Unity	RecoverPoint	Using EMC Unisphere
EMC XtremIO	Snapshot	API version 4.2 and above
Hitachi HDS/HP XP	TrueCopy, UniversalReplicator, ShadowImage, QuickShadow	Using Hitachi HiCommand/HP Command View 4 and above
Hitachi HCP	Native	Version 8.1 and above
NetApp Filer / NetApp Cluster (cDOT only)	SnapMirror, SnapVault	Using Ontap 6 and above
IBM DS (6000, 8000)	FlashCopy, MetroMirror, GlobalCopy, GlobalMirror	Using DSCLI

**Table 1-4** Storage arrays that VRA can scan (Continued)

Storage array	Supported replications	Comments
IBM DS (3000, 4000, 5000)	FlashCopy, MetroMirror, GlobalMirror	Using SMCLI
IBM XIV / A9000	Snapshot, RemoteMirror	Using XCLI
IBM V7000/SVC	FlashCopy, MetroMirror, GlobalMirror	
HP 3PAR	Snapshot, RemoteCopy	Using 3PAR InForm CLI or directly through SSH
Infinidat InfiniBox	Snapshot, Clone, RemoteCopy	

## Management Consoles

Table 1-5 describes the console applications that VRA can scan.

**Table 1-5** Console applications that VRA can scan

Application	Version	Comments
ECC (by EMC)	5 and above	
HiCommand (by Hitachi)	4 and above	
Command View (by HP)	4 and above	
vCenter (by VMware)	3.5 and above	Including SRM, Zerto and NSX. Note that NSX can also be scanned directly
VMware NSX		NSX-V (vSphere)
System Center Virtual Machine Manager (by Microsoft)	2012 R2 and above	
HMC (by IBM)	7 and above	
Oracle Enterprise Manager	11 and above	Scanning Exadata machines requires OEM version 12 and above
Oracle GoldenGate Monitor	11g release 1 and above	
NetApp OnCommand Unified Manager Core	5 and above	
UCS Manager (by Cisco)	3 and above	
OneView (by HP)		
BIG-IP (by F5)	13.1 and above	

# Databases

Table 1-6 describes the databases that VRA can scan.

**Table 1-6**                      Databases that VRA can scan

Database	Version	Comments
Oracle	8 and above	Including RAC, ASM, DataGuard and GoldenGate  Scanned either directly or via OEM
Microsoft SQL Server	2005 and above	MS SQL Server Always On - 2012 and above
Sybase	12.5 and above	
IBM DB2	8 and above	



## Multipath programs

Table 1-7 describes the multipath programs that VRA supports.

**Table 1-7** Multipath programs that VRA supports

Software	Comments
AIX MPIO	
EMC PowerPath	
Hitachi Dynamic Link Manager (HDLM)	
HP-UX PVLinks	
IBM Subsystem Device Driver (SDD)	
Linux MPIO	
NetApp DSM	
Solaris MPxIO	
Veritas Dynamic Multi-Pathing	
Windows 2008 MPIO	

**Note:** Unless explicitly noted in Table 1-7, all versions of the multipath software are supported.

## Logical volume managers

VRA can scan the following logical volume managers (LVMs):

- AIX-native LVM
- HP-UX-native LVM
- Linux LVM2
- Oracle ASM
- Solaris ZFS
- Veritas Volume Manager (VxVM) - Including Veritas Volume Replicator
- Windows Logical Disk Management

## Clusters

VRA supports the following clusters:

- HP Serviceguard (MC/SG)
- HP PolyServe
- IBM PowerHA
- Microsoft Cluster
- Oracle RAC
- Veritas Cluster Server 5.0 and later; prior to release 6.1, this product was known as Veritas Cluster Server
- VMware ESX Cluster
- RedHat Cluster Suite

## Application Servers

VRA supports the following application servers:

- Apache Tomcat on Linux
- IBM WebSphere on Linux and AIX
- Oracle WebLogic on Linux and AIX

## SAN Fabric Switches

VRA supports the following SAN fabric switches:

- Cisco MDS 9000 Family
  - Direct scan or using Cisco Data Center Network Manager
- Brocade
  - Direct scan or using Brocade Network Advisor
  - Fabric OS 7.0 and above is supported
  - In Virtual Fabric environments, Fabric OS 7.3 and above is required
  - When using Brocade Network Advisor, version 12.3 and above with REST API is required
- HP Virtual Connect