

Custom Reports Using Data Collectors

Get ready for a newer version of NetBackup 5250 Appliance (5.3)

Installation and Upgrade Checklist Report for NetBackup 5250 Appliance 5.1.1, NetBackup Appliance , x86-64

Index

Primary(Master) Server

Appliances Supported Versions and Functionality
Browser Requirements for NetBackup Web UI
Compatibility between NetBackup versions
Documentation

Install Information
Late Breaking News - Available Hot Fixes
Virtual Systems Compatibility

Media Server

Appliances Supported Versions and Functionality
Cloud Configuration Files
Cloud Storage Solutions
Compatibility between NetBackup versions
Devices Retiring Soon
Documentation
Encryption and Security Solutions
Infrastructure Used for Testing
Install Information
Late Breaking News - Available Hot Fixes

NDMP Devices Compatibility List
OST Secondary Storage Solutions - General Information
OST Storage Servers
Replication Director
SAN Media Server/SAN Client/FT Media Server
Tape Drives Compatibility List
Tape Libraries Compatibility List
Third Party Encryption Solutions
Virtual Systems Compatibility
Virtual Tape Libraries Compatibility List

NetBackup Product Family Platform/Feature Support

NetBackup Future Platform and Feature Plans

NEW! = New content since the last release of SORT

Install Information

[Back to top](#)

Get ready for a newer version of NetBackup 5250 Appliance (5.3)

Procedure Overview:

Install the NetBackup Appliance 5.1.1 release.
For details of new features and changes, please refer to: [NetBackup Appliance Release Notes](#).
For download and installation instructions, please go to: [Veritas Download Center](#).

Compatibility between NetBackup versions

[Back to top](#)

NetBackup does not support any scenario where a media server or client runs a software release update version that is higher than that of their Primary server except for single-dot or double-dot releases.
For more information, refer to the NetBackup Release Notes and the NetBackup Upgrade Guide: [NetBackup guides for Windows and UNIX, documents, download](#)

NetBackup Primary Server	NetBackup Media Server	NetBackup Client
10.3.0.1	10.3.0.1	10.3.0.1, 10.3, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	10.3	10.3.0.1, 10.3, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3

Veritas Services and Operations Readiness Tools (SORT)

10.3.0.1	10.2	10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	10.1.1	10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	10.1	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	10.0.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	10.0	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	9.1.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	9.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	9.0.0.1	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	9.0	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	8.3.0.2	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	8.3.0.1	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	8.3	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	8.2	8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	8.1.2	8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3.0.1	8.1.1	8.1.1, 8.1, 8.0, 7.7.3

Veritas Services and Operations Readiness Tools (SORT)

10.3.0.1	8.1	8.1, 8.0, 7.7.3
10.3.0.1	8.0	8.0, 7.7.3
10.3	10.3	10.3, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	10.2	10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	10.1.1	10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	10.1	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	10.0.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	10.0	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	9.1.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	9.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	9.0.0.1	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	9.0	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	8.3.0.2	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	8.3.0.1	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3

Veritas Services and Operations Readiness Tools (SORT)

10.3	8.3	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	8.2	8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	8.1.2	8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.3	8.1.1	8.1.1, 8.1, 8.0, 7.7.3
10.3	8.1	8.1, 8.0, 7.7.3
10.3	8.0	8.0, 7.7.3
10.2	10.2	10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	10.1.1	10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	10.1	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	10.0.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	10.0	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	9.1.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	9.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	9.0.0.1	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	9.0	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	8.3.0.2	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3

Veritas Services and Operations Readiness Tools (SORT)

10.2	8.3.0.1	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	8.3	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	8.2	8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	8.1.2	8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.2	8.1.1	8.1.1, 8.1, 8.0, 7.7.3
10.2	8.1	8.1, 8.0, 7.7.3
10.2	8.0	8.0, 7.7.3
10.1.1	10.1.1	10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	10.1	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	10.0.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	10.0	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	9.1.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	9.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	9.0.0.1	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	9.0	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	8.3.0.2	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3

Veritas Services and Operations Readiness Tools (SORT)

10.1.1	8.3.0.1	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	8.3	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	8.2	8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	8.1.2	8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1.1	8.1.1	8.1.1, 8.1, 8.0, 7.7.3
10.1.1	8.1	8.1, 8.0, 7.7.3
10.1.1	8.0	8.0, 7.7.3
10.1	10.1	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	10.0.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	10.0	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	9.1.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	9.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	9.0.0.1	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	9.0	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	8.3.0.2	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	8.3.0.1	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	8.3	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3

Veritas Services and Operations Readiness Tools (SORT)

10.1	8.2	8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	8.1.2	8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.1	8.1.1	8.1.1, 8.1, 8.0, 7.7.3
10.1	8.1	8.1, 8.0, 7.7.3
10.1	8.0	8.0, 7.7.3
10.0.0.1	10.0.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	10.0	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	9.1.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	9.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	9.0.0.1	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	9.0	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	8.3.0.2	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	8.3.0.1	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	8.3	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	8.2	8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	8.1.2	8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	8.1.1	8.1.1, 8.1, 8.0, 7.7.3
10.0.0.1	8.1	8.1, 8.0, 7.7.3
10.0.0.1	8.0	8.0, 7.7.3

Veritas Services and Operations Readiness Tools (SORT)

10.0	10.0.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	10.0	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	9.1.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	9.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	9.0.0.1	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	9.0	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	8.3.0.2	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	8.3.0.1	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	8.3	8.3.0.2, 8.3.0.1, 8.3, 8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	8.2	8.2, 8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	8.1.2	8.1.2, 8.1.1, 8.1, 8.0, 7.7.3
10.0	8.1.1	8.1.1, 8.1, 8.0, 7.7.3
10.0	8.1	8.1, 8.0, 7.7.3
10.0	8.0	8.0, 7.7.3

Other general rules for compatibility:

- OpsCenter/OpsCenter Analytics must always be running the same or higher Dot-Zero or Single-Dot or Double-Dot release as the primary servers in the environment.
- All components (primary, media, client, console, and agent) on an individual system must be at the same version.
- Backup images created under an older version of NetBackup will always be recoverable with a newer version of NetBackup
- A new feature may not be functional until the primary, media and client are updated.

- Administration Consoles cannot be at an earlier version than the NetBackup server version they connect to via the "change server" functionality in the console

NetBackup Software Compatibility Documentation:

[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List](#) (last updated on March 11, 2024)

[10.0 - 10.x.x OS Software Compatibility List Updates](#)

[NetBackup 5xxx Appliance Compatibility](#)

[Appliance Compatibility List](#)

Late Breaking News - Available Hot Fixes

[Back to top](#)

Available hot fixes - for details and download information, consult the [Update](#) link in the table.

For more information about installation instructions, please review [NetBackup Appliance 5.1.1 on Support site](#).

Hot Fix	Description	Install Location
UPD512972	NetBackup Appliance 5.1.1 Security Patch 2	Appliance
UPD231180	NetBackup Appliance 5.1.1 Maintenance Release 1	None
UPD773233	NetBackup Appliance Upgrade Readiness Analyzer	Appliance
UPD718691	NetBackup Appliance 5.1.1 Maintenance Release 1 Security Patch 1	Appliance
UPD245887	Appliance Management Server 2.1	Cross-platform
UPD713737	NetBackup Appliance Health Maintenance Plugin AddOn Package	Appliance
UPD966809	Veritas Appliance firmware update tool (article 100046032)	Appliance

Veritas Services and Operations Readiness Tools (SORT)

UPD240363	NetBackup 10.1.1 Hotfix - Security Package impacting NetBackup 10.1.1 and Appliance 5.1.1 Servers (Etrack 4111131)	Cross-platform
UPD714038	NetBackup 8.1.2 - 10.1.1 - nbdb_unload performance impact when upgrading to NetBackup 10.2 or above	Cross-platform
UPD564161	VT23-013 - Hotfix for Security Advisory impacting NetBackup 10.1.1 Primary Server, Media Server and Clients	Cross-platform
UPD932511	NetBackup Appliance 5.1.1 Maintenance Release 1 Security Patch 3	Appliance
UPD409101	NetBackup Appliance 5.1.1 Security Patch 1	Appliance
UPD801225	HotFix to remove the "does not contain a license" notification on NetBackup Appliance 5x40 models	Appliance
UPD405441	NetBackup 10.1.1 / 5.1.1 - MSDP Preferred EEB Bundle (Etrack 4102406)	Cross-platform
UPD816815	HotFix to address system panic due to Nessus scanner	Appliance
UPD559309	NetBackup Appliance Client Add-on Package 5.1.1	Cross-platform
UPD155798	NetBackup Appliance 5.1.1 Maintenance Release 2 Security Patch 1	Appliance
UPD914005	NetBackup 10.1.1 / 5.1.1 Hotfix - MSDP Direct Cloud Tiering EEB bundle with the latest fixes (Etrack 4115990)	Cross-platform
UPD858554	NetBackup Appliance 5.1.1 Maintenance Release 1 Security Patch 2	Appliance
UPD136847	NetBackup Appliance 5.1.1 Maintenance Release 2	Appliance
UPD374952	NetBackup Appliance 5.1.1 Maintenance Release 3	Appliance

UPD321151	NetBackup 10.1.1 Hotfix - Replicated images on target Primary server expire before expected time (etrack 4105426)	Cross-platform
-----------	---	----------------

NetBackup Documentation References:

[Guidelines for the availability of EEB/hotfixes](#)
[Late Breaking News and Important Updates about NetBackup Appliances](#)

Appliances Supported Versions and Functionality

[Back to top](#)

NetBackup Appliances are Veritas-branded devices offering backup and deduplication solutions for enterprise environments in an appliance form factor. For more information, see the "[NetBackup Appliances](#)" page.

NetBackup 5200 Series (Primary/Media Server), 5300 Series (Media Server), Virtual, and Flex Appliances

The following tables list NetBackup 5200 Series, 5300 Series, and Virtual release versions, the Appliance models supported with each version, and the NetBackup Release version on which it is based.

There is also a table listing NetBackup Flex Appliance versions, the Appliance models supported with each version, and the Primary Server and Media Server versions supported with each version.

Documentation for NetBackup Appliances [is available here](#). Late breaking news related to NetBackup Appliances [is available here](#).

NetBackup Appliance packages and hotfixes [are available on Downloads Center](#).

NetBackup 5300 Series - Supported Versions

NetBackup 5300 Series Appliance Release	Supported NetBackup Appliance Models	Based on NetBackup Release
5.3	5350, 5340	10.3
5.1.1	5350, 5340	10.1.1
5.0	5350, 5340, 5330	10.0

4.1	5350, 5340, 5330	9.1
4.0	5350, 5340, 5330	9.0
3.3.0.1	5340, 5330	8.3.0.1
3.2	5340, 5330	8.2
3.1.2	5340, 5330	8.1.2
3.1.1	5340, 5330	8.1.1
3.1	5340, 5330	8.1
3.0	5330	8.0

NetBackup 5200 Series - Supported Versions

NetBackup 5200 Series Appliance Release	Supported NetBackup Appliance Models	Based on NetBackup Release
5.3	5250, 5240	10.3
5.1.1	5250, 5240	10.1.1
5.0	5250, 5240	10.0
4.1	5250, 5240	9.1
4.0	5250, 5240	9.0
3.3.0.1	5250, 5240	8.3.0.1
3.2	5250 , 5240 ^[1]	8.2
3.1.2	5240	8.1.2
3.1.1	5240	8.1.1
3.1	5240	8.1
3.0	5240	8.0

Footnotes

1. The Veritas 5250 Appliance requires a revised version of 3.2.

NetBackup Virtual Appliance - Supported Versions

NetBackup Virtual Appliance Release	Based on NetBackup Release	Supported Platforms
5.1.1	10.1.1	vSphere 7.0

5.0	10.0	vSphere 6.7, 7.0, 7U1, 7U2
4.1	9.1	vSphere 6.5, 6.7, 7.0, 7U1
4.0	9.0	vSphere 6.0, 6.5, 6.7, 7.0
3.3.0.1	8.3.0.1	vSphere 6.0, 6.5, 6.7, 7.0
3.2	8.2	vSphere 6.0, 6.5, 6.7
3.1.2	8.1.2	vSphere 5.5, 6.0, 6.5
3.1.1	8.1.1	vSphere 5.5, 6.0, 6.5
3.1	8.1	vSphere 5.5, 6.0, 6.5
3.0	8.0	vSphere 5.5, 6.0

NetBackup Flex Appliance - Supported Versions

NetBackup Flex Appliance Release	Supported NetBackup Appliance Models	Supported NetBackup Primary Server Versions	Supported NetBackup Media Server Versions	WORM (OST Target)
4.0	5362 (Configuration A), 5360 (Configuration A, B, C), 5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5260 (Configuration A, B, C, D), 5250 (Configuration A, B, C, D, E, F), 5150	10.3.0.1, 10.3, 10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0	10.3.0.1, 10.3, 10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0	19.0.1, 19.0, 18.0.1, 18.0, 17.1, 17.0, 16.0.1, 16.0 ^{[1][2][3][4][5][6][7][8]}
3.3	5360 (Configuration A, B, C), 5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5260 (Configuration A, B, C, D), 5250 (Configuration A, B, C, D, E, F), 5150	10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	18.0.1, 18.0, 17.1, 17.0, 16.0.1, 16.0, 15.0.2, 15.0 ^{[9][10][1][2][3][4][5][6]}

3.2	5360 (Configuration A, B, C), 5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5260 (Configuration A, B, C, D), 5250 (Configuration A, B, C, D, E, F), 5150	10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	18.0.1, 18.0, 17.1, 17.0, 16.0.1, 16.0, 15.0.2, 15.0 ^{[9][10][1][2][3][4][5][6]}
3.1	5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5250 (Configuration A, B, C, D, E, F), 5150	10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	10.2.0.1, 10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	18.0.1, 18.0, 17.1, 17.0, 16.0.1, 16.0, 15.0.2, 15.0 ^{[9][10][1][2][3][4][5][6]}
3.0	5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5250 (Configuration A, B, C, D, E, F), 5150	10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	10.2, 10.1.1, 10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1	18.0, 17.1, 17.0, 16.0.1, 16.0, 15.0.2, 15.0 ^{[9][10][1][2][3][4][5]}
2.1.2	5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5250 (Configuration A, B, C, D, E, F), 5150	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	17.0, 16.0.1, 16.0, 15.0.2, 15.0, 14.0.1, 14.0, 13.0.2, 13.0.1.1 ^{[11][12][13][9][10][1][2][3]}
2.1.1	5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5250 (Configuration A, B, C, D, E, F), 5150	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	10.1, 10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	17.0, 16.0.1, 16.0, 15.0.2, 15.0, 14.0.1, 14.0, 13.0.2, 13.0.1.1 ^{[11][12][13][9][10][1][2][3]}
2.1	5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5250 (Configuration A, B, C, D, E, F), 5150	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	10.0.0.1, 10.0, 9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	16.0.1, 16.0, 15.0.2, 15.0, 14.0.1, 14.0, 13.0.2, 13.0.1.1 ^{[11][12][13][9][10][1][2]}

2.0.1	5350 (Configuration A, B, C), 5340 (Configuration A, B, C, D, E, F, G, H, J), 5250 (Configuration A, B, C, D, E, F), 5150	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	9.1.0.1, 9.1, 9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1	15.0.2, 15.0, 14.0.1, 14.0, 13.0.2, 13.0.1.1 ^[11] [12][13][9][10]
2.0	5340 (Configuration A, B, C, D, E, F, G, H, J), 5150	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.2	9.0.0.1, 9.0, 8.3.0.2, 8.3.0.1, 8.2	14.0.1, 14.0, 13.0.2, 13.0.1.1 ^[11] [12][13]
1.3.1	5340 (Configuration A), 5150	8.3.0.1, 8.2, 8.1.2, 8.1.1, 8.1 ^[14]	8.3.0.1, 8.2, 8.1.2, 8.1.1, 8.1 ^[14]	Not supported
1.3	5340 (Configuration A), 5150	8.3.0.1, 8.2, 8.1.2, 8.1.1, 8.1 ^[14]	8.3.0.1, 8.2, 8.1.2, 8.1.1, 8.1 ^[14]	Not supported

Footnotes

1. WORM storage server version 16.0 requires NetBackup primary and media server version 10.0 or later.
2. WORM storage server version 16.0.1 requires NetBackup primary and media server version 10.0.0.1 or later.
3. WORM storage server version 17.0 requires NetBackup primary and media server version 10.1 or later.
4. WORM storage server version 17.1 requires NetBackup primary and media server version 10.1.1 or later.
5. WORM storage server version 18.0 requires NetBackup primary and media server version 10.2 or later.
6. WORM storage server version 18.0.1 requires NetBackup primary and media server version 10.2.0.1 or later.
7. WORM storage server version 19.0 requires NetBackup primary and media server version 10.3 or later.
8. WORM storage server version 19.0.1 requires NetBackup primary and media server version 10.3.0.1 or later.
9. WORM storage server version 15.0 requires NetBackup primary and media server version 9.1 or later.
10. WORM storage server version 15.0.2 requires NetBackup primary and media server version 9.1.0.1 or later.
11. WORM storage server version 13.0.2 requires NetBackup primary and media server version 8.3.0.2 or later.
12. WORM storage server version 14.0 requires NetBackup primary and media server version 9.0 or later.
13. WORM storage server version 14.0.1 requires NetBackup primary and media server version 9.0.0.1 or later.
14. Veritas strongly recommends running NetBackup 8.2 or later with Flex Appliance.

Configuring Cloud Solutions with NetBackup Appliances

The table below shows when a NetBackup cloud configuration and device mappings RPM package is required for configuring cloud providers with NetBackup Appliances. "Included in release" means that version of the NetBackup Appliance software contains the information needed for configuring that cloud provider, so installing an RPM is not required.

Configuration for the cloud storage provider must be done using the Cloud Storage Configuration wizard in the NetBackup Administration Console. After this configuration is completed, you must manually create a backup policy for the deduplication (MSDP) pool catalog. For details, see the ["NetBackup 52xx Appliance Initial Configuration Guide"](#).

When to install a Cloud Configuration/Device Mappings RPM for NetBackup Appliance

Cloud solution	NetBackup Appliances running 5.0
ACP CS3 (S3)	Included in release
Alibaba Cloud Object Storage Service (OSS) (S3)	Included in release
Amazon Glacier (S3)	Included in release
Amazon Glacier Deep Archive (S3)	Included in release
Amazon Glacier Instant Retrieval (IR) (S3)	Included in release
Amazon GovCloud Glacier (S3)	Included in release
Amazon GovCloud Glacier Deep Archive (S3)	Included in release
Amazon GovCloud Glacier Instant Retrieval (IR) (S3)	Included in release
Amazon GovCloud Simple Storage Service (S3)	Included in release
Amazon GovCloud Simple Storage Service - Infrequent Access (S3)	Included in release
Amazon Simple Storage Service (S3)	Included in release
Amazon Simple Storage Service - Infrequent Access (S3)	Included in release
Amazon Simple Storage Service - OneZone-Infrequent Access (S3)	Included in release
AT&T Cloud Storage (S3)	Included in release
China Mobile CMCC Cloud Storage (S3)	Included in release
China Telecom OOS (S3)	Included in release
Chunghwa Telecom Hicloud S3 (S3)	Included in release
Cloudian HyperStore Object Storage (S3)	Included in release
Dell EMC Elastic Cloud Storage (S3)	Included in release
Dell EMC Isilon PowerScale series (S3)	Included in release
Deutsche Telekom Open Telekom Cloud (S3)	Included in release
Fujitsu ETERNUS CD10000 (S3)	Included in release

Veritas Services and Operations Readiness Tools (SORT)

Google Cloud Storage - Multi-Regional (S3)	Included in release
Google Cloud Storage - Regional (S3)	Included in release
Google Cloud Storage Archive (S3)	Included in release
Google Cloud Storage Coldline (S3)	Included in release
Google Cloud Storage Nearline (S3)	Included in release
Hewlett Packard Enterprise Cloud Volumes (S3)	Included in release
Hitachi Vantara Content Platform (HCP) (S3)	Included in release
Hitachi Vantara HCP for Cloud Scale (S3)	Included in release
IBM Cloud Object Storage - Cold Vault (S3)	Included in release
IBM Cloud Object Storage - Private (S3)	Included in release
IBM Cloud Object Storage - Smart Tier (S3)	Included in release
IBM Cloud Object Storage - Standard (S3)	Included in release
IBM Cloud Object Storage - Vault (S3)	Included in release
Infoniqua SWISS3CLOUD (S3)	Included in release
Microsoft Azure (Azure)	Included in release
Microsoft Azure Germany (Azure)	Included in release
Microsoft Azure Government (Azure)	Included in release
NEC Cloud IaaS (S3)	Included in release
NEC HYDRAsor HS3 and HS8 (4th Gen), iStorage HS3 and HS8 (4th Gen) and NEC Storage HS3 and HS8 (4th Gen) (S3)	Included in release
NEC HYDRAsor HS3 and HS8 (5th Gen), iStorage HS3 and HS8 (5th Gen) and NEC Storage HS3 and HS8 (5th Gen) (S3)	Included in release
NetApp StorageGRID Webscale Object Storage (S3)	Included in release
NooBaa (S3)	Included in release
Nutanix Objects (S3)	Included in release
Oracle Cloud Infrastructure (S3)	Included in release
Orange Business Services Flexible Engine OBS (S3)	Included in release
Quantum Active Archive and ActiveScale Systems - Glacier (S3)	Included in release
Quantum Active Archive and ActiveScale Systems - Standard (S3)	Included in release
Red Hat Ceph Storage (S3)	Included in release

Scality RING Storage (S3)	Included in release
Seagate Lyve Cloud (S3)	Included in release
SUSE Enterprise Storage (S3)	Included in release
SwiftStack Object Storage (S3)	Included in release
Telefonica Open Cloud (S3)	Included in release
Tencent Cloud Object Storage (COS) - ARCHIVE (S3)	Included in release
Tencent Cloud Object Storage (COS) - DEEP ARCHIVE (S3)	Included in release
Tencent Cloud Object Storage (COS) - Archive (S3)	Included in release
Tencent Cloud Object Storage (COS) - Standard IA (S3)	Included in release
Veritas Alta Recovery Vault Amazon S3	Included in release. WORM support requires the Emergency Engineering Binaries in this bundle: Veritas Alta Recovery Vault for NetBackup 10.0
Veritas Alta Recovery Vault Amazon GovCloud	Included in release. WORM support requires the Emergency Engineering Binaries in this bundle: Veritas Alta Recovery Vault for NetBackup 10.0
Veritas Alta Recovery Vault Azure	Included in release
Veritas Alta Recovery Vault Azure Government	Included in release
Veritas Access (S3)	Included in release
Veritas Access 3340/3350 Appliance (S3)	Included in release
Wasabi Hot Cloud Storage (S3)	Included in release

NetBackup 5200 Series, 5300 Series, and Virtual Appliance Supported Functionality

The following table lists NetBackup 5200 Series, 5300 Series, and Virtual Appliance supported functionality and indicates the minimum NetBackup Appliance Release version (4.0 or later) required for support of that functionality. NetBackup 5200 Series, 5300 Series, and Virtual Appliances can be used with all supported core NetBackup clients (see the "[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List](#)", application and database agents "[NetBackup 10.0 - 10.x.x Database and Application Agent Compatibility List](#)", and [Snapshot client](#) configurations.

For information on functionality supported with earlier versions of NetBackup Appliances, see the NetBackup Appliances section of the [NetBackup Enterprise Server and Server 9.0 - 9.x.x Hardware and Cloud Storage Compatibility List](#).

NetBackup 5200 Series, 5300 Series, and Virtual Appliances - Supported Functionality

Functionality	Minimum 5.0 or later Appliance Release	Supported Appliance Models	Notes
NetBackup Primary/Media Server	5.0	5200 Series, Virtual	The Primary Server role is only supported on 5200 Series and Virtual Appliances. Key Management Service (KMS) and NetBackup Access Control (NBAC) are not supported when the Appliance is configured as a Primary Server.
NetBackup Media Server	5.0	5200 Series, 5300 Series, Virtual	The Primary Server in the NetBackup domain must be running a version of NetBackup equal to or newer than the NetBackup version on which the appliance is based.
NetBackup CloudCatalyst Appliance			This role is not supported with version 4.0 and later.
Accelerator (for files and folders)	5.0	5200 Series, 5300 Series, Virtual	
Accelerator with NDMP	5.0	5200 Series, 5300 Series, Virtual	Supported with Dell EMC Isilon Scale-Out NAS filers, and NetApp AFF, FAS, and V series filers. When using this feature with a NetBackup Virtual Appliance, monitor the /dev/mapper/system-log partition to ensure it does not exceed 50% of capacity, and manage log files to increase remaining partition capacity. For information on managing accelerator track log

			files, see "About the track log for Accelerator for NDMP" . For more information on this feature, see the "About NetBackup Accelerator for NDMP" .
Accelerator with VMware-type policies	5.0	5200 Series, 5300 Series, Virtual	
Auto Image Replication to MSDP/5200 Series or 5300 Series over Ethernet	5.0	5200 Series, 5300 Series, Virtual	
Auto Image Replication to MSDP/5200 Series or 5300 Series over Fibre Channel (FC)	5.0	5200 Series, 5300 Series	
Client Deduplication / Client Direct over Ethernet	5.0	5200 Series, 5300 Series, Virtual	Veritas allows NetBackup Clients to write data directly to NetBackup Storage Server Appliances. The client hosts the deduplication plug-in that deduplicates the backup data. The plug-in sends only unique segments to the Storage Server, reducing network traffic and distributing CPU load. For the list of supported clients, see the "Deduplication Supported Operating Systems" section of the "NetBackup 10.0 - 10.x.x Operating System Software Compatibility List" . Data Immutability/WORM is supported with Client Direct with NetBackup Appliances running version 4.1 and later.

Veritas Services and Operations Readiness Tools (SORT)

Copilot for Oracle	5.0	5200 Series, 5300 Series, Virtual	For more information on this feature, see the "NetBackup Copilot for Oracle Configuration Guide" .
Fibre Transport Media Server	5.0	5200 Series, 5300 Series	Supported with 8 Gb HBAs in NetBackup 5240, 5250, 5330, and 5340 Appliances. Supported with 16 Gb HBAs in NetBackup 5240, 5250, 5340, and 5350 Appliances.
FIPS-compliant encryption	5.0	5200 Series, 5300 Series, Virtual	FIPS-compliant encryption, as defined by the Federal Information Processing Standards 140-2, can be enabled from the NetBackup Shell Menu. For more information, see the "NetBackup Appliance Security Guide" .
Granular Recovery Technology (GRT)	5.0	5200 Series, 5300 Series, Virtual	
Granular Recovery Technology (GRT) with VMware-type policies	5.0	5200 Series, 5300 Series, Virtual	Support for VMware-type backup policies with Application Protection options enabled for Exchange or SharePoint.
Instant Data Access	5.0	5200 Series, 5300 Series	This feature allows you to create an Instant Access VM from a NetBackup backup image. The VM is available almost instantaneously, achieving a near-zero recovery time objective. NetBackup mounts the VM snapshot directly on the backup storage

			device to allow your ESXi host or cluster to treat the snapshot as a normal VM. For more information, see the "NetBackup Web UI VMware Administrator's Guide" .
Instant Recovery for VMware	5.0	5200 Series, 5300 Series, Virtual	Support for restoring virtual machines with Instant Recovery is described in the "NetBackup for VMware Administrator's Guide" . For details on supported platforms for instant recovery restore hosts, see "Support for NetBackup 7.7.x, 8.x, and 9.x in virtual environments" .
iSCSI Initiator - Hardware-assisted with TCP Offload Engine (TOE) card	5.0	5240 (Configuration H), 5340 (Configurations A, B, C, D, and E)	Supports backup of VMware virtual machines using VADP with SAN transport. For more information on this feature, see the "NetBackup Appliance iSCSI Guide" and the "NetBackup for VMware Administrator's Guide" .
Key Management Service (KMS)	5.0	5200 Series, 5300 Series	KMS is supported with Appliances configured as either a Primary or a Media Server. With a NetBackupCLI administrator account in the NetBackup Appliance Shell Menu, an Appliance Primary Server can administrate KMS with tape devices connected to itself or another NetBackup

			Appliance. Regenerating the data encryption key is the only supported method of recovering KMS on an Appliance Primary Server.
NetBackup Access Control (NBAC)	5.0	5200 Series, 5300 Series	Supported when the Appliance is configured as a Media Server only. Not supported when the Appliance is configured as a Primary Server.
NDMP	5.0	5200 Series, 5300 Series, Virtual	Supported NDMP solutions are listed in the NDMP devices Vendor Compatibility section.
NetBackup Cluster			There are no plans to support this feature.
NetBackup OpenStorage Cloud and Third-Party Plug-in Support	5.0	5200 Series, 5300 Series, Virtual	Supported plug-ins are listed in the "Support with NetBackup Appliance" tables shown in the OST Cloud and OST Storage Servers Vendor Compatibility sections. For instructions on installing vendor plug-in packages on NetBackup Appliances, see "About OpenStorage plugin installation" .
NFSv4	5.0	5200 Series, 5300 Series, Virtual	All shares exported by the appliance can be mounted using NFSv4, including system shares and backup shares such as Universal shares and Copilot shares.

Veritas Services and Operations Readiness Tools (SORT)

OpsCenter	5.0	5200 Series, 5300 Series, Virtual	
OpsCenter Managed Server	5.0	5200 Series, 5300 Series, Virtual	
Optimized Duplication (Opt_Dup) over Ethernet	5.0	5200 Series, 5300 Series, Virtual	Supported from 5200/5300 Series/Virtual to 5200/5300 Series/Virtual (MSDP to MSDP).
Optimized Duplication (Opt_Dup) over Fibre Channel (FC)	5.0	5200 Series, 5300 Series	Supported from 5200/5300 Series to 5200/5300 Series (MSDP to MSDP)
Optimized Synthetics (Opt_Synth)	5.0	5200 Series, 5300 Series, Virtual	
Tape Drive Support	5.0	5200 Series, 5300 Series	Supported tape drives are listed in the "Support with NetBackup Appliance" tables shown in the Tape Drives Vendor Compatibility section. Shared Storage Option (SSO) is supported.
Tape Library Support	5.0	5200 Series, 5300 Series	Supported tape libraries are listed with the notes "This library is also supported with NetBackup 5200 Series and 5300 Series Appliances" and "This library is also supported with the NetBackup 5240 Series Appliance with a SAS tape-out adapter" in the Tape Libraries Vendor Compatibility section. Use the NetBackup Device Configuration Wizard within the NetBackup Administration Console to configure robots and

			tape drives on the NetBackup Appliance.
Universal Shares	5.0	5200 Series, 5300 Series	For more information on configuring Universal Shares, see Manage > Storage > Universal Shares
Virtual Tape Library (VTL) Support	5.0	5200 Series, 5300 Series	Supported VTLs are listed in the "Support with NetBackup Appliance" tables shown in the Virtual Tape Libraries Vendor Compatibility section. Use the NetBackup Device Configuration Wizard within the NetBackup Administration Console to configure VTLs and emulated tape drives on the NetBackup Appliance.

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)
[Appliance Compatibility List](#)

Browser Requirements for NetBackup Web UI

[Back to top](#)

The NetBackup Web UI is compatible with the latest vendor-supported versions of web browsers. For the best experience with the NetBackup Web UI, Veritas recommends that you use Google Chrome or Mozilla Firefox, without any plug-ins.

Web Browser	Versions	Notes
-------------	----------	-------

Mozilla Firefox	98 or later.	The latest browser edition is recommended. Download from Mozilla Firefox Web Browser
Google Chrome	98 or later.	The latest browser edition is recommended. Download from Google Chrome Web Browser

NetBackup Software Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List \(last updated on March 11, 2024\)](#)
[10.0 - 10.x.x OS Software Compatibility List Updates](#)

Replication Director

[Back to top](#)

The NetBackup Replication Director feature offers a single NetBackup interface for end-to-end data protection for unified policy management, snapshot copy management, snapshot copy monitoring, and global search and restore.

Replication Director support information is listed below, organized by vendor. The tables provide information on the versions of software tested, supported attachment methods and functionality, and other important notes about the hardware and its compatibility.

For more information on NetBackup Replication Director, see "[About NetBackup Replication Director](#)". This document contains links to important information about Replication Director requirements, latest issues, best practices, product documentation, limitations, and eLearning tutorial videos.

Replication Director - Considerations

Subject	Notes
Support assumptions	For details on supported operating systems, please refer to the " NetBackup 10.0 - 10.x.x Operating System Software Compatibility List " .

	<div>1. Where support is shown for NetBackup 5200 Series or 5300 Series Appliances it means that the OST solution is supported on appliances running versions 3.2 or later, unless noted otherwise.</div> <div>2. Where support is shown for "Windows Server 2012 Datacenter" it also means that the other editions of Windows Server 2012, Windows Storage Server 2012, Windows Server 2012 R2, and Windows Storage Server 2012 R2 are supported.</div> <div>3. Where support is shown for "Windows Server 2016 Datacenter" it also means that the other editions of Windows Server 2016 and Windows Storage Server 2016 are supported.</div> <div>4. Where support is shown for "Windows Server 2019 Datacenter" it also means that the other editions of Windows Server 2019 are supported.</div> <div>5. CentOS and Oracle Linux are not supported with Replication Director, unless noted otherwise.</div> <div>6. SUSE Linux Enterprise Server 12 support requires SP3 or later.</div>
Vendor support considerations	<div>1. In the vendor compatibility tables below, the column "Vendor Software" lists the vendor-supplied software that communicates with NetBackup OpenStorage. Refer to the storage vendor's NetBackup Replication Director site for details on the components that comprise this package.</div> <div>2. Minor versions of the vendor software listed in the tables below are also supported. (Example: Version "2.0" means versions 2.0.1, 2.0.2, 2.0p1, 2.0p2, etc. are also supported. Version "3" means versions 3.1, 3.2, 3.1p1, 3.1p2, etc. are also supported.)</div>

Replication Director - Links to Vendor Sites

Vendor-specific information on NetBackup Replication Director solutions is available at the storage vendor's website. The following table also contains links to Veritas Articles with information on identifying the version of the NetBackup Replication Director plug-in.

Vendor	Vendor Replication Director Solution Information/Compatibility	Vendor Software Version Information
NetApp	NetApp Interoperability Matrix Tool	"Software required to use Replication Director"

Replication Director - Supported Functionality

The following table lists NetBackup Replication Director functionality and indicates the NetBackup version (10.0 or later) at which that functionality was first supported. For more information on Replication Director functionality, see the "[NetBackup Replication Director Solutions Guide](#)".

For supported versions of agents, see the "[NetBackup 10.0 - 10.x.x Database and Application Agent Compatibility List](#)". The version information contained in that document also applies to databases and applications residing in VMware Virtual Machines.

For supported versions of VMware, see "[Support for NetBackup 7.7.x, 8.x, and 9.x in virtual environments](#)".

NetBackup-directed Operations	Abbreviation	NetBackup 10.0 (or later) Start of Support
Array-based Restore	Array-based_Restore	10.0
Snapshot Management for File System	Snapshot_Mgmt_FS	10.0
Snapshot Replication for File System	Snapshot_Repl_FS	10.0
Snapshot Management for Oracle	Snapshot_Mgmt_Oracle	10.0
Snapshot Replication for Oracle	Snapshot_Repl_Oracle	10.0
Snapshot Management for VMware	Snapshot_Mgmt_VMware	10.0
Snapshot Replication for VMware	Snapshot_Repl_VMware	10.0
Snapshot Management for Microsoft Exchange on VMware	Snapshot_Mgmt_VMware_Exchange	10.0
Snapshot Replication for Microsoft Exchange on VMware	Snapshot_Repl_VMware_Exchange	10.0
Snapshot Management for Microsoft SQL Server on VMware	Snapshot_Mgmt_VMware_SQL	10.0
Snapshot Replication for Microsoft SQL Server on VMware	Snapshot_Repl_VMware_SQL	10.0

Snapshot Management for Oracle on NFS Storage	Snapshot_Mgmt_Oracle_NFS	10.0
Snapshot Replication for Oracle on NFS Storage	Snapshot_Repl_Oracle_NFS	10.0
Snapshot Management for VMware with NFS Attached Datastores	Snapshot_Mgmt_VMware_NFS	10.0
Snapshot Replication for VMware with NFS Attached Datastores	Snapshot_Repl_VMware_NFS	10.0
Snapshot Management for Microsoft Exchange on VMware with NFS Attached Datastores	Snapshot_Mgmt_VMware_Exchange_NFS	10.0
Snapshot Replication for Microsoft Exchange on VMware with NFS Attached Datastores	Snapshot_Repl_VMware_Exchange_NFS	10.0
Snapshot Management for Microsoft SQL Server on VMware with NFS Attached Datastores	Snapshot_Mgmt_VMware_SQL_NFS	10.0
Snapshot Replication for Microsoft SQL Server on VMware with NFS Attached Datastores	Snapshot_Repl_VMware_SQL_NFS	10.0

Replication Director - Vendor Compatibility

Contents (for details click on the checkbox)

NetApp

NetBackup Hardware Compatibility Documentation:

[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)

[NetBackup Hardware Compatibility Documentation: Introduction](#)

This Statement of Support for NetBackup in a Virtual Environment document describes the extent of support for NetBackup within a virtual environment. Ideally, every NetBackup configuration supported in a traditional physical environment would also be supported in any virtual environment without qualification. While that is our mission, it is not always possible.

Therefore, the purpose of this document is to:

- Clarify differences between NetBackup support in physical vs. virtual environments
- Describe general guidelines for support in virtual environments.
- Describe impact upon specific NetBackup components: clients, servers, options, etc.
- Provide references to related information.

VMware Compatibility

- NetBackup supports all minor patch releases (like: EP, U1x) unless otherwise noted.
- Software Defined Data-Center(SDDC) environments which includes NSX, NSX-T or other networking technologies are transparent to NetBackup and are supported.
- VMware Cloud on AWS (VMC), Oracle Cloud VMware Solution (OCVS) and VMware Cloud Foundation on Dell EMC VxRail is supported with vSphere versions listed in below table.
- NetBackup 10.0 and later versions support VMware Virtual Volumes (VVols)
- NetBackup supports all triple-dot versions of VMware vCloud Director, unless otherwise noted.
- VMware HyperScale Partner- Azure VMware solution is supported.
- Single File Recovery (agent-based and agentless) is supported for Windows guest virtual machines with Veritas Volume Manager (VxVM) and NTFS file system.

NetBackup Versions	VDDK Versions	vSphere Versions	vCloud Director Versions	Backup/Restore Host Versions
10.1.1	8.0	vSphere 8.0 U2, 8.0 U1, 8.0 vSphere 7.0 U3, 7.0 U2, 7.0 U1, 7.0 vSphere 6.7 U3, 6.7 U2, 6.7 U1, 6.7 VMware vSAN 8.0 U2, 8.0 U1, 8.0, 7.0 U3, 7.0 U2, 7.0 U1, 7.0 Refer VMware VDDK release notes URL below	Service Provider Versions: 10.4, 10.3, 10.2	All 64 bit only: Windows Server 2022, 2019, 2016 Red Hat Enterprise Linux (RHEL) 9.0, 8.6, 8.3, 8.2, 8.1, 7.9 SUSE Linux Enterprise Server (SLES) 15SP1, 12SP5 CentOS 7.9, Ubuntu 18.04

		for additional information on supported vCenter and ESXi versions.		
--	--	--	--	--

- NetBackup does not support the vCloud Director 10 feature called "Automatic discovery and import of vCenter VMs."

Note the following:

- The EEB required for Instant Access with VMware vSphere 8.0, 8.0 U1, 8.0 U2 on NetBackup 10.1 and VMware vSphere 7.0 U1, 7.0 U2, 7.0 U3 on NetBackup 10.0 can be obtained from Veritas Technical Support.
- Support for vSphere 8.0 U2 with Hardware version 20 and below starts from NetBackup 10.1.
- VMware version information can also be obtained from the VMware Product Interoperability Matrix and is subject to change by VMware. For the latest information, see the following: [Product Interoperability Matrix](#).
- NetBackup supports installation of the backup host in a virtual machine (VMware "hotadd"). The guest operating systems that NetBackup supports for hotadd are the same as the above.
- For the Linux VMware backup host or restore host, locales other than UTF-8 are not supported.

VMware VDDK Release Notes:

- [VDDK 7.0.3 Release Notes](#)
- [VDDK 7.0.3.2 Release Notes](#)
- [VDDK 8.0 Release Notes](#)

Hyper-V Servers Compatibility

Hyper-V is supported on Microsoft Windows Server Editions which are compatible with NetBackup Client. Refer to Operating System Compatibility table for details.

Hyper-V Servers Compatibility - Reference Article: TECH127089 Statement of Support for NetBackup in a Virtual Environment: [Support for NetBackup 7.7.x, 8.x, 9.x, and 10.x in virtual environments](#)

Note:

- NetBackup Client must be installed on the Hyper-V server
- Primary and Media Server platform support as supported by the appropriate NBU release

NetBackup Versions	Hyper-V Server Versions	System Center Virtual Machine Manager Versions	Comments
10.1.1	Hyper-V Server 2022 Hyper-V Server 2019	NetBackup Add-In and Hyper-V Intelligent Policy for	• Hyper-V Intelligent Policy supported only for Hyper-V

	Hyper-V Server 2016 Hyper-V Server 2012 R2	<ul style="list-style-type: none"> • SCVMM 2022 • SCVMM 2019 • SCVMM 2016 • SCVMM 2012 R2 	Server 2019, Hyper-V Server 2016, Hyper-V Server 2012 R2 (and associated updates) • VHD and VHDX support
--	---	---	---

File-level recovery from a Hyper-V backup is not supported in case of following scenarios.

- Any guest OS volume that resides on a 4Kn virtual disk (VHDX file).
- Files in guest OS that reside on REFS or NTFS deduplicated volume.

WMI backup features and limitations:

- WMI method is supported for Windows Server 2016 and above.
- Requires a VM configuration version later than 5.
- VMs can be hosted on either the NTFS, ReFS, Windows Storage Spaces, Storage Spaces Direct or SMB 3.0 file shares.
- WMI backup method does not support backup or restore of user-created checkpoints of the VM.
- Faster Hyper-V backup and recovery feature requires block-level incremental to be enabled and can only be saved to deduplication storage unit.

VSS backup limitations:

- VMs must reside on the NTFS file system (ReFS or NTFS Deduplication is not supported).
- Block-level incremental backup is not supported.
- Backing up VM's residing on SMB 3.0 file shares is not supported.

Hyper-V Limitations

- Backup of a Hyper-V guest OS that use VHD Sets or shared VHDX file is not supported.
- Hyper-V Server on windows Server Semi-Annual Channel builds are supported with partial functionality.
Refer technote for additional details [NetBackup support for Windows Server Semi-Annual Channel](#)

Nutanix AOS versions and backup host

Supported Nutanix AOS versions and backup host operating systems

NetBackup for Nutanix AHV protects Nutanix AHV virtual machines by integrating with Nutanix APIs for Data Protection. All minor versions of Nutanix AOS are supported unless specifically noted in the table below.

NetBackup Versions	Nutanix AOS Versions	Backup/Restore Host Versions	Notes
10.1.1	6.6 6.5 6.1	NetBackup 10.0 and later versions supported x86-64 platforms of Red Hat Enterprise	"Hypervisor" policy type to be used for protecting Nutanix

	6.0	Linux, SUSE Linux Enterprise Server and Windows Server will work as backup hosts.	AHV on supported AOS versions
	5.20		
	5.19		
	5.18		
	5.17		
	5.15		
	5.11		
	5.10		

Note the following:

- With NetBackup 10.0, BigData policy cannot be used to protect Nutanix AHV VMs. Refer: [Veritas NetBackup™ for Nutanix Acropolis Hypervisor \(AHV\) Administrator's Guide](#)
- To backup other hypervisors like VMware ESX or a Hyper-V on a Nutanix Acropolis cluster, please see VMware ESX or a Hyper-V SCL for support matrix. To backup VMware ESX or a Hyper-V on a Nutanix Acropolis cluster, use a VMware policy or a Hyper-V, respectively.
- NetBackup supports installation of the backup host in a virtual machine.
- English only AHV is supported.
- Backups are Crash And Application Consistent.
- AHV Community Edition is not supported.
- Backup of VMs having volume groups is not supported.
- Backup and recovery of the entire virtual machine for all guest operating systems is supported.
- NetBackup 9.1 and later versions support file and folder recovery.

Kubernetes Compatibility

Veritas supports wide range of Kubernetes distributions which are Certified by CNCF: [Certified Kubernetes Software Conformance | Cloud Native Computing Foundation](#)

Kubernetes Releases: [Releases | Kubernetes](#)

Supported CSI storage drivers for Kubernetes protection are listed here:

[Veritas NetBackup™ Enterprise Server and Server 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(HCL\)](#)

NetBackup supports all vendor updates, Major or Minor service packs and patch releases unless stated otherwise in the tables below.

To get secrets of service accounts for Kubernetes Refer: [Get secrets of service accounts for Kubernetes](#).

NetBackup Versions	Supported Kubernetes API Versions
10.1.1	1.29, 1.28, 1.27, 1.26, 1.25, 1.24, 1.23, 1.22, 1.21

Continuous Data Protection for VMware

NetBackup Versions	ESXi Version	Veritas IO-filter version	Notes
10.1.1	6.7 or later	Download link for ESXi 8.x : https://sort.veritas.com/public/vrp/1010/vsphere7/VMW-esx-7.0.0-VTS-vtstap-10.1.0.00.01-00.zip Download link for ESXi 7.x : https://sort.veritas.com/public/vrp/1010/vsphere7/VMW-esx-7.0.0-VTS-vtstap-10.1.0.00.01-00.zip Download link for ESXi 6.x : https://sort.veritas.com/public/vrp/1010/vtstap-offline-bundle.zip	<ul style="list-style-type: none"> • Datastores supported: VMFS, NFS, vVol, vSAN • File-system supported for CDP gateway: XFS, EXT3, EXT4, NFS, VxFS • RedHat Linux supported version: 7.7 or later versions • Media Server as CDP gateway: NetBackup 10.1.1 supported x86-64 platforms of Red Hat Enterprise Linux. • Support for CDP Gateway on NetBackup Appliance 5.1.1 is only available for the 5250 and 5350 models.

VMware vRealize Compatibility

Veritas NetBackup plug-in for VMWare vRealize Version	VMWare vRealize Orchestrator Versions	NetBackup Versions
2.2	8.5	NetBackup 10.2, 10.1.1
2.1	8.5	NetBackup 10.2, 10.1.1
2.0	8.4 8.3	NetBackup 10.2, 10.1.1, 10.0
1.1	7.6 7.5	NetBackup 10.1.1, 10.0

Note:

- NetBackup 10.0 and later versions support Backup Now for VMWare VM, AWS VM and AWS Volumes

- NetBackup 10.0 and later versions support API Key Authentication in addition to standard Authentication.

Azure Stack HCI

Azure Stack HCI is protected by WMI method from NetBackup Policy Type Hyper-V.

Cluster Configuration	NetBackup Versions	Notes
Microsoft Azure Stack HCI - 22H2, 21H2	10.2, 10.1.1, 10.1, 10.0	

NetBackup Software Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List \(last updated on March 11, 2024\)](#)
[10.0 - 10.x.x OS Software Compatibility List Updates](#)

Cloud Configuration Files

[Back to top](#)

The latest version of this file is included in NetBackup release updates and is also available for download independently on the Veritas support site. This file is updated whenever new cloud provider support is needed, independent of NetBackup release updates. This file is cumulative, so the most recent version contains all support added in earlier versions. The column "NetBackup version" indicates the NetBackup Primary Server version that the Cloud Configuration package requires for installation.

For more information on configuring Cloud solutions see "[About the cloud storage vendors for Veritas NetBackup](#)".

Cloud Configuration File Packages

Cloud Configuration Package version	NetBackup version	URL	Providers added
2.11.8	Media Server: 8.0 or later	Media Server: " Cloud Configuration Package "	Added support for regions in AWS Recovery Vault: <ul style="list-style-type: none">- Asia Pacific (Hyderabad)- Asia Pacific (Melbourne)- Europe (Spain)- Europe (Zurich)

Veritas Services and Operations Readiness Tools (SORT)

			<ul style="list-style-type: none"> - Israel (Tel Aviv) - Middle East (UAE)
2.11.6	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Amazon GovCloud - Glacier Instant Retrieval (IR)
2.11.5	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Cold tier - Microsoft Azure and Azure Government
2.11.4	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - iTernity iCAS (S3) - S3 Object Lock
2.11.3	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Impossible Cloud (S3) - S3 Object Lock - Google (S3) - Europe West 10 (Berlin) region - Google (S3) - Middle East Central 2 (Dammam) region
2.11.2	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Amazon (S3) - Israel (Tel Aviv) region
2.11.1	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Cloud Object Store Protection (COSP) - Quantum ActiveScale Systems (S3)
2.10.12	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - SandStone MOS (S3)
2.10.11	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Cloud Object Store Protection (COSP) - STACKIT Object Storage (S3)
2.10.10	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Pure Storage FlashBlade (S3)

2.10.9	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - NetApp ONTAP S3 - Iron Mountain Iron Cloud SOS (S3) - Impossible Cloud (S3) - Amazon (S3) - Asia Pacific (Melbourne) region - Amazon (S3) - Asia Pacific (Hyderabad) region - Amazon (S3) - EU (Zurich) region - Amazon (S3) - EU (Spain) region - Google (S3) - Europe West 12 (Turin) region - Google (S3) - Middle East Central 1 (Doha) region
2.10.8	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - VAST Data (S3)
2.10.7	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added earlier support not included in NetBackup 10.2 release: <ul style="list-style-type: none"> - Amazon Glacier Instant Retrieval (IR) - Backblaze B2 Cloud Storage (S3) - DataCore Swarm (S3) - iTernity iCAS FS (S3) - Quantum ActiveScale Glacier Storage Class - Spectra Vail (S3) - STACKIT Object Storage (S3) - NEC Cloud IaaS Object Storage N2 (S3)

			<ul style="list-style-type: none"> - Amazon (S3) - Asia Pacific (Jakarta) region - Amazon (S3) – ME (UAE) region - Google (S3) - Asia South2 (Delhi) region - Google (S3) - Australia-Southeast2 (Melbourne) region - Google (S3) - EU West8 (Milan) region - Google (S3) - EU West9 (Paris) region - Google (S3) - EU Southwest1 (Madrid) region - Google (S3) - North America Northeast2 (Toronto) region - Google (S3) - US East5 (Columbus) region - Google (S3) - US South1 (Dallas) region - Wasabi (S3) - AP Southeast 1 (Singapore) region - Wasabi (S3) - AP Southeast 2 (Sydney) region - Wasabi (S3) - EU Central 2 (Frankfurt) region - Wasabi (S3) - CA Central 1 (Toronto) region - Wasabi (S3) - EU West 2 (Paris) region
2.10.6	Media Server: 8.0 or later	Media Server: Use the most recent version above.	<p>Added support:</p> <ul style="list-style-type: none"> - STACKIT Object Storage (S3) - Backblaze B2 Cloud Storage (S3)

2.10.5	Media Server: 8.0 or later	Media Server: Use the most recent version above.	<ul style="list-style-type: none"> - NEC Cloud IaaS Object Storage (N2) (S3) <p>Added support:</p> <ul style="list-style-type: none"> - Spectra Logic Vail (S3) - DataCore Swarm (S3) - Google (S3) - Middle East West1 (Tel Aviv) region <p>Added earlier support not included in NetBackup 10.1.1 release:</p> <ul style="list-style-type: none"> - Amazon Glacier Instant Retrieval (IR) - iTernity iCAS FS (S3) - Amazon (S3) - Asia Pacific (Jakarta) region - Amazon (S3) - Middle East (UAE) region - Google (S3) - Asia South2 (Delhi) region - Google (S3) - Australia-Southeast2 (Melbourne) region - Google (S3) - EU West8 (Milan) region - Google (S3) - EU West9 (Paris) region - Google (S3) - EU Southwest1 (Madrid) region - Google (S3) - US East5 (Columbus) region - Google (S3) - US South1 (Dallas) region - Google (S3) - North America Northeast2 (Toronto) region
--------	----------------------------	--	--

Veritas Services and Operations Readiness Tools (SORT)

			<ul style="list-style-type: none"> - Wasabi (S3) - EU West 2 (Paris) region - Wasabi (S3) - AP Southeast 1 (Singapore) region - Wasabi (S3) - AP Southeast 2 (Sydney) region - Wasabi (S3) - EU Central 2 (Frankfurt) region - Wasabi (S3) - CA Central 1 (Toronto) region
2.10.4	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Google (S3) - EU West8 (Milan) region
2.10.3	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Veritas NetBackup Recovery Vault AWS Glacier Deep Archive
2.10.2	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Amazon (S3) - Middle East (UAE) region
2.10.1	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: Added earlier support not included in NetBackup 10.1 release: <ul style="list-style-type: none"> - Amazon Glacier Instant Retrieval (IR) - iTernity iCAS FS (S3) - Amazon (S3) - Asia Pacific (Jakarta) region - Google (S3) - Asia South2 (Delhi) region - Google (S3) - Australia-Southeast2 (Melbourne) region

			<ul style="list-style-type: none"> - Google (S3) - EU West9 (Paris) region - Google (S3) - EU Southwest1 (Madrid) region - Google (S3) - US East5 (Columbus) region - Google (S3) - US South1 (Dallas) region - Google (S3) - North America Northeast2 (Toronto) region - Wasabi (S3) - EU-West-2 (Paris) region - Wasabi (S3) - AP Southeast 1 (Singapore) region - Wasabi (S3) - AP Southeast 2 (Sydney) region - Wasabi (S3) - EU Central 2 (Frankfurt) region - Wasabi (S3) - CA Central 1 (Toronto) region
2.9.5	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: - Clouidian HyperStore - S3 Object Lock
2.9.4	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Google (S3) - US East5 (Columbus) region - Google (S3) - US South1 (Dallas) region - iTernity iCAS FS (S3)
2.9.3	Media Server: 8.0 or later	Media Server: Use the most recent version above.	Added support: <ul style="list-style-type: none"> - Google (S3) - EU Southwest1 (Madrid) region - Google (S3) - EU West9 (Paris) region

2.9.2	Media Server: 8.0 or later	Media Server: Use the most recent version above.	<ul style="list-style-type: none"> - Wasabi (S3) - AP Southeast 1 (Singapore) region <p>Added support:</p> <ul style="list-style-type: none"> - Wasabi (S3) - AP Southeast 2 (Sydney) region - Wasabi (S3) - EU Central 2 (Frankfurt) region - Wasabi (S3) - CA Central 1 (Toronto) region
2.9.1	Media Server: 8.0 or later	Media Server: Use the most recent version above.	<p>Added support:</p> <p>Added earlier support not included in NetBackup 10.0 release:</p> <ul style="list-style-type: none"> - Amazon Glacier Instant Retrieval (IR) - Amazon GovCloud - Glacier Instant Retrieval (IR) - Amazon (S3) - Asia Pacific (Jakarta) region - Google (S3) - Asia South2 (Delhi) region - Google (S3) - Australia-Southeast2 (Melbourne) region - Google (S3) - NorthAmerica Northeast2 (Toronto) region - Quantum Active Archive and ActiveScale Systems - Standard (S3) - Quantum Active Archive and ActiveScale Systems - Glacier (S3) - Wasabi (S3) - EU-West-2 (Paris) region

NetBackup / NetBackup Appliance version	Cloud Configuration File version
10.3	2.11.0
10.2	2.10.0
10.1.1	2.10.0
10.1	2.10.0
10.0	2.9.0

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)

OST Secondary Storage Solutions - General Information

[Back to top](#)

This feature is not supported on this platform.

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)

Cloud Storage Solutions

[Back to top](#)

NetBackup Cloud Storage plug-ins enable Veritas NetBackup to access Cloud Storage Solutions. Either the storage vendor or Veritas provides a software plug-in, which is installed on each NetBackup Media Server that is connected to the cloud solution.

NetBackup Cloud support information is listed in the tables below, organized by vendor. These tables provide information on supported versions of plug-ins and functionality, and other important notes about the hardware and its compatibility.

Cloud Storage - Considerations

Subject	Notes
Support assumptions	<p>For details on supported operating systems, please refer to the "NetBackup 10.0 - 10.x.x Operating System Software Compatibility List" .</p> <ol style="list-style-type: none"> 1. In the vendor compatibility tables below, the column "NetBackup Version Containing Plug-in" indicates the NetBackup version (10.0 or later) at which that cloud storage solution was first supported. 2. Community-distributed Ceph solutions are supported when using the Red Hat string. Since these solutions rely on the community, support for any issues encountered may be delayed or unavailable, depending on the nature of the issue. 3. NetBackup supports AWS Outposts. For more information, please refer Veritas Tested and Validated for AWS Outposts
Configuration considerations	<ol style="list-style-type: none"> 1. NetBackup is configured to trust a number of well-known public Certificate Authorities (CA) related to Cloud storage. However, there are instances where, for internal purposes, you may need to add your own self-signed CA certificate. For information on adding a self-signed CA certificate, please refer to "Cloud Storage Configuration: How To Add a Self-Signed CA Certificate" . 2. NetBackup-provided Cloud connectors are not supported with IPv6, unless noted otherwise. Configuring these plug-ins with IPv6 may result in unpredictable behavior.

Cloud Storage - Supported Cloud Technology Methods

NetBackup supports Cloud-based storage providers using a variety of technology methods, described below.

Contents (for details click on the checkbox)

S3 Storage

Advanced Disk Targets

Microsoft Azure Storage

VTL

OST

Support for Workloads with Image Sharing in Cloud

Image Sharing in Cloud is supported with MSDP Direct Cloud Tiering. Workload support is listed in the tables below.

Support for Image Sharing using MSDP Direct Cloud Tiering

Image sharing using MSDP Direct Cloud Tiering is supported with any of the S3 cloud providers listed in the Vendor Compatibility tables below, and with Microsoft Azure Blob storage.

MSDP Direct Cloud Tiering is supported with NetBackup 8.3 and later.

For more information on image sharing using MSDP Direct Cloud Tiering, see ["About Image Sharing using MSDP cloud"](#).

Image Sharing in Cloud - Supported Workloads

Workload	NetBackup 10.0 (or later) Start of Support	Notes
Basic backups of files and folders	10.0	
Bare Metal Restore (BMR)	Not supported	Duplication of images is supported. Restores can be done from another NetBackup media server.
DB2	10.0	
Enterprise Vault	10.0	
Hadoop	10.0	
Hbase	10.0	
Hyper-V	10.0	
Informix	10.0	
Lotus Notes	10.0	
MariaDB	10.0	
Microsoft Exchange Server	10.0	
Microsoft SharePoint	10.0	
Microsoft SQL Server	10.0	
MySQL	10.0	
NDMP	10.0	

Veritas Services and Operations Readiness Tools (SORT)

Nutanix	Not supported	Duplication of images is supported. Restores can be done from another NetBackup media server.
OpenStack	Not supported	Duplication of images is supported. Restores can be done from another NetBackup media server.
Oracle	10.0	
Postgres	10.0	
RHV	10.0	
SAP	Not supported	Duplication of images is supported. Restores can be done from another NetBackup media server.
Sybase	10.0	
VMware	10.0	

Cloud Storage - Vendor Compatibility

Contents (for details click on the checkbox)

ACP	Alibaba	Amazon
AT&T	Backblaze	Beijing XSKY
China Mobile	China Telecom	Chunghwa Telecom
Cloudian	DataCore	Dell EMC
Dell EMC Isilon	Deutsche Telekom	Fujitsu
Google	Hewlett Packard Enterprise	Hitachi Vantara
IBM	Impossible Cloud	Infonika
Iron Mountain	iTernity	Microsoft
NEC	NetApp	NooBaa
Nutanix	Oracle	Orange Business Services
Pure Storage	Quantum	Red Hat
SandStone	Scality	Seagate
Spectra Logic	STACKIT	SUSE
SwiftStack	Tencent	VAST Data
Veritas	Wasabi	

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)

OST Storage Servers

[Back to top](#)

OpenStorage Servers are intelligent storage devices that interface to NetBackup Media Servers via the Veritas OpenStorage (OST) API. The vendor supplying the Storage Server appliance provides a software plug-in, which is installed on each NetBackup Media Server that is attached to the OpenStorage Server.

OST Storage Servers support information is listed below, organized by vendor. Under each vendor there are separate tables showing compatibility with NetBackup Appliances and with Linux/Windows operating systems. The tables provide information on supported versions of plug-ins and functionality, and other important notes about the hardware and its compatibility. OST functionality is available on all supported NetBackup Media Server platforms. If you do not see OST support for your desired Storage Server appliance / Media Server OS platform, please contact that Storage Server appliance vendor to request OST support for that platform. Please see the Veritas NetBackup Administrator's Guide for more information on how to use OST.

OST Storage Servers - Considerations

Subject	Notes
Support assumptions	<p>For details on supported operating systems, please refer to the "NetBackup 10.0 - 10.x.x Operating System Software Compatibility List".</p> <p>1. All OpenStorage Servers are compatible with the NetBackup Data Protection Optimization Option features (Storage Lifecycle Policies, Intelligent Disk Capacity Management and Media Server Load Balancing) and the SAN Client (currently supported only with Solaris SPARC and Linux x64 media servers).</p> <p>2. Where support is shown for NetBackup 5200 Series or 5300 Series Appliances it means that the OST solution is supported</p>

	<p>on appliances running versions 3.2 or later, unless noted otherwise.</p> <p>3. Where support is shown for "Windows Server 2012 Datacenter" it also means that the other editions of Windows Server 2012, Windows Storage Server 2012, Windows Server 2012 R2, and Windows Storage Server 2012 R2 are supported.</p> <p>4. Where support is shown for "Windows Server 2016 Datacenter" it also means that the other editions of Windows Server 2016 and Windows Storage Server 2016 are supported.</p> <p>5. Where support is shown for "Windows Server 2019 Datacenter" it also means that the other editions of Windows Server 2019 are supported.</p> <p>6. Where support is shown for "Windows Server 2022 Datacenter" it also means that the other editions of Windows Server 2022 are supported.</p> <p>7. CentOS and Oracle Linux are not supported with OpenStorage, unless noted otherwise.</p> <p>8. SUSE Linux Enterprise Server 12 support requires SP3 or later.</p>
Vendor support considerations	<p>1. Veritas and OpenStorage server vendors have mutually agreed to support NetBackup customers with OST solutions. Veritas and most OST server vendors are members of TSANet.</p> <p>2. Veritas qualifies OpenStorage plug-ins for use with NetBackup. The qualified plug-ins are maintained by the party that writes and distributes the plug-ins. Features Veritas Partners implement behind the OST API, that operate independently and are transparent to NetBackup and the OpenStorage API (for example, replication between storage servers, deduplication on the storage server, deduplication-aware plug-ins, data transport mechanisms between the media server and the storage server), are not specifically qualified by Veritas. Partner-specific features designed to interoperate in the NetBackup environment as part of the total solution are the maintenance responsibility of the partner. Check the partner's compatibility list to ensure</p>

	<p>support of the feature with NetBackup and to ensure that your infrastructure (that is, hardware and network) meets the partner's recommended sizing considerations for the feature.</p> <p>3. Check the device manufacturer's compatibility list to verify the minimum version of Storage Server software required for your Storage Server family member, that the Storage Server software version you are running is compatible with the plug-in version, and that the storage server software version supports the OpenStorage functionality you are running.</p> <p>4. Minor versions of the plug-ins listed in the tables below are also supported. (Example: Version "2.0" means versions 2.0.1, 2.0.2, etc. are also supported. Version "3" means versions 3.1, 3.2, etc. are also supported.)</p>
Configuration considerations	<p>1. The Data Interface column in the tables below describes the supported data path between the media server running the vendor's OST plug-in and the OST storage server.</p> <p>2. The Veritas NetBackup OpenStorage Optimized Duplication feature takes advantage of the replication capabilities built into many storage servers and cloud solutions by allowing images replicated by the storage servers or cloud solutions to be registered as duplicated copies in the NetBackup catalog. This feature requires at least one NetBackup Media Server with connectivity to both the source storage server or cloud solution and the destination storage server or cloud solution. Optimized Duplication cannot be performed across NetBackup domains.</p> <p>3. A Logical Storage Unit (LSU) must be configured to only one NetBackup domain. Media servers from more than one NetBackup domain configured to the same LSU is not supported.</p>
Operational considerations	<p>1. Storage Servers that do not automatically increase the size of LSUs may take advantage of the LSU spanning feature. For information about spanning volumes on OpenStorage disk pools, see the Veritas NetBackup OpenStorage Solutions Guide for Disk.</p>

2. The NetBackup Accelerator, Accelerator with NDMP, and Accelerator with VMware-type policies features are not supported with spanned LSUs.

OST Storage Servers - Supported Functionality

The following table lists NetBackup OpenStorage functionality and indicates the NetBackup 10.x version at which that functionality was first supported. For detailed descriptions of OpenStorage functionality, see the ["NetBackup OpenStorage Solutions Guide for Disk"](#).

To see which OST functionality is supported with your OpenStorage solution, refer to the "Supported OpenStorage Functionality" column in the Vendor Compatibility tables below.

OpenStorage Functionality	Abbreviation	NetBackup Start of Support	Notes
Accelerator (for files and folders)	Accelerator	10.0	If your storage server shows support for Accelerator in the tables below, Veritas recommends updating your device mappings file to the current version to ensure this functionality is enabled. If you are running Accelerator-enabled backups of Windows clients whose file systems contain hard linked files, see "Accelerator enabled backups of Windows hard linked files to OpenStorage disk storage may cause bptm to crash" . Accelerator is not supported with spanned Logical Storage Units (LSU).
Accelerator with NDMP	Accel_NDMP	10.0	Supported with Dell EMC Isilon Scale-Out NAS filers, and

			<p>NetApp AFF, FAS, and V series filers.</p> <p>For more information on this feature, see the "About NetBackup Accelerator for NDMP".</p> <p>Accelerator with NDMP is not supported with spanned LSUs.</p>
Accelerator with Hyper-V-type policies	Accel_Hyper-V	10.0	<p>If your storage server shows support for Accelerator with Hyper-V in the tables below, Veritas recommends updating your device mappings file to the current version to ensure this functionality is enabled.</p> <p>Accelerator with Hyper-V-type policies is not supported with spanned LSUs.</p> <p>Accelerator with Hyper-V-type policies is not supported with shared virtual disks and VHD sets.</p> <p>Accelerator with Hyper-V-type policies support requires Hyper-V Server 2016 or later.</p> <p>For more information on this feature, see the "Veritas NetBackup for Hyper-V Administrator's Guide".</p>
Accelerator with VMware-type policies	Accel_VMware	10.0	<p>If your storage server shows support for Accelerator with VMware in the tables below, Veritas recommends updating your device mappings file to the</p>

			<p>current version to ensure this functionality is enabled. Accelerator with VMware-type policies is not supported with spanned LSUs. For more information on this feature, see the "Veritas NetBackup for VMware Administrator's Guide".</p>
Auto Image Replication	A.I.R.	10.0	<p>For more information on configuring Auto Image Replication, see "About the storage lifecycle policies required for Auto Image Replication".</p> <p>Veritas recommends replicating images from NetBackup 8.0 or later storage servers to target storage servers running the same NetBackup version. Replicating images between NetBackup 8.0 or later storage servers and NetBackup 7.x storage servers is supported, however, due to differences in encryption and fingerprinting methods, the additional processing required may cause performance issues and causes the replicated image data to be unencrypted while in transit. In configurations running both A.I.R. and Targeted A.I.R., Veritas recommends setting</p>

			<p>the Storage Lifecycle Policies parameter "Auto create A.I.R. import SLP" to "No" and creating non-Targeted A.I.R. import policies only where desired.</p> <p>Only one media server should be configured to each target Logical Storage Unit (LSU).</p> <p>Each source and target storage server should have its credentials configured in only one NetBackup domain.</p>
Targeted Auto Image Replication	Targeted_A.I.R.	10.0	<p>If your storage server shows support for Targeted A.I.R. in the tables below, Veritas recommends updating your device mappings file to the current version to ensure this functionality is enabled.</p> <p>Veritas recommends replicating images from NetBackup 8.0 or later storage servers to target storage servers running the same NetBackup version. Replicating images between NetBackup 8.0 or later storage servers and NetBackup 7.x storage servers is supported, however, due to differences in encryption and fingerprinting methods, the additional processing required may cause</p>

			<p>performance issues and causes the replicated image data to be unencrypted while in transit. In configurations running both A.I.R. and Targeted A.I.R., Veritas recommends setting the Storage Lifecycle Policies parameter "Auto create A.I.R. import SLP" to "No" and creating non-Targeted A.I.R. import policies only where desired.</p> <p>Only one media server should be configured to each target Logical Storage Unit (LSU).</p> <p>Each source and target storage server should have its credentials configured in only one NetBackup domain.</p> <p>When support for Targeted A.I.R. is shown in the tables below, all replication topologies are supported, unless noted otherwise.</p>
Direct Copy to dedicated tape drives	Direct_Copy	10.0	
Direct Copy to shared tape drives	Direct_Copy_Shared	10.0	
Granular Recovery Technology	Granular_Recovery	10.0	<p>Support for the Veritas NetBackup OpenStorage Granular Recovery Technology feature is described in "Granular Restore Technology"</p>

			(GRT) support for NetBackup with PureDisk (PDDO/PDDE)" and "Granular Restore Technology (GRT) support for NetBackup with 3rd-party OpenStorage Secondary Storage Solutions" .
Granular Recovery Technology with VMware-type policies	GRT_VMware	10.0	Support for VMware-type backup policies with Application Protection options enabled for Exchange or SharePoint. Support for the Veritas NetBackup OpenStorage Granular Recovery Technology feature is described in "Granular Restore Technology (GRT) support for NetBackup with PureDisk (PDDO/PDDE)" and "Granular Restore Technology (GRT) support for NetBackup with 3rd-party OpenStorage Secondary Storage Solutions" .
Immutable Data / WORM	WORM	10.0	When support for immutable data/WORM (Write Once Read Many) is shown in the tables below, basic backup/restore, duplication, A.I.R. and Targeted A.I.R. using WORM are supported. Data Immutability/WORM is supported with Client Direct with NetBackup 9.1 and later.

Instant Recovery for VMware	IR_VMware	10.0	Support for restoring virtual machines with Instant Recovery is described in the " Veritas NetBackup for VMware Administrator's Guide ". For details on supported platforms for instant recovery restore hosts, see " Support for NetBackup 7.7.x, 8.x, and 9.x in virtual environments ".
NetBackup Encryption Key Management Service	KMS	10.0	In the OST Cloud vendor tables, KMS indicates that the cloud provider supports using NetBackup KMS to encrypt backups to cloud targets. In the OST Storage Servers vendor tables, KMS indicates that the plug-in supports NetBackup KMS with Direct Copy to Tape functionality.
Optimized Duplication	Opt_Dup	10.0	Optimized Duplication transfers data in 256 KB chunks.
Optimized Duplication (Whole Image Copy)	WI_Opt_Dup	10.0	Whole image Optimized Duplication uses the storage unit's Maximum fragment size to transfer an entire NetBackup image fragment in a single operation.
Optimized Synthetics	Opt_Synth	10.0	Storage Lifecycle Policies are not supported in policies that use the multiple copy synthetic backups method. For details, see " Storage lifecycle policies are not supported in policies ".

		that use the multiple copy synthetic backups method" .
--	--	--

OST Storage Servers - Links to Vendor Sites

More information on NetBackup OpenStorage solutions is available at the following OST Storage Server vendors' websites.

Vendor	URL
Dell EMC	http://www.dell.com/
Dell EMC Data Domain	http://www.datadomain.com/products/
ExaGrid	https://www.exagrid.com/exagrid-products/supported-data-backup-applications/veritas-netbackup/
FalconStor	http://www.falconstor.com/en/pages/?pn=VTL
Fujitsu	http://www.fujitsu.com/global/
H3C	http://www.h3c.com/en/OurBusiness/Products/Storage/
Hewlett Packard Enterprise	https://www.hpe.com/us/en/storage/storeonce.html
Hitachi Vantara	https://www.hitachivantara.com/en-us/home.html
Huawei	http://www.huawei.com/
Infinidat	http://www.infinidat.com/
NEC	http://www.necam.com/HYDRAsTOR/
Oracle	http://www.oracle.com/technetwork/server-storage/sun-unified-storage/downloads/zfssa-plugins-1489830.html
Quantum	http://www.quantum.com/ServiceandSupport/SoftwareandDocumentationDownloads/OSTClientPlugin/Index.aspx
Quest	https://www.quest.com/products/dr-series-disk-backup-appliances/
Veritas	https://www.veritas.com/product/backup-and-recovery/netbackup-appliances/

OST Storage Servers - Vendor Compatibility

Contents (for details click on the checkbox)

Dell EMC Data Domain	FalconStor	Fujitsu
H3C	Hewlett Packard Enterprise	Infinidat
Quantum		

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)

Virtual Tape Libraries Compatibility List

[Back to top](#)

Virtual tape device support information is listed below, organized by vendor. Under each vendor there are separate tables showing compatibility with NetBackup Appliances and with Linux/Windows operating systems. The tables provide information on supported versions of software, inquiry string (vendor ID + product ID), and other important notes about the hardware and its compatibility.

Virtual Tape Libraries/Drives - Considerations

Subject	Notes
Support assumptions	<p>For details on supported operating systems, please refer to the "NetBackup 10.0 - 10.x.x Operating System Software Compatibility List" .</p> <p>1. Virtual tape device software versions are no longer listed in this section. Veritas recommends using the most recent version of software available when you configure the VTL with NetBackup. When a minimum VTL software version is required, it will be listed in a footnote. If a VTL software version is causing a problem, Veritas will work with the hardware vendor to resolve the problem. Veritas and most hardware vendors listed are members of TSAnet.</p> <p>2. Where support is shown for "Windows Server 2012 Datacenter" it also means that the other editions of Windows</p>

	<p>Server 2012, Windows Storage Server 2012, Windows Server 2012 R2, and Windows Storage Server 2012 R2 are supported.</p> <p>3. Where support is shown for "Windows Server 2016 Datacenter" it also means that the other editions of Windows Server 2016 and Windows Storage Server 2016 are supported.</p> <p>4. Where support is shown for "Windows Server 2019 Datacenter" it also means that the other editions of Windows Server 2019 are supported.</p> <p>5. Where support is shown for "Windows Server 2022 Datacenter" it also means that the other editions of Windows Server 2022 are supported.</p> <p>6. Where support is shown for "Red Hat Enterprise Linux 7 on x86-64" it also means that CentOS 7 and Oracle Linux 7 are supported.</p> <p>7. SUSE Linux Enterprise Server 12 support requires SP3 or later.</p>
Vendor support considerations	<p>1. Check the device manufacturer's compatibility list to verify OS platform support for the version of software running on your VTL.</p> <p>2. Check the device manufacturer's compatibility list to verify the minimum version of VTL software required for your VTL family member.</p> <p>3. The list of attributes for each drive emulation is based on the most recent version of Virtual tape device software tested. Check with the device manufacturer to determine when support for a specific attribute was added.</p>
Configuration considerations	<p>1. The virtual library must be configured with the unique VTL inquiry string as listed. Using the inquiry string to emulate a real library model is not supported even if the real device is supported with NetBackup.</p> <p>2. Only the virtual tape drive emulations listed with each virtual library are supported. Other virtual tape drive emulations are not supported even if the real device being emulated is supported with NetBackup. Conversely, a virtual tape drive emulation listed</p>

	<p>as supported in this section does not mean the physical model is also supported.</p> <p>3. Veritas recommends the use of SCSI Persistent Reserve (SPR) whenever all the hardware in your device path supports it. Refer to the NetBackup Administrator's Guide for more information on SPR and the types of configurations where SPR may be more effective than the default SPC-2 SCSI reserve and release method.</p> <p>4. NetBackup NDMP Direct Copy with VTL enables NDMP tape duplication to physical tape libraries. For more information on this feature, see "About NDMP DirectCopy".</p>
OS library and tape driver considerations	<p>1. Refer to the Tape Drives section of this document for information on supported tape drivers.</p>
Operational considerations	<p>1. Filling up the available disk space on a virtual device may cause unpredictable behavior of the device. Working with the device vendor may be required to recover from errors that result from a full disk.</p> <p>2. NetBackup NDMP Direct Copy with VTL Copying virtual media to physical media or a 2nd virtual media is not supported by Veritas; any support for this must come from the VTL vendor providing the capability. If the VTL copies virtual media to physical media (or a 2nd VTL), NetBackup is not aware of the physical media or 2nd virtual media and may not be able to recover that data directly from it.</p> <p>3. When NetBackup expires a virtual volume, the virtual device is not aware that the data is no longer needed. Because of this, the virtual device may appear to be much closer to capacity than it really is. When NetBackup subsequently begins writing to that virtual volume at the beginning of the volume, the virtual library will then be aware that the rest of the data is no longer needed and can free up the disk space.</p>

Virtual Tape Libraries/Drives - Tape Drive Emulation Attributes

The following table lists attributes supported with Virtual Tape Libraries and indicates the NetBackup version (9.0 or later) at which that attribute was first supported.

Attribute	Abbreviation	NetBackup 10.0 (or later) Start of Support
NDMP Direct Copy with VTL, physical tape drives used with this feature must be dedicated to the VTL.	DirCpy_Ded	10.0
NDMP Direct Copy with VTL, physical tape drives used with this feature can be shared using NetBackup Shared Storage Option (SSO).	DirCpy_Shr	10.0
SCSI Reservation	SResv	10.0
SCSI Persistent Reservation	SPR	10.0
Write Once, Read Many	WORM	10.0
NetBackup Encryption Key Management Service	KMS	10.0
Append-only mode	Append	10.0

Virtual Tape Libraries/Drives - Vendor Compatibility

Contents (for details click on the checkbox)

Dell EMC	Dell EMC Data Domain	FalconStor
Fujitsu	H3C	Hewlett Packard Enterprise
Hitachi Vantara	Huawei	IBM
NEC	Quantum	Spectra Logic
Tandberg		

NetBackup Hardware Compatibility Documentation:

[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)

[NetBackup Hardware Compatibility Documentation: Introduction](#)

[NetBackup Hardware Compatibility Documentation: Device Mappings Files](#)

NDMP Devices Compatibility List

[Back to top](#)

NDMP device support information is listed below, organized by vendor. The tables provide information on the versions of software tested, supported connection methods and functionality, and other important notes about the hardware and its compatibility.

For information about Operating Systems supported with NDMP, see the NDMP column in the NetBackup Server section for each OS platform in the ["NetBackup 10.0 - 10.x.x Operating System Software Compatibility List"](#).

For NetBackup for NDMP vendor-specific configuration information, refer to ["NetBackup for NDMP: NAS appliance information"](#).

Minor ("double-dot") or patch versions of the software listed in the tables below are also supported. (Example: "v5.0" means versions v5.0.1, v5.0.2, etc. are also supported.)

Direct Access Restore (DAR) and Directory Direct Access Restore (DDAR) are supported, unless noted otherwise.

NetBackup Appliances and NetBackup Virtual Appliances are supported with the NDMP solutions listed in the tables below. For more information on supported appliance versions, see the "Supported Functionality" subsection under ["NetBackup Appliances"](#).

IPv6 support is shown in the tables below.

64-bit inode numbers are supported.

Wildcard characters can be used in regular expressions or the directive ALL_FILESYSTEMS to specify path names in NDMP policy backup selections. For more information on the use of wildcard characters, see the ["Wildcard characters in backup selections for an NDMP policy"](#).

NDMP Devices - Connection Methods

The following table describes the supported NDMP connection methods.

Connection Method	Description
-------------------	-------------

Direct-attach	Data travels from disk to a tape device on the same NDMP host, or from disk to tape device on a SAN. Backup data is NOT sent over local network. NOTE: The tape drives must be in NDMP-type storage units.
Remote	Data travels from the NDMP host, across the local network to a NetBackup media server, to a storage unit connected to the NetBackup media server.
3-way	Data travels from disk on an NDMP host to a tape device on another NDMP host. Backup data is sent over the local network. NOTE: The tape drives must be in NDMP-type storage units.

NDMP Devices - Vendor Compatibility

Contents (for details click on the checkbox)

Dell EMC	Dell EMC Data Domain	Dell EMC Isilon
Fujitsu	Hitachi Vantara	Huawei
Imation	Lenovo	NEC
NetApp	Nexenta	Oracle
Stratus Technologies		

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)

Tape Libraries Compatibility List

[Back to top](#)

Tape library support information is listed below. This information is organized by vendor and provides information on the inquiry string (vendor ID + product ID), the method(s) of controlling the robot, and any other important notes about the hardware and its compatibility.

Tape Libraries - Considerations

Subject	Notes
Support assumptions	<p>For details on supported operating systems, please refer to the "NetBackup 10.0 - 10.x.x Operating System Software Compatibility List" .</p> <ol style="list-style-type: none"> 1. The tables in this section show robotic support only, not tape drive support. Refer to the Tape Drives section of this document to ensure that the specific drive used in the library is supported on the desired OS platform(s). The library vendor must also support the library and drive combination. 2. Firmware versions are not listed in this section. Veritas recommends using the most recent version of firmware available when you configure the library with NetBackup. When a minimum firmware version is required, it will be listed in the Notes column. If a firmware version is causing a problem, Veritas will work with the hardware vendor to resolve the problem. Veritas and most hardware vendors listed are members of TSANet. 3. ACS robots are supported with NetBackup Enterprise Server only. ACS robots are not supported with NetBackup Server. 4. For ACS robots the "Inquiry String" column is intentionally left blank. 5. Where support is shown for "Red Hat Enterprise Linux" it also means that CentOS and Oracle Linux are supported. 6. SUSE Linux Enterprise Server 12 support requires SP3 or later. 7. SAS Tape Libraries are not supported on NetBackup 5x50 and later series appliances.
Configuration considerations	<ol style="list-style-type: none"> 1. Library partitioning is supported unless noted otherwise. 2. Library expansion modules are supported unless noted otherwise. 3. Configuring persistent robotic paths for Linux media servers is supported with NetBackup 8.3 and later. To enable this functionality, you can download a Linux rules file from the Veritas

[Support Downloads Center](#) . When the downloaded rules file is installed in the specified directory, NetBackup uses /dev/tape/by-path type paths that persist across SAN interruptions. If this rules file is not present, NetBackup continues to use the /dev/sg type paths.

Tape Libraries - NetBackup Robot Types

These tables list operating system platform support for each NetBackup robotic daemon type. For more information about configuring robot types, see the "[NetBackup Device Configuration Guide](#)".

Contents (for details click on the checkbox)

- ACS - Oracle Automated Cartridge System
- Supported Operating Systems
- ACS - Oracle Automated Cartridge System
- Supported Drive Types
- ACS - Oracle Automated Cartridge System
- Supported Media Types
- TLD - Tape Library DLT - Supported
Operating Systems

Tape Libraries - Legend

The following table describes terms and symbols used in the Tape Libraries - Vendor Compatibility tables.

Tape Libraries - Legend

Value	Meaning
Multi LUN	The device is a Multi-LUN based library.
SCSI ID	The device is a SCSI ID based library.
^	Character used to denote a space in the INQUIRY STRING.

Tape Libraries - Vendor Compatibility

Contents (for details click on the checkbox)

- Dell EMC
- Fujitsu
- H3C
- Hewlett Packard Enterprise
- Hitachi Vantara
- IBM
- NEC
- Oracle
- Overland Storage
- Qualstar
- Quantum
- Spectra Logic
- Tandberg

NetBackup Hardware Compatibility Documentation:
NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List (last updated on March 08, 2024)
NetBackup Hardware Compatibility Documentation: Introduction
NetBackup Hardware Compatibility Documentation: Device Mappings Files

Tape Drives Compatibility List

[Back to top](#)

Tape drive support information is listed below, organized by vendor. Under each vendor there are separate tables showing compatibility with NetBackup Appliances and with Linux/Windows operating systems. These tables provide information on the operating system versions supported by the drive, inquiry string (vendor ID + product ID), and other important notes about the hardware and its compatibility.

Tape Drives - Considerations

Subject	Notes
Support assumptions	<p>For details on supported operating systems, please refer to the "NetBackup 10.0 - 10.x.x Operating System Software Compatibility List" .</p> <p>1. To ensure support, a device (both drive and library where applicable) must be supported by Veritas, the device manufacturer, and the operating system vendor.</p> <p>2. Firmware versions are not listed in this section. Veritas recommends using the most recent version of firmware available when you configure the drive with NetBackup. When a minimum firmware version is required, it will be listed in the footnotes. If a firmware version is causing a problem, Veritas will work with the hardware vendor to resolve the problem. Veritas and most hardware vendors listed are members of TSANet.</p> <p>3. Where support is shown for "Windows Server 2012 Datacenter" it also means that the other editions of Windows</p>

	<p>Server 2012, Windows Storage Server 2012, Windows Server 2012 R2, and Windows Storage Server 2012 R2 are supported.</p> <p>4. Where support is shown for "Windows Server 2016 Datacenter" it also means that the other editions of Windows Server 2016 and Windows Storage Server 2016 are supported.</p> <p>5. Where support is shown for "Windows Server 2019 Datacenter" it also means that the other editions of Windows Server 2019 are supported.</p> <p>6. Where support is shown for "Windows Server 2022 Datacenter" it also means that the other editions of Windows Server 2022 are supported.</p> <p>7. Where support is shown for "Red Hat Enterprise Linux 7 on x86-64" it also means that CentOS 7 and Oracle Linux 7 are supported.</p> <p>8. The "ULTRIUM-TD" and the "ULT3580-TD" inquiry strings are interchangeable (both are supported), unless noted otherwise. The "ULTRIUM-HH" and the "ULT3580-HH" inquiry strings are interchangeable (both are supported), unless noted otherwise.</p> <p>9. Backup Exec Tape Reader is not supported in NetBackup 8.0 and later releases.</p> <p>10. SUSE Linux Enterprise Server 12 support requires SP3 or later.</p> <p>11. SAS Tapes drives are not supported on NetBackup 5x50 and later series appliances.</p>
Vendor support considerations	<p>1. The list of attributes for each tape drive is based on the most recent drive testing. Check with the device manufacturer to determine the firmware version at which support for a specific attribute was added.</p>
Configuration considerations	<p>1. Veritas recommends the use of SCSI Persistent Reserve (SPR) whenever all the hardware in your device path supports it. Refer to the NetBackup Administrator's Guide for more information on SPR and the types of configurations where SPR may be more effective than the default SPC-2 SCSI reserve and release method.</p>

	<p>2. Only tape drives listed in the tables below are supported. Other tape drive models are not supported even if the Virtual Tape Library section shows an emulated version of the drive is supported with NetBackup.</p> <p>3. For Solaris 10, Veritas recommends running Update 6 (137137-09 for SPARC, 137138-09 for x64) or later.</p>
OS tape driver considerations	<p>1. Except where noted, Veritas recommends the use of the operating system's native tape drivers.</p>
Operational considerations	<p>1. Tape Alert functionality is supported by all drives, unless noted otherwise.</p> <p>2. NetBackup supports LTO-7 Type M media, also known as M8 cartridges (LTO-7 cartridges formatted to a new LTO-8 standard, increasing their native capacity), in the following manner:</p> <ul style="list-style-type: none">- M8 cartridges are supported with LTO-8 tape drives.- M8 cartridges pre-formatted by the media vendor are supported.- LTO-7 cartridges with an M8 barcode formatted as M8 using hardware vendors' software tools or tape library firmware features (automatic or manual) are supported.- NetBackup does not have the ability to convert LTO-7 cartridges with an M8 barcode to M8 format.- For more information on M8 media (for example, formatting methods, supported barcodes, other technical information), please consult the vendor's documentation. <p>3. Uninitialized LTO-9 media is not supported with NetBackup. LTO-9 media must run a one-time characterization/optimization step to calibrate the tape before it can be used for backup. This process can take from 12 minutes to 2 hours. If a NetBackup job is assigned a brand new, uninitialized LTO-9 tape cartridge, the mount may time out and mark the assigned tape drive down.</p> <p>To avoid this scenario, you must initialize new LTO-9 cartridges before putting them into a NetBackup volume pool to use for backup.</p>

	For more information on LTO-9 media initialization and mitigation solutions, consult the following vendor sites: "HPE StoreOpen Software Linux and Mac 3.5 User Guide - LTO-9 Media Initialization" "HPE StoreOpen Software 3.5 for Microsoft Windows User Guide - LTO-9 Media Initialization" "Oracle StorageTek SL150 Modular Tape Library - Library Support of LTO9 Tape Calibration" "Overland Tandberg NEO XL-Series LTO-9 New Media Initialization Technical Brief" "Quantum LTO-9 Media - Frequently Asked Questions (FAQ)" "Spectra Logic - LTO-9 Initialization for Media / LTO-9 Certified Media"
--	---

Tape Drives - Attributes

The following table lists attributes supported with Tape Drives and indicates the NetBackup version (10.0 or later) at which that attribute was first supported.

Attribute	Abbreviation	NetBackup Release Supported
SCSI Reservation	SResv	10.0
SCSI Persistent Reservation	SPR	10.0
Write Once, Read Many	WORM	10.0
NetBackup Encryption Key Management Service	KMS	10.0
Append-only mode	Append	10.0

Tape Drives - Vendor Compatibility

Contents (for details click on the checkbox)

Dell EMC	Hewlett Packard Enterprise	IBM
Oracle	Quantum	Tandberg

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)

[NetBackup Hardware Compatibility Documentation: Introduction](#)

[NetBackup Hardware Compatibility Documentation: Device Mappings Files](#)

Encryption and Security Solutions

[Back to top](#)

Encryption and security solution support information is listed below, organized by solution type.

The following listings do not include specific operating system compatibility. For a list of supported NetBackup Media Server platforms, refer to the "[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List](#)".

NetBackup Key Management Service (KMS)

The NetBackup Key Management Service (KMS) feature is intended to support any tape drive with built-in hardware encryption capability that conforms to the SCSI T10 encryption standard. Each drive model listed in the following table has been tested in Veritas labs to verify that it works with NetBackup correctly, so Veritas recommends using only listed drives with the KMS feature. Refer to the [Tape Drives](#) section in this document for the list of platforms and interfaces on which each of the following drives is supported.

Note: KMS is supported on any tape library supported by NetBackup, provided the library vendor supports that library with any of the encryption-capable drives listed in the table below.

NetBackup KMS - Supported Devices

Manufacturer	Model	Notes
Dell EMC	PowerVault LTO4-120	
Dell EMC	PowerVault LTO5-140	
Dell EMC	PowerVault LTO-6	
Dell EMC	PowerVault LTO-6 HH	
Dell EMC	PowerVault LTO-7	
Dell EMC	PowerVault LTO-7 HH	
Hewlett Packard Enterprise	Ultrium 1760 LTO4	

Veritas Services and Operations Readiness Tools (SORT)

Hewlett Packard Enterprise	Ultrium 1840 LTO4	
Hewlett Packard Enterprise	Ultrium 3000 LTO5	
Hewlett Packard Enterprise	Ultrium 3280 LTO5	
Hewlett Packard Enterprise	Ultrium 6250 LTO6	
Hewlett Packard Enterprise	Ultrium 6650 LTO6	
Hewlett Packard Enterprise	Ultrium 15000 LTO7	
Hewlett Packard Enterprise	Ultrium 15750 LTO7	
Hewlett Packard Enterprise	Ultrium 30750 LTO8	
IBM	System Storage TS1040 Ultrium 4	Requires firmware version 7BG2 or later.
IBM	System Storage TS1050 Ultrium 5	
IBM	System Storage TS1060 Ultrium 6	
IBM	System Storage TS1070 Ultrium 7	
IBM	System Storage TS1120 (3592 Model E05)	Requires firmware version 1C15 or later.
IBM	System Storage TS1130 (3592 Model E06)	Requires firmware version 2480 or later.
IBM	System Storage TS1140 (3592 Model E07)	
IBM	System Storage TS1150 (3592 Model E08)	
IBM	System Storage TS1155 (3592 Model 55F)	
IBM	System Storage TS2240 Ultrium 4 Half Height	
IBM	System Storage TS2250 Ultrium 5 Half Height	
IBM	System Storage TS2260 Ultrium 6 Half Height	
IBM	System Storage TS2270 Ultrium 7 Half Height	
IBM	System Storage TS2280 Ultrium 8 Half Height	

Veritas Services and Operations Readiness Tools (SORT)

IBM	System Storage TS2340 Ultrium 4	Requires firmware version 7BG2 or later.
IBM	System Storage TS2350 Ultrium 5	
IBM	System Storage TS2360 Ultrium 6	
IBM	System Storage TS2370 Ultrium 7	
IBM	System Storage TS2380 Ultrium 8	
IBM	Ultrium 4 (OEM)	Requires firmware version 7BG2 or later.
IBM	Ultrium 4 Half Height (OEM)	
IBM	Ultrium 5 (OEM)	
IBM	Ultrium 5 Half Height (OEM)	
IBM	Ultrium 6 (OEM)	
IBM	Ultrium 6 Half Height (OEM)	
IBM	Ultrium 7 (OEM)	
IBM	Ultrium 7 Half Height (OEM)	
IBM	Ultrium 8 (OEM)	
IBM	Ultrium 8 Half Height (OEM)	
Oracle StorageTek	T10000B	Requires firmware version 1.41.211 or later.
Oracle StorageTek	T10000C	Requires firmware version 1.53.311 or later. The drive needs manual setup including obtaining the data path key management (DPKM) encryption license from Oracle.
Oracle StorageTek	T10000D	
Quantum	LTO-4 HH	Requires firmware version 2190 or later.
Quantum	LTO-5 FH	
Quantum	LTO-5 HH	
Quantum	LTO-6 HH	
Quantum	LTO-7 HH	
Quantum	LTO-8 HH	
Tandberg	HH LTO 5	

External Key Management Services using KMIP

External Key Management Services (EKMS) servers using KMIP are supported with NetBackup 8.3 and later.

If an external KMS system requests a key deactivation date to be specified, ensure this key deactivation date is set beyond the expiration time of the longest backup image.

A deactivated key may be utilized for decryption purposes, however some KMS vendors may completely disable a deactivated key. NetBackup read/restore operations would fail in such circumstances; consult your KMS vendor to help transition the key to a deactivated state prior to facilitating data recovery.

External KMS - Considerations

Subject	Notes
Configuration considerations	<ol style="list-style-type: none"> 1. EKMS is supported with AdvancedDisk, Cloud, MSDP, MSDP Direct Cloud Tiering, and Tape storage solutions supported by NetBackup. 2. The EKMS server must be KMIP-based. 3. NetBackup uses Symmetric Key objects stored on the EKMS server for data encryption. 4. The EKMS server must use PEM formatted certificate-based authentication. 5. The NetBackup primary server should be able to establish an outbound connection to the KMIP port on the EKMS server.

External KMS - Supported Devices

Manufacturer	Model	EKMS server software version	KMIP version supported
Fortanix	Data Security Manager (DSM)	4.2	1.0, 1.1, 1.2, 1.3, 1.4
HashiCorp	Vault Enterprise KMIP Secrets Engine	1.13.9, 1.14.5, 1.15.1	1.4
IBM	Security Key Lifecycle Manager (SKLM)	2.6	1.0, 1.1, 1.2
IBM	Security Key Lifecycle Manager (SKLM)	3.0	1.0, 1.1, 1.2, 1.3, 1.4, 2.0
IBM	Security Guardium Key Lifecycle Manager (GKLM)	4.1	1.0, 1.1, 1.2, 1.3, 1.4, 2.0, 2.1
Oracle	Key Vault	12.1, 18.1, 18.2	1.0, 1.1

Thales	CipherTrust Manager K170, K170v, K470, K570	1.8	1.0, 1.1, 1.2, 1.3, 1.4
Thales	CipherTrust Manager K170, K170v, K470, K570	2.5	1.0, 1.1, 1.2, 1.3, 1.4
Thales	CipherTrust Manager K170, K170v, K470, K570	2.7	1.0, 1.1, 1.2, 1.3, 1.4
Thales	CipherTrust Manager K170, K170v, K470, K570	2.8	1.0, 1.1, 1.2, 1.3, 1.4
Thales	CipherTrust Manager K170, K170v, K470, K570	2.9	1.0, 1.1, 1.2, 1.3, 1.4
Thales	Gemalto-SafeNet KeySecure K150, K150v	8.11	1.0, 1.1, 1.2, 1.3
Thales	Vormetric Data Security Manager (DSM)	6.4	1.0, 1.1, 1.2, 1.3, 1.4, 2.0
Utimaco	Enterprise Secure Key Manager	5.2	1.0, 1.1, 1.2, 1.3, 1.4, 2.0

KMS - Supported Devices for NetBackup Sheltered Harbor solution

External KMS:

NetBackup Sheltered Harbor solution requires cryptographic operations like encrypt, decrypt, sign and verify to be supported on EKMS server to perform secure vaulting. Below are the EKMS servers NetBackup sheltered Harbor solution supports.

Manufacturer	Model	EKMS server software version	KMIP version supported
Thales	CipherTrust Manager K170, K170v, K470, K570	2.5	1.2, 1.3, 1.4
Thales	CipherTrust Manager K170, K170v, K470, K570	2.7	1.2, 1.3, 1.4
Thales	CipherTrust Manager K170, K170v, K470, K570	2.8	1.2, 1.3, 1.4
Thales	CipherTrust Manager K170, K170v, K470, K570	2.9	1.2, 1.3, 1.4
Utimaco	Enterprise Secure Key Manager	5.2	1.2, 1.3, 1.4, 2.0

Cloud based KMS:

NetBackup sheltered Harbor solution supports Microsoft Azure Key Vault as a cloud based key management server.

Single Sign-On using SAML

NetBackup supports authentication via Single Sign-On with SAML. For more information, see [Configure NetBackup for Single Sign-On \(SSO\)](#) in the NetBackup Web UI Administrator's Guide.

Single Sign-On using SAML - Considerations

Subject	Notes
Configuration considerations	<ol style="list-style-type: none">1. To use SSO, you must have a SAML 2.0 compliant identity provider configured in your environment.2. Only one Active Directory (AD) or LDAP domain is supported for each primary server domain. This feature is not available for local domain users.3. Configuration of the Identity Provider (IDP) requires the NetBackup APIs or the NetBackup command nbidpcmd.4. API keys are used to authenticate a user or a group and cannot be used with SAML-authenticated users or groups.5. Global logout is not supported.

Single Sign-On with SAML - Supported Solutions

Identity Provider	Link to configuration information
ADFS	How to enroll NetBackup master server as a service provider to ADFS
IBM	How to enroll NetBackup master server as a service provider to IBM Security Access Manager
Microsoft Azure	How to enroll NetBackup master server as a service provider in Azure active directory Identity provider
Okta	How to enroll NetBackup master server as a service provider to Okta

PingFederate	How to enroll NetBackup master server as a service provider to PingFederate
Shibboleth	How to enroll NetBackup as a service provider in Shibboleth Identity provider

External Credential Management System

External Credential Management System (ECMS) are supported with NetBackup 10.2 and later.

External CMS - Considerations

Subject	Notes
Configuration considerations	<ul style="list-style-type: none">1. CyberArk deployment supported with Central Credential Provider (CCP).2. While configuring the external CMS server for example, CyberArk server, user can use the DNS hostname or IPV4 address. However, it is recommended to use the DNS hostname for connecting to the host. CyberArk configuration fails if IPV6 address is used.3. The ECMS server must use PEM formatted certificate-based authentication.4. The NetBackup primary server should be able to establish an outbound connection to the ECMS server port on the ECMS server.5. Supports Microsoft SQL server workload.6. NetBackup 10.3 onwards supports MySQL server and PostgreSQL server workloads.

External CMS - Supported Devices

Manufacturer	ECMS server software version	Minimum NetBackup version supported
CyberArk	8.0, 10.2, 12.6	10.2

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)

Third Party Encryption Solutions

[Back to top](#)

Support information for vendor-supplied encryption solutions is listed below, organized by vendor. Under each vendor there is a table showing tested solutions, firmware versions tested with that solution, and other important notes about the solution and its compatibility.

The firmware listed in these tables is the firmware that has been tested. Firmware versions newer than those listed are also supported.

Support for specific storage devices such as tape drives, libraries, and virtual devices is not listed in this section. NetBackup will support any hardware that is supported both by the encryption provider and Veritas. Please refer to the other sections of this document for Veritas' support of these storage devices.

Please Note:

The firmware listed on this page is the firmware that has been tested. All firmware versions newer than what is listed are also supported.

Third-Party Encryption Solutions - Vendor Compatibility

Contents (for details click on the checkbox)

Brocade	Cisco Systems	Decru
Fujitsu	Hewlett Packard Enterprise	IBM
NEC	Quantum	SafeNet
Sun StorageTek	Thales (NeoScale)	

SAN Media Server/SAN Client/FT Media Server

[Back to top](#)

- Unless otherwise noted the minimum NetBackup level for SAN Client support is NetBackup 6.5 GA.

SAN style backups via SAN Media Server

SAN media servers are NetBackup media servers that back up their own data. SAN media servers cannot back up data that resides on other clients. SAN media servers are useful for certain situations. For example, a SAN media server is useful if the data volume consumes so much network bandwidth that it affects your network negatively.

- Enables LAN-free data protection with high performance access to shared resources.
- Can share tape resources with NetBackup Primary and Media Servers.
- Can only back itself up, not other clients.
- Software is installed stand-alone on each cluster node and linked to the virtual host via an application cluster.
- When you define a backup policy for a SAN media server, add only the SAN media server as the client.
- The NetBackup Shared Storage Option is able to use NetBackup SAN media servers.
- There is no platform restriction regarding SAN Media Servers - any Media Server can be a SAN Media Server. The only difference is in the license authentication mechanism. Application and DB Agents are supported with the SAN Media Server.

SAN style backups via SAN Client

A NetBackup SAN client is a NetBackup client on which the Fiber Transport service is activated. The SAN client is similar to the SAN media server that is used for the Shared Storage Option; it backs up its own data. However, the SAN client is based on the smaller NetBackup client installation package, so it has fewer administration requirements and uses fewer system resources.

- It connects to a NetBackup media server over Fiber Channel.
- The NetBackup SAN Client Fiber Transport Service manages the connectivity and the data transfers for the FT pipe on the SAN clients. The SAN client FT service also discovers FT target mode devices on the NetBackup media servers and notifies the FT Service Manager about them.
- Requires SAN connectivity with a Media Server running Fiber Transport Services (reference additional information below in regards to the FT Media Server).

SAN client does not support the following types of backup:

- SharePoint

- Enterprise Vault
- Exchange DAG or CCR backups through a passive node of an Exchange cluster
- All other application and database agents are supported with the SAN Client.

Note: SAN client does support the use of FlashBackup but all restores from FlashBackup backups will use the LAN connection, not the SAN connection.

SAN client and NetBackup Deduplication

- SAN Client is a NetBackup optional feature that provides high speed backups and restores of NetBackup clients. Fiber Transport is the name of the NetBackup high-speed data transport method that is part of the SAN Client feature. The backup and restore traffic occur over a SAN.
- SAN clients can be used with the deduplication option; however, the deduplication must occur on the media server, not the client. Configure the media server to be both a deduplication storage server (or load balancing server) and an FT media server. The SAN client backups are then sent over the SAN to the deduplication server/FT media server host. At that media server, the backup stream is deduplicated.
- Do not enable client deduplication on SAN Clients. The data processing for deduplication is incompatible with the high-speed transport method of Fiber Transport. Client-side deduplication relies on two-way communication over the LAN with the media server. A SAN client streams the data to the FT media server at a high rate over the SAN.

FT Media Server

A NetBackup FT media server is a NetBackup media server on which the Fiber Transport services are activated. NetBackup FT media servers accept connections from SAN clients and send data to the storage units. The host bus adapters (HBAs) that accept connections from the SAN clients use a special NetBackup target mode driver to process FT traffic. The media server FT service controls data flow, processes SCSI commands, and manages data buffers for the server side of the FT pipe. It also manages the target mode driver for the host bus adaptors.

Reference the HCL document Fiber Transport Media Server HBAs section for supported Operating Systems and HBAs:
[NetBackup Compatibility List for all Versions](#)

NetBackup Software Compatibility Documentation:

[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List \(last updated on March 11, 2024\)](#)

[10.0 - 10.x.x OS Software Compatibility List Updates](#)

Infrastructure Used for Testing

[Back to top](#)

The NetBackup Shared Storage Option (SSO) hardware support model for Storage Area Network (SAN) components is an open model. In other words, all Fibre Channel over Ethernet (FCoE) converged network adapters (CNA), Fibre Channel (FC) host bus adapters (HBA), switches, bridges, and routers are supported in a SAN environment. This means that if a FCoE or FC component is causing a problem, Veritas will work with the component vendor in an attempt to resolve the problem, but resolution is not guaranteed. Veritas and most hardware vendors listed are members of TSANet.

Infrastructure - Considerations

Subject	Notes
Vendor support considerations	1. To ensure compatibility, the device manufacturers and the operating system vendor must support the combination of SAN components.

Bridges/Routers

This list of SAN components represents equipment that has been used during NetBackup qualification testing of devices listed in previous sections of this document. It is not intended to be a list of supported components.

Infrastructure - Considerations

Subject	Notes
Vendor support considerations	1. To ensure compatibility, the device manufacturers and the operating system vendor must support the combination of SAN components. 2. Consult the hardware vendor's web site for current firmware.

Infrastructure - Routers/Bridges Used In Testing

Contents (for details click on the checkbox)

Bridges/Routers

Switches

This list of SAN components represents equipment that has been used during NetBackup qualification testing of devices listed in previous sections of this document. It is not intended to be a list of supported components.

Infrastructure - Considerations

Subject	Notes
Vendor support considerations	1. To ensure compatibility, the device manufacturers and the operating system vendor must support the combination of SAN components. 2. Consult the hardware vendor's web site for current firmware.

Infrastructure - Switches Used In Testing

Contents (for details click on the checkbox)
Switches

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)

Devices Retiring Soon

[Back to top](#)

The devices in this section will not be listed in the Hardware Compatibility List for the next major NetBackup release after NetBackup 10.0. Many of these devices are end-of-life products that are no longer supported by the manufacturer.

Virtual Tape Libraries

Manufacturer	Device
Quantum	DXi6700 Series, DXi8500 Series

Tape Libraries

Manufacturer	Device
Quantum	Scalar i40, Scalar i40/i80 series, Scalar i80

ExaGrid

ExaGrid - Support with NetBackup Appliance

Storage Server Family	Plug-in	Data Interface	IPv6	Supported OpenStorage Functionality	5200 Series	5300 Series
EX series	10.0	Ethernet	No	A.I.R., Granular_Recover GRT_VMware, IR_VMware, Opt_Dup, Opt_Synth	Yes	Yes
EX series	V11.4.0	Ethernet	No	A.I.R., Granular_Recover GRT_VMware, IR_VMware, Opt_Dup, Opt_Synth	Yes	Yes

ExaGrid - Support with Windows / Linux

Storage Server Family	Plug-in	Data Interface	IPv6	Supported OpenStorage Functionality	Windows Server 2012 x64	Windows Server 2016 x64	Red Hat Enterprise Linux on x86-64
EX series	10.0	Ethernet	No	A.I.R., Accelerator, Accel_Hyper-V, Accel_NDMP, Accel_VMware, Granular_Recov GRT_VMware,	Datacenter	Datacenter	7

				IR_VMware, Opt_Dup, Opt_Synth			
EX series	V11.4.0	Ethernet	No	A.I.R., Accelerator, Accel_Hyper-V, Accel_NDMP, Accel_VMware, Granular_Recov GRT_VMware, IR_VMware, Opt_Dup, Opt_Synth	Datacenter	Datacenter	7

NetBackup Hardware Compatibility Documentation:
[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List \(last updated on March 08, 2024\)](#)
[NetBackup Hardware Compatibility Documentation: Introduction](#)

NetBackup Future Platform and Feature Plans

[Back to top](#)

Veritas is committed to providing the best possible data protection experience for NetBackup customers on the widest variety of platforms, operating systems, databases, applications, and hardware. Veritas is continuously reviewing NetBackup's support of these items to ensure the proper balance of supporting their General Availability release, the very latest versions of new software, hardware and introducing new features and functionality and maintaining support for existing and older versions of these products and NetBackup functionality. While Veritas is continually adding support for new features, platforms, operating systems, and applications, it may be also necessary to improve, replace, or remove support in NetBackup for lesser used, older features, functionality, software, OS, databases, applications, integration with other products, and hardware that are no longer supported or nearing their end of support life from the manufacturer from NetBackup Compatibility Lists.

To better help its customers to plan for these upcoming changes to the support status of these items in NetBackup, Veritas will provide advanced notification as soon as possible as listed below. Veritas intends to list the older product functionality, features,

hardware, OS, and 3rd party software products that will no longer be supported in the next release of NetBackup. If possible, these items are listed at least six months before that release.

The information below lists certain features, functionality, 3rd-party and Veritas products, applications, databases, and OS/Platforms for which Veritas intends to replace with newer and improved functionality, or in some cases, discontinue without replacement. The last release of NetBackup to proliferate support of the item is provided. Technotes in the Notes column contain additional details about available replacement options. Where a major, minor or release update version is specified, the feature or platform is supported through the last Maintenance Update (patch) of that release. Where 'All' is specified, it is supported for all versions or variations of the family of the relevant or supported platforms.

Check this site frequently for updated information for NetBackup. If an item listed below will cause significant business impacts, contact your Veritas Sales Account Team. Please note that the official NetBackup Support Lifecycle for your existing NetBackup product version won't be affected or altered in any way. For the official Veritas Support Lifecycle Policy of all NetBackup versions, see https://www.veritas.com/content/support/en_US/terms/support-fundamentals.html.

Information in the following table contains plans starting with NetBackup 7.5. For information concerning no longer supported platforms, consult the following section of the report.

Information in the following table was last updated on **2023-10-23**.

Date Added/ Modified	Feature/ Functionality/ OS/Platform	NetBackup Area	OS/Platform	OS/Platform Version	CPU Architecture	Last Supported Release	Notes
2022-04-19	All	OpsCenter	All	All	All	10.0.0.1	
2021-06-03	VMware Cloud Director 9.0, 9.1, 9.5	All	All	All	All	9.0.0.1	VMware Cloud Director 9.0, 9.1, 9.5 to be not supported from NetBackup 9.1 onwards.
2021-06-03	Red Hat Enterprise Linux 7.0, 7.1, 7.2 and 7.3	Master Server, Media Server, Client	Red Hat Enterprise Linux	7	All	9.1.0.1	These operating systems will no longer be supported platforms

Veritas Services and Operations Readiness Tools (SORT)

2017-05-25	Pre-7.7 backlevel administration with the Java GUI	Master Server, Media Server, Client	All	All	All	8.0	Pre-7.7 versions were EOSL February 1, 2017. The 8.0 Windows remote administration console can be installed if needing to administer pre-7.7 NetBackup servers or perform backups/ restores of pre-7.7 clients.
2017-05-19	Remote (push) installations of UNIX/Linux clients using ftp	Master Server, Client	All UNIX and Linux	All	All	8.0	Use the sftp method as the alternative. Push install from the administration console is being changed to use ssh.
2017-05-19	Remote (push) installations of UNIX/Linux clients using rsh	Master Server, Client	All UNIX and Linux	All	All	8.0	Use the ssh method as the alternative. Push install from the administration console is

Veritas Services and Operations Readiness Tools (SORT)

							being changed to use ssh as well.
2017-04-19	NetBackup High Availability (HA) Media Server	Media Server	All	All	All	8.0	HA Media Server was End of Life for new installs with NetBackup 7.7 and only upgrades from 6.5 were supported. This will now continue the EOL for HA Media Server with regards to upgraded HA Media Server moving forward with the Jasper release. NetBackup Media Server App_Clusters will not be impacted. NetBackup HA Appliances are not impacted.
2017-04-19	DB2 versions 9.1, 9.5, 9.7 & 10.1	NetBackup for DB2	All	All	All	8.0	

Veritas Services and Operations Readiness Tools (SORT)

2017-03-14	Replication Director for EMC VNX	Replication Director	All	All	All	8.0	
2016-04-13	Backup Exec Tape Reader	Master Server, Media Server	All	All	All	7.6.1	Statement of direction for Backup Exec Tape Reader - http://www.veritas.com/docs/000005737
2016-01-11	BMR - XenServer support	Client	All	All	All	7.7.3	
2014-12-12	Backup Exec Reporting	OpsCenter	All	All	All	7.6.1	Backup Exec reporting will be handled by the Backup Exec Enterprise Server Option that includes the Central Admin Server Option.
2014-12-12	OpsCenter NetBackup 6.x Support	OpsCenter Agent	All	All	All	7.6	
2014-12-12	OS/2 Policy Type	Master Server, Client	All master server and OS/2 clients	All	All	7.6.1	
2014-12-12	NetWare Policy Type	Master Server, Client	All master server and NetWare clients	All	All	7.6.1	

Veritas Services and Operations Readiness Tools (SORT)

2014-12-12	AFS Policy Type	Master Server, Client	All master server and UNIX/Linux clients	All	All	7.6.1	
2014-12-12	Support for Nirvanix as a cloud storage platform.	Media Server	All	All	All	7.6.1	
2014-12-12	Oracle 8i, 9i and 10g support	NetBackup for Oracle	All	All	All	7.6.1	
2014-12-12	Sybase 12	NetBackup for Sybase	All	All	All	7.6.1	
2014-12-12	Sybase 12.5	NetBackup for Sybase	All	All	All	7.6.1	
2014-12-12	Menu interfaces (bpadm and vmadm)	Master Server, Media Server	All master and media server	All	All	7.6.1	
2014-12-12	NetBackup Search	NetBackup Search	All	All	All	7.6.1	
2013-06-20	IBM Tivoli Storage Manager Reporting	OpsCenter Analytics	All	All	All	7.5	
2013-06-20	EMC Legato NetWorker Reporting	OpsCenter Analytics	All	All	All	7.5	
2013-06-20	VMware Agent VCB Backup and Restore	NetBackup for VMware	All	All	All	7.5	Replaced with VMware API's for Data Protection (VADP)

							integrated support as a direct replacement.
2013-06-20	OpsCenter ThreatCon Security Integration	OpsCenter	All	All	All	7.5	Feature discontinued with no replacement planned.
2013-06-20	Remote-EMM and Shared-EMM server configurations	Master Server, Media Server	All	All	All	7.5	Stop supporting the use of shared EMM/NBDB across multiple NetBackup domains/master servers
2013-06-20	Enterprise Vault Reporting	OpsCenter	All	All	All	7.5	Enterprise Vault reporting will now be handled directly by Enterprise Vault in future versions of that product.

NetBackup Software Compatibility Documentation:

[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List \(last updated on March 11, 2024\)](#)

[10.0 - 10.x.x OS Software Compatibility List Updates](#)

Documentation

[Back to top](#)

Product Documentation

- [NetBackup Appliance Documentation](#)
- [NetBackup Appliance Documentation Sets](#)
- [Appliance Security Guide](#)
- [NetBackup Appliance Administrator's Guide](#)
- [NetBackup Appliance AutoSupport 2.0 Reference Guide](#)
- [NetBackup Appliance Commands Reference Guide](#)
- [NetBackup Appliance Compatibility Notes](#)
- [NetBackup Appliance Decommissioning and Reconfiguration Guide](#)
- [NetBackup Appliance Fibre Channel Guide](#)
- [NetBackup Appliance High Availability Reference Guide](#)
- [NetBackup Appliance SNMP Trap Reference Guide](#)
- [NetBackup Appliance Troubleshooting Guide](#)
- [NetBackup Copilot for Oracle Configuration Guide](#)
- [Veritas Appliance AutoSupport Reference Guide](#)
- [Veritas Appliance Safety and Maintenance Guide](#)
- [Veritas Service and License Agreements](#)

Virtual Netbackup Appliance

- [NetBackup Virtual Appliance Third-party Legal Notices](#)

Installation/Upgrade Documentation

- [etBackup Appliance Upgrade Guide](#)
- [NetBackup 52xx Appliance Initial Configuration Guide](#)
- [NetBackup Appliance Upgrade Readiness Analyzer](#)
- [What's new in NetBackup Appliance releases](#)
- [NetBackup Appliance Release Notes](#)
- [Veritas Download Center](#)

Late Breaking News

[Veritas Services and Operations Readiness Tools \(SORT\)](#)

[Guidelines for the availability of EEB/hotfixes](#)

[Late Breaking News and Important Updates about NetBackup Appliances](#)

Compatibility Lists

[NetBackup 10.0 - 10.x.x Hardware and Cloud Storage Compatibility List](#)

[NetBackup 10.0 - 10.x.x Operating System Software Compatibility List](#)

Product End of Life Information

[SORT End of Support Life matrix for NetBackup Appliances](#)

[Veritas End of Life Policy](#)