.feedback_submit { transform: translateX(280px) translateY(0px); font-weight: bold; } #tofeedback{ margin-top: 2px !important; color:#0057B8 !important; font-weight:600 ! important; }

Installation and Upgrade Checklist Report for Storage Foundation Cluster File System HA 6.0.1, HP-UX 11i v3 (11.31), PA-RISC

Index

Back to top

Important Notes

System requirements

Product features

Product documentation

Patches for Storage Foundation Cluster File System HA and Platform

End of Support Life information

Platform configuration

High availability agents

Host bus adapter (HBA) parameters and switch parameters

Operations Manager

Array Support Libraries (ASLs)

Important Notes

Back to top

Note: You have not selected the latest product version. Consider installing or upgrading to the latest version; otherwise, you may encounter issues that have already been fixed. To run a new report for the latest product version, select it from the Veritas product drop-down list.

In the VxFS 6.0.1 release, you can create and mount only file systems with disk layout Version 5, Version 7, Version 8 and Version 9. VxFS 6.0.1 does not support disk layout version 4 and version 6. You can upgrade these unsupported layout versions online using the vxupgrade utility before installing VxFS 6.0.1. Or after installing VxFS 6.0.1, you can convert version 4 offline using vxfsconvert or upgrade version 6 online using vxupgrade utility.

It is recommended to upgrade VxFS disk layouts to a supported version prior to installing VxFS 6.0.1. However, VxFS 6.0.1 can mount disk layout version 6 locally only to perform an online upgrade. Cluster mount for disk layout version 6 is not supported in VxFS 6.0.1.

Array Support Libraries (ASLs)

When installing Veritas products, please be aware that ASLs updates are not included in the patches update bundle. Please go to the Array Support Libraries (ASLs) to get the latest updates for your disk arrays.

~

System requirements

Back to top

Required number of CPUs: 2

Recommended speed of CPUs: 1 GHz

Required memory: 2 GB Required disk space:



| Partitions | Minimum space required | Maximum space required | Recommended space |
|-------------------|------------------------|------------------------|-------------------|
| /opt | 464 MB | 1155 MB | 1121 MB |
| /root | 545 MB | 545 MB | 545 MB |
| /usr | 496 MB | 498 MB | 498 MB |

Supported architectures:

PA8700 architecture

PA8800 architecture

PA8900 architecture

Related documentation

PA-RISC 2.0 Architecture

PA-RISC 2.0 Firmware Architecture reference specification

| ▼ Product features | | Back to top |
|---|--------------------------|-------------|
| The features in the list are enabled in this release. | | |
| Feature | Storage Foundation CFSHA | |
| 1-256 TB File System | ✓ | |
| CFS Multi-transaction server | ✓ | |
| Cluster File System | ✓ | |
| Cluster Volume Manager | ✓ | |
| Compression | ✓ | |
| Concurrent I/O | ✓ | |
| Data management application programming interface (DMAPI) | ✓ | |
| Deduplication | ✓ | |
| Device names consistent across cluster nodes | ✓ | |
| Device names using Array Volume IDs | ✓ | |
| Direct I/O | ✓ | |
| Dirty region logging | ✓ | |
| Dynamic LUN expansion | ✓ | |
| Dynamic Multi-pathing | ✓ | |
| Enclosure based naming | ✓ | |
| File Change Log | ✓ | |
| File system snapshots | ✓ | |
| File system storage checkpoints | ✓ | |
| Flashsnap: Disk group split & join | ✓ | |
| Flashsnap: Fast resynchronization | ✓ | |
| Full size instant snapshots | ✓ | |
| | | |



| Handuran accisted conv | |
|--|-------------|
| Hardware assisted copy | ✓ |
| Hot-relocation | ✓ |
| Import cloned LUN | ✓ |
| Keyless licensing | ✓ |
| Mount lock | ✓ |
| Named data streams | ✓ |
| Online coordinator disk replacement | ✓ |
| Online file system defragmentation | ✓ |
| Online file system grow & shrink | ✓ |
| Online relay out | ✓ |
| Online volume grow & shrink | ✓ |
| Operations Manager | ✓ |
| Oracle Disk Manager (ODM) and Cached ODM (CODM) | ✓ |
| Partitioned directories | ✓ |
| Portable Data Containers (formerly known as Cross-Platform Data Sharing (CDS)) | ✓ |
| Quick I/O (QIO) and Cached QIO (CQIO) | ✓ |
| Remote mirrors for campus clusters | ✓ |
| Rolling upgrade | ✓ |
| SCSI-3 based I/O fencing | ✓ |
| SSD device exploitation | ✓ |
| Site awareness with remote mirrors | ✓ |
| SmartMove | ✓ |
| SmartTier (formerly Dynamic Storage Tiering) | ✓ |
| Space-optimized instant snapshot | ✓ |
| Split-mirror snapshot | ✓ |
| Thin storage reclamation | ✓ |
| User & group quotas | ✓ |
| iSCSI device support | ✓ |
| Replicator option (formerly Volume Replicator) | Optional |
| Database storage checkpoints & rollback | Oracle only |
| FlashSnap: Database | Oracle only |
| SmartTier for Oracle (formerly Database DST) | Oracle only |
| | |

Product documentation Product guides Veritas Storage Foundation Cluster File System High Availability Administrator's



| Storage Foundation Cluster File System High Availability Guides | Guide - English | |
|--|---|--|
| Storage Foundation Gluster File Gystern Flight Availability Guides | Veritas Storage Foundation Cluster File System High Availability Installation Guide - English | |
| Storage Foundation Guides | Veritas File System Programmer's Reference Guide - English | |
| Release Notes | Veritas Storage Foundation Cluster File System High Availability Release Notes - English | |

▼ Patches for Storage Foundation Cluster File System HA and Platform

Back to top

| Product (recommended) | | |
|---------------------------------|------------|-----------|
| Patch | Date | Size |
| cpi-Patch-6.0.5.500 | 2020-06-02 | 10.73 KB |
| fs-hpux1131-Patch-6.0.5.500 | 2017-01-24 | 80.1 MB |
| fsadv-hpux1131-Patch-6.0.5.400 | 2016-03-17 | 8.7 MB |
| glm-hpux1131-Patch-6.0.1.200 | 2016-03-10 | 657.75 KB |
| vcscvm-hpux1131-Patch-6.0.5.400 | 2016-03-03 | 341.18 KB |
| vm-hpux1131-Patch-6.0.5.300 | 2015-09-22 | 439.03 MB |
| cpi-6.0.1.1100 | 2015-01-06 | 18.5 KB |
| odm-hpux1131-6.0.5.100 | 2014-09-15 | 7.4 MB |
| sfha-hpux1131-6.0.5 | 2014-04-15 | 774.33 MB |
| fs-hpux1131-6.0.1.200 | 2012-09-20 | 75.88 MB |

Platform (required)

HP-UX patch number: PHKL_38651 HP-UX patch number: PHKL_38952 HP-UX patch number: PHKL_40944 HP-UX patch number: PHKL_41086

End of Support Life information

Back to top

Last updated on 2024-03-25. Refer to support fundamental for more information about support.

Release Date(GA) Extended Support Starts Sustaining Support Starts End of Support Life Date(EOSL)

2012-09-03 2018-12-01 2020-12-30 2026-12-30

▼ Platform configuration

Back to top



Supported platform version. Last updated on 2018-06-12

Product versionPlatform version6.0.1HP-UX B.11.31.1203, HP-UX B.11.31.1109, HP-UX B.11.31.1103

Related documentation

HPUX 11i v3

| ▼ High availability agents Back to t | | | |
|--------------------------------------|--|---|--------------|
| VCS agent | Documentation | Application version | Release date |
| Agent Builder 5.1.10.0 | Appnote Agentbuilder | Application Agent Builder N/A | 2014-10-01 |
| MirrorView 5.0.18.0 | VCS Mirrorview Install | EMC Clariion MirrorView N/A | 2014-10-01 |
| SRDF 5.0.20.0 | VCS Srdf Install | EMC SRDF V7 up to V9.3 | 2014-10-01 |
| HTC 5.0.12.0 | VCS Htc Install | Hitachi TrueCopy; HP XP Continuous Access all versions | 2014-10-01 |
| HTC 5.0.12.0 | VCS Htc Install | Hitachi Universal Replicator; HP XP Continuous Access all versions | 2014-10-01 |
| MetroMirror 5.0.04.0 | VCS Metromirror Install | IBM Metro Mirror 5.4.0.656 or later | 2014-10-01 |
| WebSphereMQ 5.1.16.0 | Vha Webspheremqfte Install Vha Webspheremq Install | IBM WebSphere MQ 5.3, 6.0, 7.0, 7.1, 7.5, 8.x, 9.0, 9.1, 9.2, 9.3 | 2014-10-01 |
| OracleAS9 5.1.7.0 | Vha Oraappserver Install | Oracle Fusion Middleware 11g 11.1.x | 2014-10-01 |
| TibcoEMS 5.1.3.0 | VCS Tibco Appnote VCS Tibcoems Install | Tibco EMS 4.4.0, 4.4.1, 4.4.2, 4.4.3, 5.0.0, 5.1.1, 5.1.2, 5.1.3, 5.1.4, 5.1.5, 6.0.0, 6.3, 7.0, 8.0, 8.1, 8.2, 8.3, 8.5, 8.6 and all intermediate minor versions of this release | 2014-10-01 |
| ActiveMQ 5.1.10.0 | Appnote Agentbuilder | Apache ActiveMQ 4.0, 4.1, 5.0, 5.1, 5.2, 5.3 | 2014-07-01 |
| IntegrationBus 5.1.10.0 | Appnote Agentbuilder | IBM Integration Bus 9.0, 10.x | 2014-07-01 |
| WSCommerce 5.1.10.0 | Appnote Agentbuilder | IBM WebSphere Commerce 5.0 , 5.1 , 6.0 , 6.1 | 2014-07-01 |
| WebSphereMessageBroker 5.1.10.0 | Appnote Agentbuilder | IBM WebSphere Message Broker 6.0, 6.1, 7.0, 8.0 | 2014-07-01 |
| Dataguard 5.0.8.0 | VCS Oradg Install | Oracle DataGuard 10.2.x.x | 2014-07-01 |
| SybaseLM 5.1.10.0 | Appnote Agentbuilder | Sybase License Manager 12.5.X, 15.0 | 2014-07-01 |
| RemoteCopy 5.0.04.0 | | HP 3PAR RemoteCopy 2.3.1,3.2.2 and above | 2014-04-01 |
| WebSphereMQFTE 5.1.16.0 | Vha Webspheremqfte Install Vha Webspheremq Install | IBM WebSphere MQ FTE 7, 8.0 | 2014-04-01 |
| MySQL 5.1.4.0 | VCS Mysql Install | MySQL 5.0, 5.1, 5.5, 5.6, 5.7, 8.0 | 2014-04-01 |
| OracleApps 5.0.10.0 | VCS Oraebizconcurrentmgr Install VCS Oraebizcomponents Install | Oracle E-Business Components 11i, R12 11.5.7, 11.5.8, 11.5.9, 11.5.10, 12.0, 12.0.4, 12.0.6, 12.1.1, 12.1.2, 12.1.3, 12.2.x | 2014-04-01 |
| OracleAppsCM 5.0.10.0 | VCS Oraebizconcurrentmgr Install VCS Oraebizcomponents Install | Oracle E-Business Concurrent Manager 11i, R12 11.5.7, 11.5.8, 11.5.9, 11.5.10, 12.0, 12.0.4, 12.0.6, 12.1.1, 12.1.2, 12.1.3, 12.2.x | 2014-04-01 |
| | | Oracle PeopleSoft PeopleTools 8.x (8.41, 8.42, 8.43, 8.44, 8.45, | |



| Tuxedo 5.0.7.0 | VCS Tuxedo Install | 8.46, 8.47, 8.48, 8.49, 8.50, 8.52, 8.53) | 2014-04-01 |
|---|--|--|------------|
| SAPMaxDB 5.0.7.0 | VCS Sapmaxdb Install | SAP MAXDB 7.5, 7.6, 7.7, 7.8, 7.9 and all intermediate versions | 2014-04-01 |
| Apache 6.0.000.000 | | Apache 1.3, 2.0, 2.2, 2.4.x and IBM HTTP Server 7.x, 8.x | 2014-01-01 |
| ContentServer, ConnectionBroker 5.1.2.0 | VCS Connectionbroker Install VCS Contentserver Install | Documentum 6.5, 7.x | 2014-01-01 |
| SVCCopyServices 5.0.13.0 | VCS Svc Install | IBM Global Mirror (SVC); IBM Storwize V7000 All versions from 4.1 and above | 2014-01-01 |
| Informix 5.1.6.0 | Vha Informix Install | IBM Informix Dynamic Server 7.31, 9.21, 9.30, 9.40, 10.0, 11.10, 11.50, 11.70, 12.10, 14.10 | 2014-01-01 |
| SVCCopyServices 5.0.13.0 | VCS Svc Install | IBM Metro Mirror (SVC); IBM Storwize V7000 All versions from 4.1 and above | 2014-01-01 |
| SnapMirror 5.0.06.0 | VCS Netappsmr Install | Netapp SnapMirror 7 Mode 6.4, 7.3, 8.2, 8.3 | 2014-01-01 |
| OracleAS9 5.1.7.0 | Vha Oraappserver Install | Oracle Application Server 10g 10.1.x, 9.0.x | 2014-01-01 |
| OracleAS9 5.1.7.0 | Vha Oraappserver Install | Oracle Enterprise Manager Grid Control 10g, 11g, 12c | 2014-01-01 |
| SAPNW04 5 | | SAP - DR (white paper) v4.6. 4.7, 6.2. 6.4, 7.0, NW04, NW04s | 2014-01-01 |
| PostgreSQL 5.1.5.0 | VCS Postgresql Install | PostgreSQL 8.1, 8.4, 9.x, 10.x | 2013-10-04 |
| WebSphere 5.1.13.0 | VCS Websphere Install | IBM WebSphere Application Server 5.0, 5.1, 6.0, 6.1, 7.0, 8.0, 8.5, 9.0 | 2013-10-03 |
| SAPComponents 5.1.5.0 | VCS Sapnetweaver Install VCS Saplivecache Install VCS Sapcomponents Install VCS Sapwebas Install | SAP Components - Gateway, WebDispatcher, MDM, Content Server NetWeaver MDM 7.1,7.5 | 2013-10-03 |
| SAPLiveCache 5.0.8.0 | VCS Sapnetweaver Install VCS Saplivecache Install VCS Sapcomponents Install VCS Sapwebas Install | SAP LiveCache 7.5, 7.6, 7.7, 7.9 and all intermediate versions | 2013-10-03 |
| SAPNW04 5.0.16.0 | VCS Sapnetweaver Install VCS Saplivecache Install VCS Sapcomponents Install VCS Sapwebas Install | SAP NetWeaver SAP R/3 4.6, R/3 Enterprise 4.7, NW04, NW04s, ERP/ECC 5.0/6.0, SCM/APO 4.1/5.0/5.1/7.0, SRM 4.0/5.0/7.0, CRM 4.0/5.0/7.0 | 2013-10-03 |
| SAPWebAS71 5.0.10.0 | VCS Sapnetweaver Install VCS Saplivecache Install VCS Sapcomponents Install VCS Sapwebas Install | SAP NetWeaver 7.1, 7.2, 7.3, 7.4 PI, CE, Mobile | 2013-10-03 |
| WebLogic 5.1.17.0 | VCS Weblogic Install | BEA AquaLogic Service Bus 3 | 2013-07-01 |
| HTC3DC 5.0.1.0 | VCS Htc3dc Install | Hitachi/HP XP 3 Data Center Replication All versions (that support 3 Data Center replication) | 2013-07-01 |
| WebLogic 5.1.17.0 | VCS Weblogic Install | Oracle WebLogic Server 7, 8, 9.1, 9.2, 10, 10.3, 10.3.x, 12c, 12cR2, 14c | 2013-07-01 |
| Application N/A | | SAPHostAgent SAPHostAgent [SAPNetWeaver 7.0 EhP 2 and higher] | 2012-07-02 |
| | i | | |



| VPLEX N/A | | EMC VPLEX N/A | 2012-01-05 |
|---|-------------------------------|---|------------|
| PowerCenterSvcMgr 5.0.4.0 | VCS Powercentersvcmgr Install | Informatica PowerCenter 8.1.1, 8.5, 8.5.1, 8.6, 8.6.1, 9.1, 9.5, 9.5.1, 9.6 | 2012-01-05 |
| Dataguard 5.0.8.0 | VCS Oradg Install | Oracle DataGuard 11.2.x.x | 2012-01-05 |
| Essbase 5.1.1.0 | VCS Essbase Install | Oracle Essbase 11.1.1, 11.1.2.4 | 2012-01-05 |
| All File Share Agents 6.0.000.000 | | Veritas Bundled File Share agents 6.0 | 2012-01-05 |
| All Infrastructure and support agents 6.0.000.000 | | Veritas Bundled Infrastructure and support agents 6.0 | 2012-01-05 |
| All Network Agents 6.0.000.000 | | Veritas Bundled Network agents 6.0 | 2012-01-05 |
| All VVR Agents 6.0.000.000 | | Veritas Bundled Replication agents 6.0 | 2012-01-05 |
| All Service and Application Agents 6.0.000.000 | | Veritas Bundled Service and Application agents 6.0 | 2012-01-05 |
| All Storage Agents 6.0.000.000 | | Veritas Bundled Storage agents 6.0 | 2012-01-05 |
| All VVR Agents 6.0.000.000 | | Veritas Volume Replicator agents 6.0 | 2012-01-05 |
| Db2udb 6.0 | | IBM DB2 Database 9.1, 9.5, 9.7, 10.1, 10.5 | 2012-01-04 |
| Oracle, Netlsnr, ASMInst, ASMDG 6.0 | | Oracle Database with ASM 10gR2, 11gR1,11gR2 | 2012-01-04 |
| Sybase, SybaseBk 6.0 | | Sybase Database 12.5.x, 15.x (ASE/SQL Server, Backup Server) | 2012-01-04 |
| VRTSacclib 5.2.4.0 | Acclib Install | ACC Library N/A | 2011-12-22 |
| SRDFStar 5.0.04.0 | VCS Srdfstar Install | EMC SRDF/Star 6.4.1 and later | 2010-10-04 |
| EVACA 5.0.01.0 | VCS Hp Eva Ca Install | HP EVA CA 8 and later | 2010-10-04 |
| GlobalMirror 5.0.05.0 | VCS Metromirror Install | IBM Global Mirror 5.4.0.656 or later | 2010-10-04 |

Host bus adapter (HBA) parameters and switch parameters

Back to top

Unless otherwise stated, the specified Veritas product supports all HBAs (except iSCSI HBAs) and fibre channel switches supported by the platform and storage array manufacturers listed in the hardware compatibility list (HCL). For more details, click the link to the HCL.

Operations Manager

Back to top

Veritas InfoScale Operations Manager gives you a single, centralized management console for the InfoScale products. You can use it to monitor, visualize, and manage storage and cluster resources, and generate reports about these components in the Management Server domain. It can also help administrators centrally manage diverse data center environments. This section lists the documents for Veritas InfoScale Operations Manager 8.0.2.

Documentation

▼ Array Support Libraries (ASLs)

Back to top

| Array family (model) | Documentation | Libraries | |
|----------------------|---------------|-----------|--|
| | | | |



| 3PAR E-Class, S-Class | libvx3par (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
|--------------------------------|--|---|
| | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| Dell EMC CLARiiON CX series | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | libvxCLARiiON (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | libvxCLARiiON (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Dell EMC CLARiiON CX3 series | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| Dell EMC CLARiiON CX4 series | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | libvxCLARiiON (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| D II FMO O DMV | libvxemc (embedded in the package VRTSaslapm) | See TechNote |
| Dell EMC Symmetrix DMX series | libvxemc (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| D 5140 0 | libvxemc (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Dell EMC Symmetrix VMAX series | libvxemc (embedded in the package VRTSaslapm) | See TechNote |
| | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| Dell EMC Unity series | libvxCLARiiON (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| Dell EMC VMAX3/VMAX All Flash | libvxemc (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Family series | libvxemc (embedded in the package VRTSaslapm) | See TechNote |
| | libvxCLARiiON (embedded in the | |



| | | package VRTSaslapm) | See TechNote |
|---|----------------------------------|--|---|
| Dell EMC VNX series | | libvxCLARiiON (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| Dell EMC VNX2 series | | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxCLARiiON (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxCLARiiON (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Dell EMC VNX2e series | | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxCLARiiON (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxInvista (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Dell EMC VPLEX | | libvxInvista (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxInvista (embedded in the package VRTSaslapm) | See TechNote |
| Fujitsu ETERNUS DX400/DX500 /DX600 series | | libvxFJTSYe8k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Fujitsu ETERNUS DX60/DX80/DX90 /DX100/DX200 series | | libvxfjtsye2k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Fujitsu ETERNUS DX8000 series | | libvxFJTSYe8k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Fujitsu ETERNUS2000 series | ETERNUS2000 Disk Storage Systems | libvxfjtsye2k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Fujitsu ETERNUS4000 series | ETERNUS4000 Disk Storage Systems | libvxFJTSYe8k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Fujitsu ETERNUS8000 series | ETERNUS8000 Disk Storage Systems | libvxFJTSYe8k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxibmsvc (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Fujitsu ETERNUS VS850 | | libvxibmsvc (embedded in the package VRTSaslapm) | See TechNote |



| | libvxibmsvc (embedded in the package VRTSaslapm) | See TechNote |
|---|--|---|
| Hewlett Packard Enterprise 2000 G2 series | libvxmsa2kfc_sa (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hewlett Packard Enterprise 3PAR F/T- Class, StoreServ 7000/8000/9000 /10000/20000 Storage | libvx3par (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hewlett Packard Enterprise EVA4000 | libvxhpalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| /6000/8000 | libvxhpalua (embedded in the package VRTSaslapm) | See TechNote |
| Hewlett Packard Enterprise EVA4100 | libvxhpalua (embedded in the package VRTSaslapm) | See TechNote |
| /6100/8100 | libvxhpalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hewlett Packard Enterprise EVA4400 | libvxhpalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| /6400/8400 series | libvxhpalua (embedded in the package VRTSaslapm) | See TechNote |
| Hewlett Packard Enterprise P2000 G3 MSA series | libvxmsa2kfc_sa (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hewlett Packard Enterprise P6000 | libvxhpalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| EVA series | libvxhpalua (embedded in the package VRTSaslapm) | See TechNote |
| Hewlett Packard Enterprise XP10000 | libvxxp12k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| /12000 | libvxxp1281024 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hewlett Packard Enterprise XP20000 | libvxxp1281024 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| /24000 | libvxxp12k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hawlett Deckard Enterprise D0500 | libvxxp1281024 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hewlett Packard Enterprise P9500 | libvxxp12k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | libvxxp1281024 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | |



| Hewlett Packard Enterprise XP7 | | libvxxp12k (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
|--------------------------------|--|---|---|
| Hitachi AMS/WMS series | | libvxhdsalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| Hitachi HUS 100 series | Hitachi Unified Storage 100 Family | libvxhdsalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| Hitachi SMS/AMS2000 series | | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhdsalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| Hitachi Thunder 9500V series | | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| | Thunder 9500V Series Modular Storage Systems | libvxhdsalua (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhdsalua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Hitachi USP/NSC series | | libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| Hitachi USPV/USPVM | | libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsusp (embedded in the | The required ASL is already |



| libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
|---|---|
| libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| libvxhuawei (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | libvxhds9980 (embedded in the package VRTSaslapm) libvxhdsusp (embedded in the package VRTSaslapm) libvxhdsusp (embedded in the package VRTSaslapm) libvxhds9980 (embedded in the package VRTSaslapm) libvxhds9980 (embedded in the package VRTSaslapm) libvxhdsusp (embedded in the package VRTSaslapm) |



| Huawei OceanStor Series | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
|--|----------------------------------|---|---|
| | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| Huawei S5000 series Huawei VIS series | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhuawei (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhuawei (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhuawei (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxibmsvc (embedded in the package VRTSaslapm) | See TechNote |
| IBM Spectrum Virtualize series | | libvxibmsvc (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxibmsvc (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxibmsvc (embedded in the package VRTSaslapm) | See TechNote |
| IBM Storwize series | | libvxibmsvc (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxibmsvc (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| IBM System Storage DS5000 series | | libvxlsialua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxlsialua (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxibmds8k (embedded in the package VRTSaslapm) | See TechNote |
| IBM System Storage DS8000 series | IBM System Storage DS8000 series | libvxibmds8k (embedded in the | The required ASL is already |



| | | package VRTSaslapm) | embedded in the install media |
|--|--|---|---|
| IBM System Storage N series | IBM System Storage N series IBM System Storage N7000 Modular Disk Storage System | libvxnetapp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| IBM System Storage XIV series | | libvxxiv (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| IBM TotalStorage DS4000 series | IBM DS4000 series: Overview - IBM TotalStorage Disk Storage Systems | libvxlsialua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxlsialua (embedded in the package VRTSaslapm) | See TechNote |
| IBM DS3950 | | libvxlsialua (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxlsialua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| IBM DS5020 | | libvxlsialua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxlsialua (embedded in the package VRTSaslapm) | See TechNote |
| NEC iStorage M series | | libvxnipnyis (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| NetApp AFF Series | | libvxnetapp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| NetApp FAS2000/FAS900/FAS200 series | | libvxnetapp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| NetApp FAS3000/V3000 series | | libvxnetapp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| NetApp FAS6000/V6000 series | | libvxnetapp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| NetApp FAS8000/FAS9000 Series | | libvxnetapp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Oracle Storage 6580/6780 series | | libvxlsialua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxlsialua (embedded in the package VRTSaslapm) | See TechNote |
| Oracle StorageTek 9900 series | | libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | | libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| | | libvxhds9980 (embedded in the | The required ASL is already |



| | package VRTSaslapm) | embedded in the install media |
|--------------------------------|---|---|
| | libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Oracle StorageTek 9985V system | libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| | libvxhdsusp (embedded in the package VRTSaslapm) | See TechNote |
| Oracle StorageTek 9990V system | libvxhds9980 (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | libvxhdsusp (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| | libvxlsialua (embedded in the package VRTSaslapm) | The required ASL is already embedded in the install media |
| Oracle Sun Storage 6180 array | libvxlsialua (embedded in the package VRTSaslapm) | See TechNote |

