.feedback\_submit { transform: translateX(280px) translateY(0px); font-weight: bold; } #tofeedback{ margin-top: 2px !important; color:#0057B8 !important; font-weight:600 ! important; }

### Installation and Upgrade Checklist Report for Storage Foundation Cluster File System HA 6.2, Solaris 11, SPARC

Index

Back to top

Important Notes

System requirements

Product features

Product documentation

Patches for Storage Foundation Cluster File System HA and Platform

End of Support Life information

Platform configuration

Host bus adapter (HBA) parameters and switch parameters

**Operations Manager** 

Array Support Libraries (ASLs)

# •

# **Important Notes**

Back to top

### **Array Support Libraries (ASLs)**

When installing Veritas products, please be aware that ASLs updates are not included in the patches update bundle. Please go to the Array Support Libraries (ASLs) to get the latest updates for your disk arrays.

# ▼

# **System requirements**

Back to top

Required number of CPUs: 2

Recommended speed of CPUs: 1 GHz

Required memory: 2 GB Required disk space:

<b>Partitions</b>	Minimum space required	Maximum space required	Recommended space
/opt	583 MB	863 MB	861 MB
/root	24 MB	24 MB	24 MB
/usr	216 MB	216 MB	216 MB
/var	1 MB	1 MB	1 MB

### Supported architectures:

SPARC M5 series [1]

SPARC M6 series [1]

SPARC M7 series [1][2]



SPARC S7 series [1][3]

SPARC T3 series [1]

SPARC T4 series [1]

SPARC T5 series [1]

SPARC T7 series [1][2][3]

SPARC64 X+ series [1]

SPARC64-V series

SPARC64-VI series

SPARC64-VII/VII+ series

SPARC64-X series [1]

UltraSPARC II series

UltraSPARC III series

UltraSPARC IV series

UltraSPARC T1 series [1]

UltraSPARC T2/T2+ series [1]

- 1. Oracle VM Server for SPARC supported. See the following TechNote: http://www.veritas.com/docs/DOC5860.
- 2. eUSB device is not supported.
- 3. Storage Foundation version 6.2.1 or higher is required.

### Related documentation

Multi-core multi-thread processor SPARC64 Series

Oracle's SPARC T3

**SPARC T3 Processor Overview** 

SPARC T4 Processor Data Sheet

UltraSPARC - III CPU Module Installation Guide

UltraSPARC IIs CPU Module Installation Guide

**UltraSPARC Processors** 

# Product features The features in the list are enabled in this release. Feature Storage Foundation CFSHA 1-256 TB File System CFS Multi-transaction server Cluster File System Cluster File System Cluster Volume Manager Compression Concurrent I/O Data management application programming interface (DMAPI)



Deduplication	✓
Device names consistent across cluster nodes	✓
Device names using Array Volume IDs	<b>√</b>
Direct I/O	<i>y</i>
Dirty region logging	<i>y</i>
Dynamic LUN expansion	<i>y</i>
Dynamic Multi-pathing	<b>▼</b>
Enclosure based naming	<i>y</i>
File Change Log	<i>y</i>
File system snapshots	·
File system storage checkpoints	<b>▼</b>
Flashsnap: Disk group split & join	<i>J</i>
Flashsnap: Fast resynchronization	<i>y</i>
Flexible Storage Sharing	<b>∀</b>
Full size instant snapshots	<i>y</i>
Hardware assisted copy	<b>∀</b>
Hot-relocation	<b>∀</b>
Import cloned LUN	<b>∀</b>
Keyless licensing	<b>▼</b>
Mount lock	V
Named data streams	·
	<b>Y</b>
Online coordinator disk replacement	<b>Y</b>
Online file system defragmentation	<b>✓</b>
Online file system grow & shrink	<b>Y</b>
Online relay out	<b>V</b>
Online volume grow & shrink	<b>Y</b>
Operations Manager	<b>✓</b>
Oracle Disk Manager (ODM) and Cached ODM (CODM)	<b>▼</b>
Partitioned directories	<b>✓</b>
Portable Data Containers (formerly known as Cross-Platform Data Sharing (CDS))	<b>✓</b>
Quick I/O (QIO) and Cached QIO (CQIO)	<b>✓</b>
Remote mirrors for campus clusters	<b>▼</b>
Rolling upgrade	<b>✓</b>
SCSI-3 based I/O fencing	<b>✓</b>
SSD device exploitation	<b>✓</b>
Site awareness with remote mirrors	✓
SmartIO - Volume Manager and File System Read Caching	✓
SmartIO - Write Back Caching	✓



SmartMove	✓
SmartTier (formerly Dynamic Storage Tiering)	✓
Space-optimized instant snapshot	✓
Split-mirror snapshot	✓
Thin storage reclamation	✓
User & group quotas	✓
iSCSI device support	✓
Replicator option (formerly Volume Replicator)	Optional
Database storage checkpoints & rollback	Oracle only
FlashSnap: Database	Oracle only
SmartTier for Oracle (formerly Database DST)	Oracle only

Product documentation	Back to top
Product guides	
	Storage Foundation Cluster File System High Availability Installation Guide - English
Storage Foundation Cluster File System High Availability Guides	Storage Foundation Cluster File System High Availability Administrator's Guide - English
Storage Foundation Guides	Veritas File System Programmer's Reference Guide - English
Release Notes	Storage Foundation Cluster File System High Availability Release Notes - English

Product (recommended)			
Patch	Date	Size	
cpi-Patch-6.2.1.2200	2022-12-10	54.39 KB	
vcs-sol11_sparc-Patch-6.2.1.1100	2019-11-05	85.69 MB	
sfha-sol11_sparc-Patch-6.2.1.200	2019-04-17	80.34 MB	
vm-sol11_sparc-Patch-6.2.1.500	2017-10-23	58.61 MB	
cpi-Patch-6.2.1.1100	2017-02-14	33.08 KB	
fs-sol11_sparc-Patch-6.2.1.300	2016-12-30	15.99 MB	
odm-sol11_sparc-Patch-6.2.1.300	2016-12-30	1.84 MB	
sfha-sol11_sparc-MR-6.2.1	2015-04-24	358.91 MB	



No patches required.

# End of Support Life information

Back to top

Last updated on 2024-03-25. Refer to support fundamental for more information about support.

Release Date(GA)

2014-11-30

**Extended Support Starts** 

2020-10-03

**Sustaining Support Starts** 

End of Support Life Date(EOSL)

2022-12-30

2028-12-30

# Platform configuration

Back to top

Supported platform version. Last updated on 2021-01-01

Product versionPlatform version6.211.3, 11.2, 11.1

### Related documentation

Oracle Solaris 11 Operating System Overview

# Host bus adapter (HBA) parameters and switch parameters

Back to top

Unless otherwise stated, the specified Veritas product supports all HBAs (except iSCSI HBAs) and fibre channel switches supported by the platform and storage array manufacturers listed in the hardware compatibility list (HCL). For more details, click the link to the HCL.

# Operations Manager

Back to top

Veritas InfoScale Operations Manager gives you a single, centralized management console for the InfoScale products. You can use it to monitor, visualize, and manage storage and cluster resources, and generate reports about these components in the Management Server domain. It can also help administrators centrally manage diverse data center environments. This section lists the documents for Veritas InfoScale Operations Manager 8.0.2.

Documentation

# Array Support Libraries (ASLs)

Back to top

Array family (model)	Documentation	Libraries	
		libvx3par (embedded in the package VRTSaslapm)	See TechNote



3PAR E-Class, S-Class	libvx3par (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Dell EqualLogic PS3000 series	libvxeqlogic (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Dell EqualLogic PS4000 series	libvxeqlogic (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Dell EqualLogic PS5000 series	libvxeqlogic (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Dell EqualLogic PS6000 series	libvxeqlogic (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Dell SC Series	libvxcompellent (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Dell Compellent Series 40	libvxcompellent (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC CLARiiON CX3 series with PowerPath	libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxpp (embedded in the package VRTSaslapm)	See TechNote
	libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC CLARiiON CX3 series	libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxpp (embedded in the package VRTSaslapm)	See TechNote
	libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC CLARiiON CX4 series	libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxpp (embedded in the package VRTSaslapm)	See TechNote
	libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC CLARiiON CX4 series with PowerPath	libvxpp (embedded in the package VRTSaslapm)	See TechNote
	libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxemc (embedded in the package	The required ASL is already



EMC Symmetrix DMX series with		VRTSaslapm)	embedded in the install media
PowerPath	EMC Symmetrix DMX Architecture	libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxpp (embedded in the package VRTSaslapm)	See TechNote
		libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC Symmetrix DMX series	EMC Symmetrix DMX Architecture	libvxpp (embedded in the package VRTSaslapm)	See TechNote
		libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC Symmetrix VMAX series with PowerPath		libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC Symmetrix VMAX series		libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VMAX3 series with PowerPath		libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VMAX3 series		libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VNX series		libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VNX series with PowerPath		libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VNX2 series		libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VNX2 series with PowerPath		libvxCLARiiON (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VPLEX		libvxpp (embedded in the package VRTSaslapm)	See TechNote
		libvxInvista (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
FMC VDI EV with Deverage		libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC VPLEX with PowerPath		libvxpp (embedded in the package VRTSaslapm)	See TechNote
		libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media



		libvxXtremio (embedded in the package VRTSaslapm)	See TechNote
EMC XtremIO		libvxXtremio (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxXtremio (embedded in the package VRTSaslapm)	See TechNote
		libvxpp (embedded in the package VRTSaslapm)	See TechNote
TMC Varanzi O with Down Doth		libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
EMC XtremIO with PowerPath		libvxpp (embedded in the package VRTSaslapm)	See TechNote
Fujitsu ETERNUS DX400/DX500		libvxFJTSYe8k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
/DX600 series		libvxFJTSYe8k (embedded in the package VRTSaslapm)	See TechNote
Fujitsu ETERNUS DX60/DX80/DX90 /DX100/DX200 series		libvxfjtsye2k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Fuilday ETERNIJO DV0000 parias		libvxFJTSYe8k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Fujitsu ETERNUS DX8000 series		libvxFJTSYe8k (embedded in the package VRTSaslapm)	See TechNote
Fujitsu ETERNUS2000 series	ETERNUS2000 Disk Storage Systems	libvxfjtsye2k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Full Control of the C	ETERNILIO 4000 Diale Otassas Octassas	libvxFJTSYe8k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Fujitsu ETERNUS4000 series	ETERNUS4000 Disk Storage Systems	libvxFJTSYe8k (embedded in the package VRTSaslapm)	See TechNote
- "	ETERNILIONNO DI LOCATO	libvxFJTSYe8k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Fujitsu ETERNUS8000 series	ETERNUS8000 Disk Storage Systems	libvxFJTSYe8k (embedded in the package VRTSaslapm)	See TechNote
Fujitsu FibreCAT SX80/100 series		libvxfsc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Fujitsu ETERNUS VS850		libvxibmsvc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hewlett Packard Enterprise 3PAR F/T-		libvx3par (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Class, StoreServ 7000/8000/10000 /20000 Storage		libvx3par (embedded in the package	



	VRTSaslapm)	See TechNote
Hewlett Packard Enterprise EVA4100 /6100/8100	libvxhpalua (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hewlett Packard Enterprise EVA4400 /6400/8400	libvxhpalua (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hewlett Packard Enterprise P6000 EVA series	libvxhpalua (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxxp12k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hewlett Packard Enterprise XP10000	libvxxp256 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
/12000	libvxxp12k (embedded in the package VRTSaslapm)	See TechNote
	libvxxp1281024 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxxp1281024 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hewlett Packard Enterprise XP20000	libvxxp12k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
/24000	libvxxp256 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxxp12k (embedded in the package VRTSaslapm)	See TechNote
	libvxxp256 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Howlett Dockard Enterprise DOSOO	libvxxp12k (embedded in the package VRTSaslapm)	See TechNote
Hewlett Packard Enterprise P9500	libvxxp1281024 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxxp12k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxxp12k (embedded in the package VRTSaslapm)	See TechNote
Havelett Dackard Enterprise VD7	libvxxp1281024 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hewlett Packard Enterprise XP7	libvxxp12k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxxp256 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		ĺ



Hitachi HUS 100 series	Hitachi Unified Storage 100 Family	libvxhdsalua (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hitachi SMS/AMS2000 series		libvxhdsalua (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hitachi USP/NSC series		libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hitachi USPV/USPVM		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hitachi VSP Gx00/Fx00 series		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote



		libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
Hitachi HUS VM		libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
Tr. T.MOD		libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hitachi VSP		libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
1111 1:110D 04000		libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Hitachi VSP G1000		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
		libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Huawei S5000 series		libvxhuawei (embedded in the	



	package VRTSaslapm)	See TechNote
Huawei S5000T series	libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
nuawei 330001 series	libvxhuawei (embedded in the package VRTSaslapm)	See TechNote
Lucy i MO paris	libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Huawei VIS series	libvxhuawei (embedded in the package VRTSaslapm)	See TechNote
	libvxhuawei (embedded in the package VRTSaslapm)	See TechNote
Huawei 18500	libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Huawei 18800	libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhuawei (embedded in the package VRTSaslapm)	See TechNote
Jugurai 18800F	libvxhuawei (embedded in the package VRTSaslapm)	See TechNote
Huawei 18800F	libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Huawei HVS85T	libvxhuawei (embedded in the package VRTSaslapm)	See TechNote
	libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Huawei HVS88T	libvxhuawei (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhuawei (embedded in the package VRTSaslapm)	See TechNote
BM FlashSystem series	libvxramsan (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
BM Storwize series	libvxibmsvc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
DM System Storage DS2500 period	libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
IBM System Storage DS3500 series	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media



IBM System Storage DS5000 series		libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
IBM System Storage DS6000 series	IBM System Storage DS6000 Series	libvxibmds6k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
IBM System Storage DS8000 series	IBM System Storage DS8000 series	libvxibmds8k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
IBM System Storage N series	IBM System Storage N series IBM System Storage N7000 Modular Disk Storage System	libvxnetapp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxnetapplsi (embedded in the package VRTSaslapm)	See TechNote
		libvxnetapp (embedded in the package VRTSaslapm)	See TechNote
IBM System Storage XIV series		libvxxiv (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
IDM DC20F0		libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
IBM D23950	1 DS3950	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
IDM DOTOGO		libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
IBM DS5020		libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
Infinidat InfiniBox F-Series		libvxinfinibox (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC iStorage D1/D3 series		libvxnipnyis (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC iStorage D8 series		libvxnipnyis (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC iStorage M series		libvxnipnyis (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC iStorage S1000 series		libvxnipnyis (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC iStorage S2000 series		libvxnipnyis (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC Symmetrix DMX-4		libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
		libvxpp (embedded in the package	



	VRTSaslapm)	See TechNote
	libvxpp (embedded in the package VRTSaslapm)	See TechNote
NEC Symmetrix DMX-4 with PowerPath	libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxpp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC Symmetrix VMAX with PowerPath	libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NEC Symmetrix VMAX	libvxemc (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NetApp FAS2000/FAS900/FAS200 series	libvxnetapp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxnetapplsi (embedded in the package VRTSaslapm)	See TechNote
	libvxnetapp (embedded in the package VRTSaslapm)	See TechNote
	libvxnetapp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NetApp FAS3000/V3000 series	libvxnetapplsi (embedded in the package VRTSaslapm)	See TechNote
	libvxnetapp (embedded in the package VRTSaslapm)	See TechNote
NetApp FAS6000/V6000 series	libvxnetapp (embedded in the package VRTSaslapm)	See TechNote
	libvxnetapplsi (embedded in the package VRTSaslapm)	See TechNote
	libvxnetapp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
NetApp FAS8000 Series	libvxnetapp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxnetapp (embedded in the package VRTSaslapm)	See TechNote
Oracle Axiom series	libvxpillaraxiom (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Oracle Storage 6580/6780 series	libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media



Oracle StorageTek 2500 series	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
	libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
Oracle Staroge Tely 0000 perion	libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Oracle StorageTek 9900 series	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Oracle StorageTek 9985/9990 series	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
Oracle ZFS Storage Appliance series	libvxsun7x10 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxsun7x10 (embedded in the package VRTSaslapm)	See TechNote
	libvxsun7x10 (embedded in the package VRTSaslapm)	See TechNote
	libvxsun7x10 (embedded in the package VRTSaslapm)	See TechNote
	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Oracle StorageTek 6140 array	libvxlsiall (embedded in the package	



	VRTSaslapm)	See TechNote
Oracle StorageTek 9985V system	libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
Oracle StorageTek 9990V system	libvxhdsusp (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhds9980 (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
	libvxhds (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxhdsusp (embedded in the package VRTSaslapm)	See TechNote
Oracle Sun Storage 6180 array	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
Pure Storage FlashArray series	libvxpurestorage (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxpurestorage (embedded in the package VRTSaslapm)	See TechNote
StorageTek FlexLine 200/300 series	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
	libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
Sun StorEdge 3510/3511	libvxsunse3k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media



Sun StorageTek 3310	libvxsunse3k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Sun StorageTek 3320	libvxsunse3k (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Cur Charactel C420	libvxlsiall (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media
Sun StorageTek 6130	libvxlsiall (embedded in the package VRTSaslapm)	See TechNote
Violin Memory Violin 3000/6000 series	libvxviolin (embedded in the package VRTSaslapm)	See TechNote
	libvxviolin (embedded in the package VRTSaslapm)	The required ASL is already embedded in the install media

