

# Veritas Storage Foundation™ for Oracle® RAC Application Note: Installing or upgrading to Oracle RAC 11g Release 2

Solaris

5.0 Maintenance Pack 3 Rolling Patch  
4



# Installing or upgrading to Oracle RAC 11g Release 2

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Product version: 5.0 MP3 RP4

Document version: 5.0MP3RP4.0

## Legal Notice

Copyright © 2010 Symantec Corporation. All rights reserved.

Symantec, the Symantec Logo, Veritas, Veritas Storage Foundation are trademarks or registered trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Symantec Corporation and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. SYMANTEC CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Symantec Corporation  
350 Ellis Street  
Mountain View, CA 94043  
<http://www.symantec.com>

# Technical Support

Symantec Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within Symantec to answer your questions in a timely fashion. For example, the Technical Support group works with Product Engineering and Symantec Security Response to provide alerting services and virus definition updates.

Symantec's support offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and/or Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers software upgrades
- Global support purchased on a regional business hours or 24 hours a day, 7 days a week basis
- Premium service offerings that include Account Management Services

For information about Symantec's support offerings, you can visit our Web site at the following URL:

[www.symantec.com/business/support/index.jsp](http://www.symantec.com/business/support/index.jsp)

All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policy.

## Contacting Technical Support

Customers with a current support agreement may access Technical Support information at the following URL:

[www.symantec.com/business/support/contact\\_techsupp\\_static.jsp](http://www.symantec.com/business/support/contact_techsupp_static.jsp)

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level

- Hardware information
- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
  - Error messages and log files
  - Troubleshooting that was performed before contacting Symantec
  - Recent software configuration changes and network changes

## Licensing and registration

If your Symantec product requires registration or a license key, access our technical support Web page at the following URL:

[www.symantec.com/business/support/](http://www.symantec.com/business/support/)

## Customer service

Customer service information is available at the following URL:

[www.symantec.com/business/support/](http://www.symantec.com/business/support/)

Customer Service is available to assist with non-technical questions, such as the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and support contracts
- Information about the Symantec Buying Programs
- Advice about Symantec's technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs or manuals

## Documentation feedback

Your feedback on product documentation is important to us. Send suggestions for improvements and reports on errors or omissions. Include the title and document version (located on the second page), and chapter and section titles of the text on which you are reporting. Send feedback to:

[sfha\\_docs@symantec.com](mailto:sfha_docs@symantec.com)

## Support agreement resources

If you want to contact Symantec regarding an existing support agreement, please contact the support agreement administration team for your region as follows:

Asia-Pacific and Japan

[customercare\\_apac@symantec.com](mailto:customercare_apac@symantec.com)

Europe, Middle-East, and Africa

[semea@symantec.com](mailto:semea@symantec.com)

North America and Latin America

[supportolutions@symantec.com](mailto:supportsolutions@symantec.com)

# Installing or upgrading to Oracle RAC 11g Release 2

This document includes the following topics:

- [Installing Oracle RAC 11g Release 2](#)
- [Upgrading to Oracle RAC 11g Release 2](#)

## Installing Oracle RAC 11g Release 2

This section provides instructions for installing Oracle RAC 11g Release 2.

---

**Note:** If you want to install Oracle RAC 10g or Oracle RAC 11g Release 1, see the *Veritas Storage Foundation for Oracle RAC Installation and Configuration Guide (5.0 Maintenance Pack 3)* for instructions.

---

Perform the following steps to install Oracle RAC 11g Release 2:

1. Complete the preparatory tasks before starting the Oracle RAC installation.  
See [“Preparing to install Oracle RAC manually”](#) on page 8.
2. Install Oracle RAC 11g Release 2.  
See [“Installing Oracle Grid Infrastructure using the Oracle Universal Installer”](#) on page 20.  
See [“Configuring LLT links in the GPnP profile”](#) on page 23.  
See [“Installing the Oracle RAC database using the Oracle Universal Installer”](#) on page 24.
3. Complete the following post-installation tasks:

- Relink the SF Oracle RAC libraries with Oracle RAC:  
See [“Linking the ODM library”](#) on page 25.
- Configure the CSSD resource.  
See [“Configuring the CSSD resource manually”](#) on page 26.
- Modify the Oracle RAC configuration to prevent automatic startup of Oracle Clusterware.  
See [“Preventing automatic startup of Oracle Clusterware”](#) on page 28.
- Create the Oracle RAC database.  
See [“Creating the Oracle RAC database”](#) on page 28.
- Modify the Oracle RAC configuration to prevent automatic startup of the Oracle database.  
See [“Preventing automatic database startup”](#) on page 28.
- Configure VCS service groups for Oracle RAC.  
See [“Configuring VCS service groups for Oracle RAC”](#) on page 29.

## Preparing to install Oracle RAC manually

This section provides instructions for performing the pre-installation tasks for Oracle RAC 11g Release 2.

The following preparatory tasks are similar to those documented in the version 5.0 MP3 guide and are therefore not described in this section. For instructions, see the *Veritas Storage Foundation for Oracle RAC Installation and Configuration Guide (5.0 Maintenance Pack 3)*, Chapter "Preparing to install Oracle RAC".

- Identify the public virtual IP addresses for use by Oracle.
- Set the kernel parameters.
- Verify the user "nobody" exists.
- Create Oracle user and groups.  
In Oracle RAC 11g Release 2, you need to create the grid user and the user home directory on each system in addition to the Oracle user and group.
- Create storage for OCR and voting disk.  
The Oracle Clusterware files for Oracle Cluster Registry (OCR) and voting disk in Oracle RAC 11g Release 2 must reside in directories in the cluster file system (CFS) or on ASM disk groups. You can create ASM disk groups using CVM raw volumes.
- Configure private IP addresses for Oracle RAC.

Perform the following tasks using the instructions in this section:

- Identify the SCAN IP address.  
See [“Identifying the SCAN IP address”](#) on page 9.
- Create Oracle Grid Infrastructure and Oracle database home directories manually.  
See [“Creating Oracle Grid Infrastructure and Oracle database home directories manually”](#) on page 9.
- Set up user equivalence on cluster nodes.  
See [“Setting up user equivalence”](#) on page 19.
- Synchronize time settings on cluster nodes.  
See [“Synchronizing time settings on cluster nodes”](#) on page 19.
- Edit the user profiles.  
See [“Editing the user profiles”](#) on page 19.
- Verify whether the Veritas Membership library is linked to the Oracle library.  
See [“Verifying whether the Veritas Membership library is linked to Oracle libraries”](#) on page 20.

## Identifying the SCAN IP address

You need a public IP address available and configured as a Single Client Access Name (SCAN) address on the domain name server (DNS) for round robin resolution to three addresses (recommended) or at least one address. SCAN is used to connect to databases within the cluster irrespective of the nodes they are running on.

## Creating Oracle Grid Infrastructure and Oracle database home directories manually

You can create the Oracle directories on the local file system, on a local Veritas file system, or on a Veritas cluster file system.

---

**Note:** Symantec and Oracle recommend that you install the Oracle Grid Infrastructure and Oracle database binaries local to each node in the cluster.

---

[Table 1-1](#) lists the Oracle directories you need to create:

**Table 1-1** List of directories

Directory	Description
<p>Oracle Grid Infrastructure Home Directory (GRID_HOME)</p>	<p>The path to the home directory that stores the Oracle Grid Infrastructure binaries. The Oracle Universal Installer (OUI) installs Oracle Clusterware and Oracle ASM into this directory, also referred to as GRID_HOME.</p> <p>The directory must be owned by the installation owner of Oracle Grid Infrastructure (oracle or grid), with the permission set to 775.</p> <p>The path to the Grid home directory must be the same on all nodes. As the root user, create a path compliant with Oracle Optimal Flexible Architecture (OFA) guidelines, so that the OUI can select that directory during installation.</p>
<p>Oracle base directory (ORACLE_BASE)</p>	<p>The base directory that contains all the Oracle installations. Create separate Oracle base directories for the grid user and the Oracle user.</p> <p>It helps to ensure that installations of multiple databases maintain an Optimal Flexible Architecture (OFA) configuration.</p> <p>The path to the Oracle base directory must be the same on all nodes.</p>
<p>Oracle home directory (ORACLE_HOME)</p>	<p>The directory in which the Oracle RAC software is installed. The path to the Oracle home directory must be the same on all nodes.</p> <p>You can create the Oracle home directory on the local file system or on a cluster file system.</p>

Use one of the following options to create the directories:

- Local file system      See [“To create the directories on the local file system”](#) on page 11.
- Veritas File System      See [“To create the file system and directories on the Veritas File system \(VxFS\)”](#) on page 11.
- Cluster File System      See [“To create the file system and directories on cluster file system for Oracle Grid Infrastructure and Oracle database”](#) on page 14.

### To create the directories on the local file system

- 1 Log in as the root user on each node.
- 2 Create the Oracle base directory (ORACLE\_BASE):

For grid user:

```
# mkdir -p /u02/app/grid
# chown -R grid:oinstall /u02/app/grid
# chmod -R 775 /u02/app/grid
```

For Oracle user:

```
# mkdir -p /u01/app/oracle
# chown -R oracle:oinstall /u01/app/oracle
# chmod -R 775 /u01/app/oracle
```

- 3 Create the Oracle Grid Infrastructure home directory (GRID\_HOME):

---

**Note:** Ensure the grid home directory is not a subdirectory of the Oracle base directory. Installing Oracle Clusterware in an Oracle base directory causes installation errors.

---

```
# mkdir -p /u02/app/11.2.0/grid
# chown -R grid:oinstall /u02/app/11.2.0/grid
```

- 4 Create the Oracle database home directory (ORACLE\_HOME):

```
# mkdir -p /u01/app/oracle/product/11.2.0/dbhome_1
# chown -R oracle:oinstall /u01/app/oracle
# chmod -R 775 /u01/app/oracle
```

### To create the file system and directories on the Veritas File system (VxFS)

The sample commands in the procedure are for node galaxy. Repeat the steps on each node of the cluster.

- 1 As the root user, create a VxVM local disk group `bindg_hostname` on each node.

Make sure that the size of the disk group is approximately 12 GB; if not, add another disk to the disk group.

```
# vxdg init bindg_galaxy Disk_1
```

- 2 Create separate volumes for Oracle Grid Infrastructure (`crsbinvol`) and Oracle database (`orabinvol`):

```
# vxassist -g bindg_galaxy make crsbinvol 5G
```

```
# vxassist -g bindg_galaxy make orabinvol 7G
```

- 3 Create file systems with the volumes `crsbinvol` and `orabinvol`:

```
# mkfs -F vxfs /dev/vx/rdisk/bindg_galaxy/crsbinvol
```

```
# mkfs -F vxfs /dev/vx/rdisk/bindg_galaxy/orabinvol
```

- 4 Mount the file systems. Perform this step on each node.

```
# mount -F vxfs /dev/vx/dsk/bindg_galaxy/crsbinvol \  
/u02
```

```
# mount -F vxfs /dev/vx/dsk/bindg_galaxy/orabinvol \  
/u01
```

- 5 Create the following directories for Oracle, `ORACLE_BASE`, `GRID_HOME`, `ORACLE_HOME`.

The file system and directories created on shared storage in this procedure are based on the following layout:

```
$ORACLE_BASE      For grid user:
                   /u02/app/grid
                   For Oracle user:
                   /u01/app/oracle

$GRID_HOME        /u02/app/11.2.0/grid

$ORACLE_HOME      /u01/app/oracle/product/11.2.0/dbhome_1

# mkdir -p /u02/app/11.2.0/grid
# mkdir -p /u01/app/oracle
# mkdir -p /u02/app/grid
# mkdir -p /u01/app/oracle/product/11.2.0/dbhome_1
```

- 6 Change the ownership and permissions on all nodes of the cluster.

---

**Note:** The ownership and permissions must be changed on all nodes of the cluster because `/u02/app` must be owned by `grid:oinstall`, otherwise `/u02/app/oraInventory` does not get created correctly on all the nodes. This can cause the Oracle Universal Installer to fail.

---

```
# chown -R grid:oinstall /u02/app/grid
# chown -R oracle:oinstall /u01/app/oracle
# chmod -R 775 /u01/app/oracle
# chmod -R 775 /u02/app/grid
```

**7** Add an entry for the filesystem in the `/etc/vfstab` file on each node:

Edit the `/etc/vfstab` file, list the new file system, and specify "yes" for the mount at boot column for each node:

```
# device    device    mount    FS    fsck    mount    mount
# to mount  to fsck   point    type  pass   at      boot  options
#
.
/dev/vx/rdisk/bindg_galaxy/crsbinvol \
/u02 vxfs 1 yes -
/dev/vx/dsk/bindg_galaxy/orabinvol \
/u01 vxfs 1 yes -
```

**8** Repeat all the steps on each node of the cluster.

---

**Note:** If you restart the nodes, the disk groups that were in deported state before restarting are not imported automatically.

Import the disk groups manually and mount the file system after the nodes restart:

```
# vxdg import dg_name
# vxvol -g dg_name startall
# mount -a
```

---

**To create the file system and directories on cluster file system for Oracle Grid Infrastructure and Oracle database**

Perform the following steps on the CVM master node in the cluster.

**1** As the root user, create a VxVM shared disk group `bindg`:

```
# vxdg -s init bindg Disk_1
```

**2** Create separate volumes for Oracle Grid Infrastructure (`crsbinvol`) and Oracle database (`orabinvol`):

```
# vxassist -g bindg make crsbinvol 5G
# vxassist -g bindg make orabinvol 7G
```

**3** Create the following directories for Oracle, `ORACLE_BASE`, `GRID_HOME`, `ORACLE_HOME`.

The file system and directories created on shared storage in this procedure are based on the following layout:

`$ORACLE_BASE` For grid user:  
`/u02/app/grid`  
For Oracle user:  
`/u01/app/oracle`  
`/u02/app/grid` and `/u01/app/oracle` are on local storage.

`$GRID_HOME` `/u02/app/11.2.0/grid`  
`/u02/app/11.2.0` is on local storage.  
`/u02/app/11.2.0/grid` is on shared storage.

`$ORACLE_HOME` `/u01/app/oracle/product/11.2.0/dbhome_1`  
`/u01/app/oracle/product/11.2.0` is on local storage.  
`/u01/app/oracle/product/11.2.0/dbhome_1` is on shared storage.

```
# mkdir -p /u02/app/11.2.0/grid
# mkdir -p /u01/app/oracle
# mkdir -p /u02/app/grid
# mkdir -p /u01/app/oracle/product/11.2.0/dbhome_1
```

**4** Create file systems with the volumes `crsbinvol` and `orabinvol`:

```
# mkfs -F vxfs /dev/vx/rdisk/bindg/crsbinvol
# mkfs -F vxfs /dev/vx/rdisk/bindg/orabinvol
```

**5** Mount the file systems. Perform this step on each node.

```
# mount -F vxfs -o cluster /dev/vx/dsk/bindg/crsbinvol \
/u02/app/11.2.0/grid
# mount -F vxfs -o cluster /dev/vx/dsk/bindg/orabinvol \
/u01/app/oracle/product/11.2.0/dbhome_1
```

**6** Change the ownership and permissions on all nodes of the cluster.

---

**Note:** The ownership and permissions must be changed on all nodes of the cluster because `/u02/app` must be owned by `grid:oinstall`, otherwise `/u02/app/oraInventory` does not get created correctly on all the nodes. This can cause the Oracle Universal Installer to fail.

---

```
# chown -R grid:oinstall /u02/app/grid
# chown -R oracle:oinstall /u01/app/oracle
# chmod -R 775 /u01/app/oracle
# chmod -R 775 /u02/app/grid
```

**7** Add the CVMVolDg and CFSSMount resources to the VCS configuration.

See [“To add the CFSSMount and CVMVolDg resources to the VCS configuration using CLI”](#) on page 16.

To add the CFSSMount and CVMVolDg resources to the VCS configuration using CLI

**1** Change the permissions on the VCS configuration file:

```
# haconf -makerw
```

**2** Configure the CVM volumes under VCS:

```
# hares -add crsorabin_voldg CVMVolDg cvm
# hares -modify crsorabin_voldg Critical 0
# hares -modify crsorabin_voldg CVMDiskGroup bindg
# hares -modify crsorabin_voldg CVMVolume -add crsbinvol
# hares -modify crsorabin_voldg CVMVolume -add orabinvol
# hares -modify crsorabin_voldg CVMActivation sw
```

### 3 Set up the file system under VCS:

```
# hares -add crsbin_mnt CFSMount cvm

# hares -modify crsbin_mnt Critical 0

# hares -modify crsbin_mnt MountPoint "/u02/app/11.2.0/grid"

# hares -modify crsbin_mnt BlockDevice \
"/dev/vx/dsk/bindg/crsbinvol"

# hares -add orabin_mnt CFSMount cvm

# hares -modify orabin_mnt Critical 0

# hares -modify orabin_mnt MountPoint \
"/u01/app/oracle/product/11.2.0/dbhome_1"

# hares -modify orabin_mnt BlockDevice \
"/dev/vx/dsk/bindg/orabinvol"
```

### 4 Link the parent and child resources:

```
# hares -link crsorabin_voldg cvm_clus

# hares -link crsbin_mnt crsorabin_voldg

# hares -link crsbin_mnt vxfsckd

# hares -link orabin_mnt crsorabin_voldg

# hares -link orabin_mnt vxfsckd
```

### 5 Enable the resources:

```
# hares -modify crsorabin_voldg Enabled 1

# hares -modify crsbin_mnt Enabled 1

# hares -modify orabin_mnt Enabled 1

# haconf -dump -makero
```

## 6 Verify the resource configuration in the main.cf file.

```
CFSMount crsbin_mnt (  
    Critical = 0  
    MountPoint = "/u02/app/11.2.0/grid"  
    BlockDevice = "/dev/vx/dsk/bindg/crsbinvol"  
)  
  
CFSMount orabin_mnt (  
    Critical = 0  
    MountPoint = "/u01/app/oracle/product/11.2.0/dbhome_1"  
    BlockDevice = "/dev/vx/dsk/bindg/orabinvol"  
)  
  
CVMVoldg crsorabin_voldg (  
    Critical = 0  
    CVMDiskGroup = bindg  
    CVMVolume = { crsbinvol, orabinvol }  
    CVMActivation = sw  
)  
  
crsbin_mnt requires crsorabin_voldg  
crsbin_mnt requires vxfsckd  
orabin_mnt requires crsorabin_voldg  
orabin_mnt requires vxfsckd  
crsorabin_voldg requires cvm_clus
```

## 7 Verify that the resources are online on all systems in the cluster.

```
# hares -state crsorabin_voldg  
  
# hares -state crsbin_mnt  
  
# hares -state orabin_mnt
```

---

**Note:** At this point, the crsorabin\_voldg resource is reported offline, and the underlying volumes are online. Therefore, you need to manually bring the resource online on each node.

---

To bring the resource online manually:

```
# hares -online crsorabin_voldg -sys galaxy  
  
# hares -online crsorabin_voldg -sys nebula
```

## Setting up user equivalence

You must establish Oracle user and grid user equivalence on all nodes to allow the Oracle Universal Installer to securely copy files and run programs on the nodes in the cluster without requiring password prompts.

Set up passwordless SSH communication between the cluster nodes for the Oracle user and the grid user.

For more information, see the Oracle documentation.

## Synchronizing time settings on cluster nodes

Synchronize the time settings on all cluster nodes using NTP. For more information, see the Oracle documentation.

## Editing the user profiles

Edit the Oracle user and grid user profile files to set the paths to ORACLE\_BASE and ORACLE\_HOME on each node.

In the following sample procedure, the shell environment is `ksh`, the Oracle user home directory is `/home/oracle`, and the Oracle grid user home directory is `/home/grid`.

### To edit the Oracle user profile

- 1 As the Oracle user, set the proper environment variables on each node.

```
export ORACLE_BASE=/u01/app/oracle
export ORACLE_HOME=/u01/app/oracle/product/11.2.0/dbhome_1
export LD_LIBRARY_PATH=$ORACLE_HOME/lib
export PATH=$PATH:$ORACLE_HOME/bin
export CLASSPATH=$CLASSPATH:$ORACLE_HOME/jlib:\
$ORACLE_HOME/rdbms/jlib:$ORACLE_HOME/network/jlib
```

- 2 Apply the profile changes:

```
$ . /home/oracle/.profile
```

### To edit the Oracle grid user profile

- 1 As the Oracle grid user, set the proper environment variables on each node.

```
export ORACLE_BASE=/u01/app/oracle
export ORACLE_HOME=/u01/app/oracle/product/11.2.0/dbhome_1
export GRID_HOME=/u02/app/11.2.0/grid
export LD_LIBRARY_PATH=$GRID_HOME/lib
export PATH=$PATH:$GRID_HOME/bin:$ORACLE_HOME/bin
export CLASSPATH=$CLASSPATH:$ORACLE_HOME/jlib:\
$ORACLE_HOME/rdbms/jlib:$ORACLE_HOME/network/jlib
```

- 2 Apply the profile changes:

```
$ . /home/grid/.profile
```

### Verifying whether the Veritas Membership library is linked to Oracle libraries

The Veritas Membership library (VCSMM) must be linked with Oracle libraries to enable coordinated exchange of cluster membership information and protection of data integrity. Oracle uses the linked skgxn library (libskgxn) to make ioctl calls to VCSMM, which in turn obtains membership information for clusters and instances.

#### To verify whether the Veritas Membership library is linked to Oracle libraries

- ◆ Verify that the library `/opt/ORCLcluster/lib/libskgxn2.so` is linked to the `/opt/VRTSvcs/rac/lib/libskgxn2_64.so` library:

```
# ls -l /opt/ORCLcluster/lib
libskgxn2.so -> /opt/VRTSvcs/rac/lib/libskgxn2_64.so
```

If the link does not exist, create a symbolic link to the Oracle library as follows:

```
# ln -s /opt/VRTSvcs/rac/lib/libskgxn2_64.so \
/opt/ORCLcluster/lib/libskgxn2.so
```

## Installing Oracle Grid Infrastructure using the Oracle Universal Installer

This section provides instructions for installing the Oracle Grid Infrastructure software using the Oracle Universal Installer. The software is installed on each node in the Oracle Grid Infrastructure home directory.

## To install Oracle Grid Infrastructure using the Oracle Universal Installer

- 1 Log in as the Oracle grid user. On the first node, set the DISPLAY variable.

- For Bourne Shell (bash), type:

```
$ DISPLAY=10.20.12.150:0.0;export DISPLAY
```

where 10.20.12.150 is the IP address of X client where you want to export the display for the installer.

- For C Shell (csh or tcsh), type:

```
$ setenv DISPLAY 10.20.12.150:0.0
```

where 10.20.12.150 is the IP address of X client where you want to export the display for the installer.

- 2 Start the Oracle Universal Installer on the first node.

```
$ cd /dvd_mount
```

```
$ ./runInstaller
```

- 3 Enter the following information when prompted by the Oracle Universal Installer:

- Select installation option  
Select the option **Install and Configure Grid Infrastructure for a Cluster**.

- Select installation type  
Select the option **Advanced Installation**.

- Specify cluster configuration  
Enter the SCAN name for the cluster that will be used by the database clients to connect to databases within the cluster.

- Grid Plug and Play information  
Provide the following information:

- Name of the cluster

- SCAN name

The SCAN address on the domain name server (DNS) must resolve to three addresses (recommended) or at least one address.

- SCAN port

- Specify network interface usage

Identify the planned use for each interface: Public, Private, or Do Not use.

---

**Note:** Make sure that the same private interfaces that you specified at the time of configuring PrivNIC and MultiPrivNIC are listed on the screen.

---

---

**Note:** Mark the interfaces for the subnet containing the private IP addresses managed by the PrivNIC/MultiPrivNIC agents as 'Private'.

---

The interfaces that are **Private** are stored in GPnP profile as a 'cluster\_interconnect' for Oracle Clusterware communication and database cache fusion traffic.

- Storage option information

Select the option **Shared File System**.

- OCR storage option

Enter the full path of the location where you want to store the OCR information.

For example, if you are storing the OCR information on CFS, enter:

```
/ocrvote/ocr.
```

---

**Note:** Select the option **External Redundancy**. Mirror the OCR volumes using CVM.

---

- Voting Disk storage option

Enter the full path of the location where you want to store the voting disk information.

For example, if you are storing the voting disk information on CFS, enter:

```
/ocrvote/vote
```

---

**Note:** Select the option **External Redundancy**. Mirror the voting disk volumes using CVM.

---

- Specify installation location

Enter the full path to the Oracle base directory and the Oracle Grid Infrastructure home directory.

- Create inventory

Enter the full path to the Oracle inventory directory where you want to store the installation files.

- 4 Review the configuration summary presented by the Oracle Universal Installer. The Oracle Universal Installer begins the Oracle Grid Infrastructure installation.
- 5 Run the `oraInstRoot.sh` script as prompted by the Oracle Universal Installer.
- 6 Run the `root.sh` script on each node as prompted by the Oracle Universal Installer:

```
# cd $GRID_HOME  
  
# ./root.sh
```

The Oracle Clusterware daemons are started on the node.

---

**Note:** The Oracle Cluster Verification Utility fails during the installation of the Oracle Grid Infrastructure software. You may ignore this error. This is a known issue with Oracle.

---

## Configuring LLT links in the GPnP profile

Update the GPnP profile to include the remaining LLT links that were not added to the profile during the Oracle Grid Infrastructure installation.

### To configure the LLT links in the GPnP profile

- 1 View the currently configured interfaces:

```
# $GRID_HOME/bin/oifcfg getif
bge0 10.2.156.0          global      public
bge1 192.168.12.0       global      cluster_interconnect
```

The interfaces that are currently stored in the GPnP profile, their subnets, and their role (public or cluster\_interconnect) are displayed.

- 2 Add the remaining LLT links to the GPnP profile:

```
# $GRID_HOME/bin/oifcfg setif -global \  
bge2/192.168.12.0:cluster_interconnect
```

If you are using multiple IP addresses on different subnet for cluster interconnect (for load balancing), add the remaining interface subnets to the GPnP profile.

```
# $GRID_HOME/bin/oifcfg setif -global \  
bge2/192.168.2.0:cluster_interconnect  
# $GRID_HOME/bin/oifcfg setif -global \  
bge1/192.168.2.0:cluster_interconnect
```

- 3 Verify that the correct interface subnet is in use:

```
# $GRID_HOME/bin/oifcfg getif
bge0 10.2.156.0          global      public
bge1 192.168.12.0       global      cluster_interconnect
bge2 192.168.12.0       global      cluster_interconnect
bge1 192.168.2.0        global      cluster_interconnect
bge2 192.168.2.0        global      cluster_interconnect
```

Make sure all the LLT links are configured and listed in the GPnP profile.

## Installing the Oracle RAC database using the Oracle Universal Installer

The following procedure describes how to install the Oracle RAC database using the Oracle Universal Installer. Symantec recommends that you install the Oracle RAC database locally on each node.

### To install Oracle RAC database using the Oracle Universal Installer

- 1 Log in as the Oracle user. On the first node, set the DISPLAY variable.

- For Bourne Shell (bash), type:

```
$ DISPLAY=10.20.12.150:0.0;export DISPLAY
```

- For C Shell (csh or tcsh), type:

```
$ setenv DISPLAY 10.20.12.150:0.0
```

- 2 Start the Oracle Universal Installer.

```
$ cd /dvd_mount
```

```
$ ./runInstaller
```

- 3 Enter the following information when prompted by the Oracle Universal Installer:

Select installation option	Select the option <b>Install database software only</b> .
Node selection	Select <b>Real Application Clusters database installation</b> . Select the nodes on which the Oracle RAC database software must be installed.
Select database edition	Select <b>Enterprise Edition</b> .
Specify installation location	Review or enter the ORACLE_BASE and ORACLE_HOME directory paths.

The Oracle Universal Installer runs product-specific prerequisite checks. Any items that are flagged must be manually checked and configured.

- 4 Review the configuration summary presented by the Oracle Universal Installer. The Oracle Universal Installer begins the Oracle database installation.
- 5 Run the root.sh script as prompted by the Oracle Universal Installer.

```
# cd $ORACLE_HOME
```

```
# ./root.sh
```

## Linking the ODM library

Perform the steps in the procedure on each node if the Oracle libraries are on local storage. If the Oracle libraries are installed on shared storage, copy the libraries on one node only. Use the mount command to check that the file system containing the Oracle libraries are mounted.

### To link the Veritas ODM library

- 1 Log in as the Oracle user.
- 2 Change to the `$ORACLE_HOME/lib` directory:

```
$ cd $ORACLE_HOME/lib
```

- 3 Back up Oracle's ODM library:

```
$ mv libodm11.so libodm11.so.oracle-`date +%m_%d_%Y-%H_%M_%S`
```

- 4 Link the Veritas ODM library with Oracle's `libodm` library:

For Solaris SPARC:

```
$ ln -s /usr/lib/sparcv9/libodm.so libodm11.so
```

For Solaris x64:

```
$ ln -s /usr/lib/amd64/libodm.so libodm11.so
```

## Configuring the CSSD resource manually

Add the `cssd` resource to the VCS configuration and set CSSD dependencies on the resources that manage OCR and voting disk and the private IP addresses for Oracle Clusterware.

---

**Note:** It is recommended that the OCR, voting disk, and PrivNIC/MultiPrivNIC resources be configured in the same VCS group as that of the `cssd` resource. If the resources are not in the same group, set the appropriate dependencies between the service groups.

---

### To configure the CSSD resource

- 1 Change the permission on the VCS configuration file to read-write mode:

```
# haconf -makerw
```

- 2 Add the CSSD resource to the `cvm` group:

```
# hares -add cssd Application cvm
```

**3** Modify the CSSD resource attributes:

```
# hares -modify cssd StartProgram /opt/VRTSvcs/rac/bin/cssd-online
# hares -modify cssd StopProgram /opt/VRTSvcs/rac/bin/cssd-offline
# hares -modify cssd MonitorProgram /opt/VRTSvcs/rac/bin/cssd-monitor
# hares -modify cssd CleanProgram /opt/VRTSvcs/rac/bin/cssd-clean
# hares -modify cssd Critical 0
# hares -override cssd OnlineWaitLimit
# hares -modify cssd OnlineWaitLimit 5
```

**4** Enable the CSSD resource:

```
# hares -modify cssd Enabled 1
```

**5** Set the dependency of the CSSD resource on the CFSSMount or CVMVoldg resources that manage OCR and voting disk.

If you configured OCR and voting disk on CVM raw volumes:

```
# hares -link cssd ocr_voldg_ocrvotedg
# hares -link cssd vote_voldg_ocrvotedg
```

If you configured OCR and voting disk on CFS:

```
# hares -link cssd ocrvote_mnt_ocrvotedg
```

**6** Set the dependency of the CSSD resource on the PrivNIC or MultiPrivNIC resources that manage the private IP address for Oracle Clusterware.

If you configured the PrivNIC resource:

```
# hares -link cssd ora_priv
```

If you configured the MultiPrivNIC resource:

```
# hares -link cssd multi_priv
```

- 7 If the Oracle Clusterware and the Oracle database binaries are on CFS, set the dependencies between the CSSD resource and the CFMount resources for the binaries manually:

```
# hares -link cssd crsbin_mnt
# hares -link cssd orabin_mnt
```

- 8 Change the permission on the VCS configuration file to read-only mode:

```
# haconf -dump -makero
```

## Preventing automatic startup of Oracle Clusterware

The use of the CSSD agent is mandatory to ensure adequate handling of service group inter-dependencies and thereby prevent the premature startup of Oracle Clusterware. Therefore, disable automatic startup of Oracle Clusterware when the system starts.

### To prevent automatic startup of Oracle Clusterware

- 1 Log in as the root user on each node in the cluster.
- 2 Disable automatic startup of Oracle Clusterware:

```
# $GRID_HOME/bin/crsctl disable crs
```

Where \$GRID\_HOME is the Oracle Grid Infrastructure home directory.

## Creating the Oracle RAC database

Create the Oracle RAC database on shared raw volumes or cluster file systems.

To create the requisite database storage, see the instructions in the *Veritas Storage Foundation for Oracle RAC Installation and Configuration Guide (5.0 Maintenance Pack 3)*.

For instructions on creating the database, see the Oracle RAC documentation.

## Preventing automatic database startup

Configure the Oracle RAC database for manual startup if you want the Oracle RAC database to be managed by VCS using the Oracle agent. Before you configure the VCS service groups for Oracle, you need to prevent the Oracle database from starting automatically. The Oracle Clusterware and Oracle agent may attempt to start the database instance at the same time if the database mount is available. To prevent the Oracle database from starting automatically, you must change the

management policy for the database from automatic to manual using the Oracle `SRVCTL` command. The command changes the `AUTO_START` attribute of the Oracle database and instance resources.

### To prevent automatic database startup

- 1 Register the database, if not already registered:

```
$ srvctl add database -d db-name -o oracle_home \  
-p location-of-parameterfile -y manual
```

- 2 Once the database is registered, change the management policy for the database to manual:

```
$ srvctl stop database -d db-name  
$ srvctl modify database -d db-name -y manual
```

- 3 Start the database:

```
$ srvctl start database -d db-name
```

## Configuring VCS service groups for Oracle RAC

You can set up the Oracle database to be managed by VCS or by Oracle Clusterware. Symantec recommends that the Oracle database be configured under VCS.

---

**Note:** The VCS Oracle agent is supported only for administrator-managed databases. For policy-managed databases, use the service group configuration without the VCS Oracle agent.


---

When the database is configured under VCS:

- You can choose to configure the service group in a way that insulates all the databases from failure in any of the databases in the group.
- VCS manages the start and stop sequence of the applications and the database.


[Figure 1-1](#) illustrates a service group configuration with the VCS Oracle agent.

**Figure 1-1** Service group configuration with the VCS Oracle agent



**Figure 1-2** illustrates a service group configuration without the VCS Oracle agent.

**Figure 1-2** Service group configuration without the VCS Oracle agent



In a service group configuration without the VCS Oracle agent, Oracle Clusterware controls the database. An online local firm dependency exists between the Oracle Clusterware group and the CVM group. When the system starts, the CVM group brings up the volume and mount points for the databases. The Oracle Clusterware group brings up the OCR and voting disk, configures the private IP address for Oracle Clusterware, and starts Oracle Clusterware. Oracle Clusterware starts the database and the application is brought online.

---

**Note:** In a service group configuration without the VCS Oracle agent, when the system starts, all volumes and mount points **MUST** be online for the dependent service groups to be online.

---

To configure the Oracle database under VCS, create Oracle service groups after installing Oracle RAC and creating a database.

You can create Oracle service groups by modifying the VCS configuration file in one of the following ways:

- Edit the main.cf file
  - See [“Editing the main.cf file to configure VCS service groups for Oracle RAC”](#) on page 32.

- Use the CLI  
See [“Using the CLI to configure VCS service groups for Oracle RAC”](#) on page 34.

## Editing the main.cf file to configure VCS service groups for Oracle RAC

This section describes how to manually edit the `/etc/VRTSvcs/conf/config/main.cf` file to configure VCS service groups for Oracle RAC.

---

**Note:** Before you edit the main.cf file, change the cluster configuration to read-write mode: `# haconf -makerw`

---

You need to perform the steps in the following procedures:

- Configure VCS service groups for Oracle RAC  
See [“To configure VCS service groups for Oracle RAC”](#) on page 32.
- Start VCS after modifying the configuration file  
See [“To start VCS after modifying the configuration file”](#) on page 34.

### To configure VCS service groups for Oracle RAC

- 1 Log in as the root user to one of the systems.
- 2 As root user, save your existing configuration before you modify main.cf:

```
# haconf -dump -makero
```

If the configuration is not writable, a warning appears: "Cluster not writable." You may safely ignore the warning.

- 3 Stop the VCS engine on all systems and leave the resources available:

```
# hastop -all -force
```

- 4 Back the `main.cf` file:

```
# cd /etc/VRTSvcs/conf/config
```

```
# cp main.cf main.orig
```

## 5 Using `vi` or another text editor, edit the `main.cf` file to add the Oracle service groups.

For example:

```
group oradb_grp (
    SystemList = { galaxy = 0, nebula = 1 }
    AutoFailOver = 0
    Parallel = 1
    AutoStartList = { galaxy, nebula }
)

Oracle oradb (
    Critical = 0
    Sid @galaxy = oradb1
    Sid @nebula = oradb2
    Owner = oracle
    Home = "/u01/app/oracle/product/11.2.0/dbhome_1"
    StartUpOpt = "SRVCTLSTART"
    ShutDownOpt = "SRVCTLSTOP"
)

CFSMount oradata_mnt (
    Critical = 0
    MountPoint = "/oradbdata"
    BlockDevice = "/dev/vx/dsk/oradatadg/oradatavol"
)

CVMVolDg oradata_voldg (
    Critical = 0
    CVMDiskGroup = oradatadg
    CVMVolume = { oradatavol }
    CVMActivation = sw
)

requires group cvm online local firm
oradb requires oradata_mnt
oradata_mnt requires oradata_voldg
```

6 Save and close the main.cf file.

7 Verify the syntax of the file :

```
# cd /etc/VRTSvcs/conf/config  
  
# hacf -verify .
```

For additional information and instructions on modifying the VCS configuration by editing the main.cf file:

See the *Veritas Cluster Server User's Guide*.

### Starting VCS after modifying the configuration file

You need to start VCS for the new configuration to take effect.

#### To start VCS after modifying the configuration file

1 Start VCS on the node on which you modified the configuration file and check its status:

```
# hstart  
  
# hastatus
```

2 When "LOCAL\_BUILD" is listed in the message column, start VCS on the other systems:

```
# hstart
```

3 On one of the systems, enter the following command to verify that the service groups for Oracle RAC are brought online:

```
# hagr -display
```

4 Check the status of the groups.

```
# hagr -state
```

5 Check the status of the resources.

```
# hares -state
```

### Using the CLI to configure VCS service groups for Oracle RAC

This section describes how to configure the Oracle service group using the CLI.

The following procedure assumes that you have created the database.

### To configure the Oracle service group using the CLI

- 1 Change the cluster configuration to read-write mode:

```
# haconf -makerw
```

- 2 Add the service group to the VCS configuration:

```
# hagrps -add oradb1_grp
```

- 3 Modify the attributes of the service group:

```
# hagrps -modify oradb1_grp Parallel 1
```

```
# hagrps -modify oradb1_grp SystemList galaxy 0 nebula 1
```

```
# hagrps -modify oradb1_grp AutoStartList galaxy nebula
```

- 4 Add the CVMVolDg resource for the service group:

```
# hares -add oradata_voldg CVMVolDg oradb1_grp
```

- 5 Modify the attributes of the CVMVolDg resource for the service group:

```
# hares -modify oradata_voldg CVMdiskGroup oradatadg
```

```
# hares -modify oradata_voldg CVMActivation sw
```

```
# hares -modify oradata_voldg CVMVolume oradatavol
```

- 6 Add the CFMount resource for the service group:

```
# hares -add oradata_mnt CFMount oradb1_grp
```

- 7 Modify the attributes of the CFMount resource for the service group:

```
# hares -modify oradata_mnt MountPoint "/oradata"
```

```
# hares -modify oradata_mnt BlockDevice \
```

```
"/dev/vx/dsk/oradatadg/oradatavol"
```

- 8 Add the Oracle RAC database instance to the service group:

```
# hares -add oral Oracle oradb1_grp
```

**9** Modify the attributes of the Oracle resource for the service group:

```
# hares -modify ora1 Owner oracle
# hares -modify ora1 Home "/app/oracle/orahome"
# hares -modify ora1 StartUpOpt SRVCTLSTART
# hares -modify ora1 ShutDownOpt SRVCTLSTOP
```

**10** Localize the Sid attribute for the Oracle resource:

```
# hares -local ora1 Sid
```

**11** Set the Sid attributes for the Oracle resource on each system:

```
# hares -modify ora1 Sid vrts1 -sys galaxy
# hares -modify ora1 Sid vrts2 -sys nebula
```

**12** Set the dependencies between the CFSSMount resource and the CVMVolDg resource for the Oracle service group:

```
# hares -link oradata_mnt oradata_voldg
```

**13** Set the dependencies between the Oracle resource and the CFSSMount resource for the Oracle service group:

```
# hares -link ora1 oradata_mnt
```

**14** Create an online local firm dependency between the oradb1\_grp service group and the cvm service group:

```
# hagrps -link oradb1_grp cvm online local firm
```

**15** Enable the Oracle service group:

```
# hagrps -enable resources oradb1_grp
```

**16** Change the cluster configuration to the read-only mode:

```
# haconf -dump -makero
```

**17** Bring the Oracle service group online on all the nodes:

```
# hagrps -online oradb1_grp -any
```

For more information and instructions on configuring the service groups using the CLI:

See the *Veritas Cluster Server User's Guide*.

## Location of VCS log files

You may want to review the log files at `/var/VRTSvcs/log/engine_A.log` for errors or status messages. When large amounts of data are written, multiple log files may be written, such as `engine_B.log`, `engine_C.log`, and so on. The `engine_A.log` contains the most recent data.

# Upgrading to Oracle RAC 11g Release 2

This section provides instructions on upgrading to Oracle RAC 11g Release 2.

---

**Note:** Starting with Oracle RAC 11g Release 2, the Oracle Clusterware software must be upgraded to run in a new directory called the Oracle Grid Infrastructure home. If you plan to upgrade ASM to Release 11g R2, make sure that ASM also resides in the same Oracle Grid Infrastructure home directory.

Even if the existing Oracle Clusterware software is installed in a shared home directory, you can use a local home directory for installing the Oracle Grid Infrastructure software.

---

For information on supported upgrade paths:

See [“Supported upgrade paths”](#) on page 37.

Complete the following steps to upgrade to Oracle RAC 11g Release 2:

1. Prepare to upgrade Oracle RAC.  
See [“Preparing to upgrade Oracle RAC”](#) on page 38.
2. Upgrade Oracle RAC binaries.  
See [“Upgrading Oracle RAC binaries”](#) on page 39.
3. Migrate the Oracle RAC database.  
See [“Migrating the Oracle RAC database”](#) on page 39.
4. Complete the post-upgrade tasks.  
See [“Performing post-upgrade tasks”](#) on page 39.

## Supported upgrade paths

[Table 1-2](#) lists the upgrade paths for Oracle RAC.

**Table 1-2** Supported upgrade paths for Oracle RAC

From current version	Upgrade to
Oracle RAC 10g Release 2	Oracle RAC 11g Release 2
Oracle RAC 11g Release 1	Oracle RAC 11g Release 2

**Note:** When you upgrade to a different version of Oracle RAC, make sure that the full path of the Oracle Grid Infrastructure home directory and the Oracle database home directory is different from the path where the existing version of Oracle RAC resides.

The upgrade procedure assumes that the beginning configuration includes the following components, and that these components are running on the cluster nodes:

- SF Oracle RAC 5.0 MP3 RP4
- A supported version of the operating system

## Preparing to upgrade Oracle RAC

### To prepare for upgrading Oracle RAC

- 1 Take a hot or cold backup of the existing database.
- 2 Back up the existing Oracle home and central inventory.
- 3 If the Oracle RAC database is under VCS control, freeze the Oracle service groups to prevent VCS from reporting the resource as faulted when Oracle RAC stops and starts the database during the upgrade:

```
# haconf -makerw
# hagrps -freeze oracle_group -persistent
```

- 4 Freeze the cvm service group to prevent VCS from reporting the resource as faulted when Oracle Clusterware is stopped and started during the upgrade:

```
# hagrps -freeze cvm_group -persistent
# haconf -dump -makero
```

## Upgrading Oracle RAC binaries

Review your Oracle installation manuals and the appropriate Oracle support Web sites before upgrading Oracle RAC.

---

**Note:** Make sure that you upgrade to Oracle RAC 11g Release 2 with the same user credentials as that of the existing installation.

---

### To upgrade Oracle RAC binaries

- 1 Upgrade Oracle Clusterware to a new directory called the Oracle grid infrastructure home (GRID\_HOME).

---

**Note:** Starting with Oracle RAC 11g Release 2, ASM must reside in the Oracle Grid Infrastructure home directory. If you plan to upgrade ASM to Release 11g R2, make sure that you upgrade it to run in the Oracle Grid Infrastructure home directory.

---

For instructions, see the Oracle RAC documentation.

- 2 Make sure that Oracle Clusterware is running.
- 3 Install the Oracle RAC database binaries.  
For instructions, see the Oracle RAC documentation.
- 4 Relink the SF Oracle RAC libraries with Oracle RAC.  
See [“Linking the ODM library”](#) on page 25.

## Migrating the Oracle RAC database

For instructions on migrating the existing Oracle RAC database, see the Oracle metalink documentation.

After migrating the database, complete the post-upgrade tasks:

See [“Performing post-upgrade tasks”](#) on page 39.

## Performing post-upgrade tasks

Perform the steps in the following procedure to complete the upgrade.

### To perform post-upgrade tasks

- 1 Change the cluster configuration to read-write mode:

```
# haconf -makerw
```

- 2 Modify the Oracle RAC configuration to prevent automatic startup of Oracle Clusterware.

See [“Preventing automatic startup of Oracle Clusterware”](#) on page 28.

- 3 Modify the Oracle RAC database configuration to prevent automatic database startup if you want the Oracle RAC database to be managed by VCS using the Oracle agent.

See [“Preventing automatic database startup”](#) on page 28.

- 4 Unfreeze the VCS service groups that were frozen earlier.

As root user, enter:

```
# hagrps -unfreeze oracle_group -persistent
```

```
# hagrps -unfreeze cvm_group -persistent
```

```
# haconf -dump -makero
```